




PRODUCTS 1986

THE ART AND SCIENCE OF PRECISION COMPONENTS






TABLE CONTENTS

	PAGE
CALIPER BRAKES	2
GRAN COMPE (ROYAL, AERO, NEW)	2
DIA-COMPE N-BRAKES	4
CENTERING MECHANISM (I, II, III)	5
MX BRAKES	6
CENTER-PULL BRAKES	8
CANTILEVER BRAKES & MOUNTAIN BIKE BRAKES	9
STEEL BRAKES & LEVERS	10
BRAKE LEVERS	11
GRAN COMPE (ROYAL, AERO)	11
GRAN COMPE (NEW)	12
RACING LEVERS	12
EXTENSION LEVERS	16
TOURING LEVERS	17
MOUNTAIN BIKE LEVERS	18
MX LEVERS	19
HANDLE BAR STEMS	21
BRAKE PARTS	23
TOOLS & BRAKE PARTS	28
SELECT MOST SUITABLE RIM FOR YOUR DIA-COMPE BRAKES	29

CALIPER BRAKES

ROYAL GRAN COMPE

RGC400 B&G

Cold Forged/Buffered, Genuine Gold Plated and Black Anodized/Static Quick Release/Forged Brake Shoe/
Min. 39mm—49mm Max./Weight: 164g



RGC SERIES

Cold Forged/Buffered and Clear Anodized/Static Quick Release/Forged Brake Shoe/
• RGC400: 39mm—49mm, 164g/
RGC500: 47mm—57mm, 170g



RGC COLORS



Color: B&G, AL, BL, SMB, HD, SG

RC SERIES



Cold Forged/Clear Anodized/
Static Quick Release/
• RC400: 39mm—49mm, 161g
RC500: 47mm—57mm, 167g

RC-II SERIES



Cold Forged/Clear Anodized/
Static Quick Release/
Brake Shoes are Replaceable/
• RC-II400: 39mm—49mm, 157g
RC-II500: 47mm—57mm, 161g

WEIGHT SHOWN IN THE CATALOG IS PER PIECE.

NEW GRAN COMPE



NGC400

Cold Forged/Bufed and Clear
Anodized/Static Quick Release/
Min. 40mm—50mm Max./Weight: 158g



NGC500

Cold Forged/Bufed and Clear
Anodized/Quick Release/
Min. 47mm—57mm Max./Weight: 170g




GC500

Cold Forged Clear/Anodized/Quick Release/
Min. 47mm—57mm Max./Weight: 161g



AERO GRAN COMPE



Brake Shoe is Adjustable
for 6mm by Eccentric Mechanism.



AGC300



Cold Forged/Bufed and Clear
Anodized/Eccentric Brake Shoe
Adjustment/Min. 37mm—43mm Max./
Weight: 148g



AGC300/BL



Cold Forged/Bufed and Black
Anodized/Eccentric Brake Shoe
Adjustment/Min. 37mm—43mm Max./
Weight: 148g



AC300G



Cold Forged/Clear Anodized/
Eccentric Brake Shoe Adjustment/
Min. 37mm—43mm Max./Weight: 148g

CALIPER BRAKES

DIA-COMPE N-BRAKES



GC400N

Buffed and Clear Anodized/
Min. 38mm—48mm Max./ Weight: 143g



GC-N SERIES

• GC500N: 43mm—57mm, 147g
GC630N: 49mm—64mm, 153g



GX400N

Min. 38mm—48mm Max./
Weight: 135g



GX-N SERIES

GX500N: 43mm—57mm, 142g
GX630N: 49mm—64mm, 150g
• GX730N: 53mm—71mm, 155g
GX810N: 61mm—79mm, 156g



G400N

Min. 38mm—48mm Max./
Weight: 140g



G-N SERIES

• G500N: 43mm—57mm, 148g
G630N: 49mm—64mm, 150g
G730N: 53mm—71mm, 154g
G810N: 61mm—79mm, 155g



QS400N

Min. 38mm—48mm Max./
Weight: 132g



QS-N SERIES

QS600N: 43mm—57mm, 136g
• QS630N: 49mm—64mm, 144g
QS730N: 53mm—71mm, 145g
QS810N: 61mm—79mm, 146g



Q400N

Min. 38mm—48mm Max./
Weight: 131g



Q-N SERIES

Q500N: 43mm—57mm, 136g
Q630N: 49mm—64mm, 140g
• Q730N: 53mm—71mm, 145g
Q810N: 61mm—79mm, 146g



DC400NS

Min. 38mm—48mm Max./
Weight: 127g



DC-NS SERIES

DC500NS: 43mm—57mm, 134g
DC630NS: 49mm—64mm, 138g
DC730NS: 53mm—71mm, 144g
• DC810NS: 61mm—79mm, 146g



DC400N

Min. 38mm—48mm Max./
Weight: 117g



DC-N SERIES

DC500N: 43mm—57mm, 126g
DC630N: 49mm—64mm, 132g
• DC730N: 53mm—71mm, 133g
DC810N: 61mm—79mm, 134g



890

Min. 68mm—85mm Max./
Weight: 147g



1020

Min. 73mm—91mm Max./
Weight: 149g




1080

Min. 81mm—105mm Max./
Weight: 169g

CENTERING MECHANISM

Eliminate One-Sided Contact by Adjusting Screw.



CENTERING I
Centering Mechanism



CENTERING II
Centering Mechanism



CENTERING III
Centering Mechanism



DC400N C/R III
(CENTERING III)

Centering Mechanism/
Min. 38mm—48mm, Max./
Weight: 132g



890 C/R III
(CENTERING III)
Centering Mechanism/
Min. 68mm—88mm Max./
Weight: 190g

AERO BRAKES




AC SERIES

Aerodynamic Design/
• AC500: 48.5mm—57.5mm,
125g/AC800: 63.5mm—
72.5mm,
133g




AC500G

Min. 48.5mm—
57.5mm Max./
Weight: 151g



AC-QS SERIES

AC500QS: 48.5mm—
57.5mm, 150g
• AC800QS: 63.5mm—
72.5mm, 156g



AC-Q SERIES


AC500Q: 48.5mm—
57.5mm, 139g
• AC800Q: 63.5mm—
72.5mm, 144g



AC-S SERIES

AC500S: 48.5mm—57.5mm, 136g
• AC800S: 63.5mm—72.5mm, 144g

CALIPER BRAKES



MX BRAKES

MX901

Semi Automatic Adjustment/
Quick Release/
Min. 66mm—84mm
Max./Weight: 176g



MX901 C/R III

Semi Automatic Adjustment/
Centering Mechanism/Quick Release/
Min. 66mm—84mm
Max./Weight: 208g



MX SERIES

Semi Automatic Adjustment/ MX900: 66mm—84mm, 185g
• MX1000: 73mm—92mm, 196g



MX C/R III SERIES

Centering Mechanism/Semi Automatic Adjustment/Quick Release/
• MX900 C/R III: 66mm—84mm, 208g
MX1000 C/R III: 73mm—92mm, 219g



890 C/R III

Stopper/Centering Mechanism/Min. 68mm—96mm Max./ Weight: 190g



MX SERIES Stopper/

• MX890: 68mm—86mm, 174g
MX1020: 73mm—91mm, 177g
MX1080: 81mm—105mm, 195g



MX SERIES

Stopper/
MX610: 47mm—61mm, 212g
• MX750: 57mm—75mm, 222g



TR903


Pivot Bolt: 7mm/
Min. 66mm—84mm Max./
Weight: 191g



TR1003

Pivot Bolt: 7mm/
Min. 73mm—92mm Max./
Weight: 192g

FREE STYLE



FS880L

Min. 68mm—86mm Max./
Weight: 151g



FS881L


Allen Head Type Pivot Bolt/
Min. 68mm—86mm Max./
Weight: 152g



FS882L

Semi Automatic Adjustment/
Quick Release/ Min. 68 mm—86 mm
Max./ Weight: 199g

LADY'S MODEL



FS883L

Semi Automatic Adjustment/
Quick Release/ Allen Head Type Pivot Bolt/
Min. 68mm—86mm Max./ Weight: 200g



LADY'S MODEL

Lady's Mixty Model



NSC

For Bridgestone Cycle/ Self-Centering
Mechanism/ Min. 58mm—76mm Max./
Weight: 164g



SCH

For Bridgestone Cycle/ Self-Centering
Mechanism/ Min. 47mm—62mm Max./
Weight: 158g



SCA

For Bridgestone Cycle/ Self-Centering
Mechanism/ Min. 41mm—55mm Max./
Weight: 150g




SS

For Miyata Ind. Only/
Min. 59mm—79mm Max./
Weight: 194g

CALIPER BRAKES

CENTER-PULL BRAKES

BRAZED ON TYPE IS ALSO AVAILABLE.



NGC450B

Buffed and Clear Anodized/
Sealed Bearing Pivot System/
Min. 42mm—55mm Max./ Weight: 164g



NGC450

Buffed and Clear Anodized/
Min. 42mm—55mm Max./
Weight: 164g



GC510

Buffed and Clear Anodized/
Brake Shoe Angle Adjustment/
Min. 43mm—57mm Max./ Weight: 190g



GC700

Buffed and Clear Anodized/
Brake Shoe Angle Adjustment/
Min. 52mm—71mm Max./ Weight: 200g



GC SERIES

Buffed and Clear Anodized/
GC610: 47mm—61mm, 174g
• GC750: 60mm—78mm, 192g



G SERIES

Clear Anodized/
• 610G: 47mm—61mm, 172g
750G: 60mm—78mm, 190g



610/750


610: 47mm—61mm, 162g
• 750: 60mm—78mm, 172g



DC SERIES

Brake Shoe Angle Adjustment/
• DC510: 43mm—57mm, 192g
DC700: 52mm—71mm, 202g

CANTILEVER BRAKES & MOUNTAIN BIKE BRAKES




NGC982

Buffed and Clear Anodized/
Eccentric Brake Shoe
Adjustment/ Spring Cover/
Stroke (Pivot-Pad): 25 mm \pm 1.5/
Weight: 162g



NGC982/BL

Buffed and Black Anodized/
Eccentric Brake Shoe Adjustment
Stroke (Pivot-Pad): 25 mm \pm 1.5/
Weight: 162g




GC980

Buffed and Clear Anodized/
Stroke (Pivot-Pad): 25 mm \pm 2.5/
Weight: 158g



GC960

Buffed and Clear Anodized/
Stroke (Pivot-Pad): 23 mm/
Weight: 122g




980

Stroke (Pivot-Pad): 25 mm \pm 2.5/
Weight: 146g




980/BL

Black Anodized/
Stroke (Pivot-Pad): 25 mm \pm 2.5/
Weight: 146g



981

Stroke (Pivot-Pad): 25 mm \pm 2.5/
Weight: 156g



960

Stroke (Pivot-Pad): 23 mm/
Weight: 110g

STEEL BRAKES & LEVERS



6300

Color: R, B, GO, CP • WP, BL/
Min. 49 mm—87 mm Max./
Weight: 205g



7300

Color: R, • B, GO, CP, WP, BL/
Min. 53 mm—71 mm Max./
Weight: 212g



8100

Color: R, B, GO, CP, WP, • BL/
Min. 61 mm—79 mm Max./
Weight: 225g



8900/1030

Color: • R, B, GO, CP, WP, BL/
• 8900: 68 mm—86 mm, 247g
• 1030: 73 mm—95 mm, 259g




8100 LADY'S

Color: R, B, GO, • CP, WP, BL/
Min 61 mm—79 mm Max./
Weight: 225g



1440

Color: R, B, GO, • CP, WP, BL/
Clamp Diameter:
22.2 mm or 23.8 mm/
Weight: 134g
Available with Rubber Cover



1321

Color: R, B, GO, • CP, WP, BL/
Clamp Diameter: 22.2 mm or 23.8 mm/
Weight: 68g



1320


Color: R, B, GO, • CP, WP, BL/
Clamp Diameter: 22.2 mm or 23.8 mm/
Weight: 67g



1650

Color: R, B, GO, • CP, WP, BL/
With Extension Lever/
Clamp Diameter:
22.2 mm or 23.8 mm/
Weight: 257g
Available with Rubber Cover

BRAKE LEVERS



ROYAL GRAN COMPE


RGC200B&G

Anatomical Design/Buffered and Black Anodized/Clamp Diameter: 24.0mm/Weight: 107g



RGC200

Anatomical Design/Buffered and Clear Anodized/Clamp Diameter: 24.0mm/Weight: 107g



RGC220

Anatomical Design/Small Type Lever/Buffered and Clear Anodized/Clamp Diameter: 24.0mm/Weight: 105g



RT200

Anatomical Design/Clear Anodized/Clamp Diameter: 24.0mm/Weight: 107g



AERO GRAN COMPE

AGC251

Anatomical Design/Buffered and Clear Anodized/Clamp Diameter: 24.0mm/Weight: 118g



AGC250

Buffered and Clear Anodized/ Aerodynamic System/Clamp Diameter: 24.0mm/Weight: 121g




AC250G

Clear Anodized/Clamp Diameter: 24.0mm/Weight: 122g



AC250

Polished/Clamp Diameter: 24.0mm/Weight: 122g



TOURING LEVERS



GC147

Buffed and Clear Anodized/
Clamp Diameter: 22.2mm or
23.8mm/Weight: 101g



GC146

Buffed and Clear Anodized/
Clamp Diameter: 22.2mm or
23.8mm/Weight: 89g



135

Clear Anodized/Clamp
Diameter: 22.2mm or
23.8mm/Weight: 62g



131DS

Clamp Diameter: 22.2mm
or 23.8mm/Stop Switch
Can Be Attached/Weight: 49g



127

Clamp Diameter:
19.0mm or 22.2mm or
23.8mm/Weight: 44g



147C

Clamp Diameter: 22.2mm or
23.8mm/Weight: 101g



146C

Clamp Diameter: 22.2mm
or 23.8mm/Weight: 89g



132

Clamp Diameter: 22.2mm
or 23.8mm/Lever Opening:
71mm/Weight: 50g



131D

Clamp Diameter:
22.2mm or 23.8mm/
Weight: 51g



126

Clamp Diameter:
19.0mm or 22.2mm or
23.8mm/Weight: 43g



147

Clamp Diameter: 22.2mm or
23.8mm/Weight: 85g



146

Clamp Diameter: 22.2mm or
23.8mm/Weight: 77g



132DS

Clamp Diameter: 22.2mm
or 23.8mm/Stop Switch Can
Be Attached/Weight: 49g



131

Clamp Diameter: 22.2mm or
23.8mm/Lever Opening:
78mm/ Weight: 50g



125

Clamp Diameter:
19.0mm or 22.2mm
or 23.8mm/Weight: 42g


BRAKE LEVERS



MOUNTAIN BIKE LEVERS

NGC282

Buffed and Clear Anodized (Lever)/Black Wrinkle Finish (Bracket)/Stroke Adjustment/Clamp Diameter: 22.2mm/Weight: 144g



282

Clear Anodized (Lever)/Black Finish (Bracket)/Stroke Adjustment/Clamp Diameter: 22.2mm/Weight: 144g



282BL

Black Anodized (Lever)/Black Finish (Bracket)/Stroke Adjustment/Clamp Diameter: 22.2mm/Weight: 144g




GC280

Buffed and Clear Anodized (Lever)/Black Wrinkle Finish (Bracket)/Clamp Diameter: 22.2mm/Weight: 137g




280

Clear Anodized (Lever)/Black Finish (Bracket)/Clamp Diameter: 22.2mm/Weight: 137g



281

Clear Anodized (Lever)/Black Anodized (Bracket)/Clamp Diameter: 22.2mm/Weight: 128g




281M

Clear Anodized (Lever)/Black Anodized (Bracket)/Clamp Diameter: 22.2mm/Weight: 128g




284-I

Casted/Two Piece Bracket/Color: PQ, AL, RP, BP, BL, LYR, CP, WP, PP, LAP, OP, GMP/Clamp Diameter: 22.2mm/Weight: 110g



284-II

Casted/Color: PQ, AL, RP, BP, BL, LYR, CP, WP, PP, LAP, OP, GMP/Clamp Diameter: 22.2mm/Weight: 111g



284-III

Casted/Two Piece Bracket/Stroke Adjustment/Color: PQ, AL, RP, BP, BL, LYR, CP, WP, PP, LAP, OP, GMP/Clamp Diameter: 22.2mm/Weight: 111g



MX LEVERS



183/TECH-5

Stroke Adjustment/Color: PO, AL, RR, BR, BL, LYR, CR, WP, PP, LAP, OP, GMP/Clamp Diameter: 22.2mm/Weight: 100g



183-II

Color: PO, AL, RR, BR, BL, LYR, CR, WP, PP, LAP, OP, GMP/Clamp Diameter: 22.2mm/Weight: 100g



183-III

Two Piece Bracket/Color: PO, AL, RR, BR, BL, LYR, CR, WP, PP, LAP, OP, GMP/Clamp Diameter: 22.2mm/Weight: 98g



183S

Stroke Adjustment/With Stopper/Color: PO, AL, RR, BR, BL, LYR, CR, WP, PP, LAP, OP, GMP/Clamp Diameter: 22.2mm/Weight: 106g



183S-II

With Stopper/Color: PO, AL, RR, BR, BL, LYR, CR, WP, PP, LAP, OP, GMP/Clamp Diameter: 22.2mm/Weight: 106g



128/TECH-6

Stroke Adjustment/Color: PO, AL, R, B, BL, GO, CR, WP/Clamp Diameter: 22.2mm or 23.8mm/Weight: 53g



128S-II

Stroke Adjustment/With Stopper/Color: PO, AL, R, B, BL, GO, CR, WP/Clamp Diameter: 22.2mm or 23.8mm/Weight: 60g



MX120/TECH-2

Stroke Adjustment/Color: PO, AL, R, B, BL, GO, CP/Clamp Diameter: 22.2mm or 23.8mm/Weight: 55g



MX121/TECH-3

Stroke Adjustment/Color: PO, AL, R, B, BL, GO, CR, WP/Clamp Diameter: 22.2mm or 23.8mm/Weight: 49g



MX123/TECH-4

Color: PO, AL, R, B, AL, GO, CR, WP/Clamp Diameter: 22.2mm or 23.8mm/Weight: 44g



MX124

Stroke Adjustment/Color: PO, AL, R, B, BL, GO, CR, WP/Clamp Diameter: 22.2mm or 23.8mm/Weight: 46g



132MT2

Double Bent/Color: PO, AL, R, B, BL, GO, CP/Clamp Diameter: 22.2mm or 23.8mm/Weight: 55g



132MT20

20° Bent/Color: PO, AL, R, B, BL, GO, CP/Clamp Diameter: 22.2mm or 23.8mm/Weight: 55g



132MT45

45° Bent/Color: PO, AL, R, B, BL, GO, CP/Clamp Diameter: 22.2mm or 23.8mm/Weight: 55g

BRAKE LEVERS



135MT20

20° Bent/Color: PO, AL, R, B, BL, GO,
CP/Clamp Diameter: 22.2mm or
23.8mm/Weight: 62g



135MT45

45° Bent/Color: PO, AL, R, B, BL, GO,
CP/Clamp Diameter: 22.2mm or
23.8mm/Weight: 62g



138


Hand Rest With Cover/Clamp
Diameter: 22.2mm or 23.8mm/
Weight: 60g
Color: Black, White, Brown

GUIDNET LEVER



139

Clamp Diameter: 22.2mm or 23.8mm/
Weight: 86g



REVERSE LEVER



189

Cable System Built-in Type/Handle Bar
Diameter: 22.2mm/Weight: 70g

189.4

Resin Type Grip for # 189/Color: Black,
White, Brown/Handle Bar Diameter:
22.2mm/Weight: 31g

COLOR SAMPLES

	PO: POLISHED
	AL: ANODIZED
	R: RED ANODIZED
	B: BLUE ANODIZED
	BL: BLACK ANODIZED
	GO: GOLD ANODIZED
	CP: CHROMIUM PLATED
	WP: WHITE PAINTED
	RP: RED PAINTED
	BP: BLUE PAINTED
	LYP: LEMON YELLOW PAINTED
	PP: PINK PAINTED
	LAP: LAVENDER PAINTED
	OP: ORANGE PAINTED
	GMP: GREEN PAINTED
	SMB: SMOKEY BROWN ANODIZED
	HD: HARD COLOR ANODIZED
	SG: SILVER GRAY ANODIZED

BRAKE PARTS



76MX-1Y
FOR BMX



76MX-1/B
FOR BMX



76MX-1/R
FOR BMX



76MX-2BL
FOR BMX



76MX-T
FOR BMX PLASTIC RIM



76TR
FOR TRIAL



AGC76
FOR AGC



RCII76/R
FOR ROYAL COMPE II



RCII76/L
FOR ROYAL COMPE II



AGC76AR
FOR AGC: RIGHT



AGC76AL
FOR AGC: LEFT



GC76
FOR GC



RGC76
FOR RGC



RGC76/BL
FOR RGC



GC77N
FOR NGC



700.11
FOR DC510/DC700



450.11
FOR NGC450



960.11
FOR 960 CANTILEVER
BRAKES



960.11/BL
FOR 960 CANTILEVER
BRAKES



960.11L/BL
FOR 960 CANTILEVER
BRAKES



980.11
FOR 980 CANTILEVER
BRAKES



981.11
FOR 981 CANTILEVER
BRAKES



76HBI
FOR HIE TYPE RIM

STOPPERS & TIRE GUIDES



76.9
STOPPER FOR BMX



76.9C
STOPPER WITH
COATING



1601A
TIRE GUIDE
CLEAR ANODIZED



1601
TIRE GUIDE



1601N
TIRE GUIDE



1601A-BL
TIRE GUIDE BLACK



RGC1601
TIRE GUIDE
FOR RGC

ADJUSTING BARRELS



58MG
FOR MUD
GUARD



1058
L-TYPE
WASHER



63
FOR E-Z



64
FOR SIDE PULL



AC64
FOR AC300



GC64
FOR GC



65A
FOR SIDE
PULL: 17mm



65B
FOR 1255



65C
FOR CENTER
PULL: 20mm



66GF
FOR GC500N



GC66
FOR GC500N



GX66
FOR GX500N

BRAKE PARTS



FRONT CABLE HANGERS



1252-1257
T-3mm P-34mm

1254
T-3mm P-21-32mm

1255
T-3mm P-11mm

1255A
T-3mm P-11mm

1255B
T-3mm P-11mm

1255N
T-3mm P-11mm

1255S
T-3mm P-11mm

REAR CABLE HANGERS




1260
W-24mm P-45mm

1260A
W-26mm P-45mm

1260N
W-24mm P-45mm

1260S
W-26mm P-23mm

1262.2-1257
W-30mm P-32mm
1262.3-1257
W-24mm P-32mm
1262.4-1257
W-23mm P-20mm
1262.8-1257
W-30mm P-24mm
1262.9-1257
W-26mm P-20mm



T = THICKNESS
P = PITCH
W = WIDTH



1262.3-1258
W-24mm P-32mm

1264
P-32mm-43mm

1265
W-23mm P-45mm
1265M
W-29mm P-41mm
1265N
W-31mm P-41mm

1266
P-30mm L-TYPE

1268-I
P-20mm Y-TYPE
1268-II
P-20mm Y-TYPE
1268-III
P-20mm Y-TYPE

1269
P-30mm I-TYPE

STRADDLE CABLE BRIDGES



1240
FOR M/B

1242
STANDARD

1243
FOR CANTILEVER
BRAKES


1245
FOR NGC

1246
FOR DOUBLE
STRADDLE CABLE

1247
WITH QUICK RELEASE

BRAKE PARTS

WASHERS



- | | |
|------------------------------|------------------------|
| ① 1235
ALLOY 1.4mm | ⑥ 61.05
5mm |
| ② 61.03A
ALLOY 3mm | ⑦ 61.06
6mm |
| ③ 61.05A
ALLOY 5mm | ⑧ 61.07
7mm |
| ④ 62.015
1.5mm | ⑨ 61.09
9mm |
| ⑤ 61.03
3mm | ⑩ 61.13
13mm |

STRADDLE CABLES



- 1270-100** FOR CENTER PULL: 100mm 110mm
120mm 130mm 150mm 170mm
180mm 200mm 210mm 220mm
250mm 300mm 330mm
- 1271-180** FOR 990 AND 990 CANTILEVER
BRAKES: 180mm 200mm 230mm 250mm
280mm 300mm 330mm 360mm 380mm 400mm
- 1272-100** 100mm DOUBLE STRADDLE CABLE
FOR CENTER PULL
- 1273-100** FOR NGC450: 100mm

- 1274-280** FOR 981 AND NGC 982 CANTILEVER BRAKES:
280mm 330mm 380mm 550mm



- 96**
FOR MUSHROOM TYPE
- 102J**
FOR AEROLEVERS
- 96**
FOR CYLINDER TYPE

BRAZED ON PARTS



- 960.7**
FRONT FOR
CANTILEVER
BRAKES
- 960.8**
REAR FOR
CANTILEVER
BRAKES
- 980.7**
FRONT FOR
CANTILEVER
BRAKES (MIB)
- 980.8**
REAR FOR
CANTILEVER
BRAKES (MIB)



- 982.7-11**
FRONT FOR
CANTILEVER
BRAKES (MIB)
- 982.7**
FRONT FOR
CANTILEVER
BRAKES (MIB)
- 982.8**
REAR FOR
CANTILEVER
BRAKES (MIB)
- 982.12**
WASHER FOR
SPRING (MIB)
- 1100.1**
FRONT FOR
CENTER PULL
- 1100.2**
REAR FOR
CENTER PULL
- 1100.3**
WASHER FOR
SPRING
- 1101.3**
FRONT FOR
CENTER PULL
(NGC450)
- 1101.4**
REAR FOR
CENTER PULL
(NGC450)
- 1101.3B**
FRONT FOR
CENTER PULL
(NGC450B)
- 1101.4B**
REAR FOR
CENTER PULL
(NGC450B)
- 1105**
SET FOR PUT IN
BOTTLE CAGE

PIVOT BOLT SETS



- RGC39S**
FRONT SET FOR RGC: 29mm
RGC41S
REAR SET FOR RGC: 13mm
- AGC37**
FRONT SET FOR AGC: 29mm
AGC38
REAR SET FOR AGC: 13mm
- GC39S**
FRONT SET FOR NGC: 29mm
GC41S
REAR SET FOR NGC: 13mm
- GC39**
FRONT SET FOR NGC: 46mm
GC41
REAR SET FOR NGC: 29mm
- RC43S**
FRONT SET FOR RC: 28mm
RC44S
REAR SET FOR RC: 13mm



AGC37.1 O/B
FRONT OFFSET BOLT FOR AGC
AGC38.1 O/B
REAR OFFSET BOLT FOR AGC



GC39.1 O/B
FRONT OFFSET BOLT FOR NGC
GC41.1 O/B
REAR OFFSET BOLT FOR NGC



MX O/B
FRONT OFFSET BOLT
FOR BMX



40G
FRONT SET FOR G-SERIES: 52mm
42G
REAR SET FOR G-SERIES: 32mm



40N
FRONT SET FOR N-SERIES: 52mm
42N
REAR SET FOR N-SERIES: 32mm



40C III
FRONT SET FOR CENTERING III-SERIES
42C III
REAR SET FOR CENTERING II-SERIES



1041
FRONT SET FOR CENTER PULL
1045
REAR SET FOR CENTER PULL



42TR
Ø7 mm BOLT SET FOR
TRIAL: 32mm



40M
FRONT SET FOR BMX: 45 mm
42M
REAR SET FOR BMX: 32mm

BRAKE SHOES



76BI
FOR W/O TYPE RIM



76BK
FOR W/O TYPE RIM



76RK
FOR W/O TYPE RIM



76GK
FOR W/O TYPE RIM



76NP
FOR N-SERIES PARALLEL



76AL
FOR W/O TYPE RIM



76N
FOR N-SERIES



76NM
FOR N-SERIES



76A/R
FOR W/O TYPE RIM




76A/BL
FOR W/O TYPE RIM



76NL
FOR N-SERIES: 45mm



75DM/R **76DM/L**
DIA. MIX



76MX-1 **76MX-1L**
FOR BMX FOR BMX WITH STOPPER



76MX-1W **76MX-1BL**
FOR BMX FOR BMX

SEAT POST CLAMPS & CASING CLIPS



67G
FOR G400N



GC67
FOR GC 400N



GX67
FOR GX400N



69
FOR TOURING
LEVERS



210A/S
FOR NGC210



MX1500
SEAT POST CLAMPS



MX1500N
SEAT POST CLAMPS



MX1500S
SEAT POST
CLAMPS



1501
CASING CLIPS: 25.4mm



1501M-1
CASING CLIPS: 28.6mm



1501M-2
CASING CLIPS: 31.8mm



GC1501
CASING CLIPS: 25.4mm



1503
WIRE CASING CLIP



1502
PLASTIC CASING CLIPS: 25.4mm

1502W WHITE

1502G GRAY

1502B BLACK

RUBBER COVERS



RGC202.1/R
FOR RGC 200 & 220



RGC202.1/GR
FOR RGC 200 & 220



144.7/BL
FOR 144



144.7/B
FOR 144



GC162.1-2/BR
FOR GC160 & GC162



GC162.3-4/BR
FOR NGC160



165.7/BR
FOR 164 & 165



165.7/BL
FOR 164 & 165



165.7/R
FOR 164 & 165



202.1/BR
FOR NGC200 & NGC210



202.1/BL
FOR NGC200 & NGC210



202.1/W
FOR NGC200 & NGC210



204.7/BL
FOR 204



204.7/P
FOR 204



205.7/BR
FOR 205



205.7/W
FOR 205



252.1/BR
FOR AGC250



252.1/B
FOR AGC250



252.1/Y
FOR AGC250



280.12
FOR 280

TOOLS & BRAKE PARTS



132.9B BLUE
132.9BL BLACK
132.9R RED **132.9Y YELLOW**

144.9

CABLE ANCHOR BOLT SETS




① **70M** FOR BMX ② **70N** FOR N-SERIES
 ③ **70** FOR SIDE PULL

BOLT FOR CANTILEVER BRAKES



① **960.9N** FOR 960 ② **960.91N** FOR 960
 ③ **1206N** FOR NGC352

OTHER PARTS



① **GC60.4** LOCK WASHER ② **101** PIVOT BOLT CAP
 ③ **136.6** ADJUSTING STUD FOR 135
 ④ **166.2-7** ASSEMBLED PIVOT SET FOR 166

END BUTTONS



① **92** FOR 125
 ② **93** FOR NGC200
 ③ **94** FOR STANDARD LEVER
 ④ **95** FOR AGC250
 ⑤ **94T** FOR TANDEM
 ⑥ **1269.2** FOR CABLE HANGER

ALLEN HEAD NUTS



① **GC61** D-12mm L-10mm
 ② **GC61L** D-12mm L-13mm
 ③ **GC61S** D-10mm L-10mm
 ④ **GC61SL** D-10mm L-13mm

COLOR CASINGS

①	102W	WHITE	119701
②	102BL	BLACK	119702
③	102GR	GRAY	119703
④	102BR	BROWN	119719
⑤	102DB	DARK BROWN	119712
⑥	102M	MAROON	119717
⑦	102R	RED	119704
⑧	102V	VERMILLION	119706
⑨	102P	PINK	119714
⑩	102PU	PURPLE	119713
⑪	102Y	YELLOW	119708
⑫	102CGO	CHAMPAGNE GOLD	119715
⑬	102S	SILVER	119721
⑭	102SG	SILVER GRAY	119724
⑮	102G	GREEN	119707



667
SCREW DRIVER


556
CABLE PULLER



445
WRENCH SET OF 2PCS



446
WRENCH SET OF 3PCS




777
BRAKE HOLDER

① **250.10**
ALLEN KEY WRENCH 4mm
 ② **GC160.4**
ALLEN KEY WRENCH 5mm
 ③ **HG65**
ALLEN KEY WRENCH 6mm



⑯	102GO	GOLD	119722
⑰	102SB	SKY BLUE	119715
⑱	102B	BLUE	119706
⑲	102MB	MARINE BLUE	119720
⑳	102I	INDIGO	119711
㉑	102C	TRANS. SILVER	119723
㉒	102CBL	TRANS. BLACK	119725
㉓	102CB	TRANS. BLUE	119728
㉔	102CDB	TRANS. DARK BROWN	119732
㉕	102CBR	TRANS. BROWN	119731
㉖	102CR	TRANS. RED	119727
㉗	102CY	TRANS. YELLOW	119734
㉘	102CP	TRANS. PINK	119730
㉙	102CG	TRANS. GREEN	119729
㉚	102LY	LEMON YELLOW	119733
㉛	102TQ	TURQUOISE	119735

SELECT MOST SUITABLE RIM FOR YOUR DIA-COMPE BRAKES



*CENTER PULL

THIS CHART IS ALSO APPLICABLE FOR THE STEEL BRAKES.

YOSHIGAI KIKAI KINZOKU CO., LTD.

9-15, 1-Chome Wakae Minamicho
Higashi Osaka JAPAN, 578.
Tel: 06-721-7051
Tlx: 5277750 COMPE J
Fax: 06-724-2082



DIA-COMPE, INC.

Cane Creek Road, P.O. Box 798
Fletcher, N.C. 28732 U.S.A.
Tel: 704-684-3551
Tlx: 577451 DIA-COMPE FLCR
Fax: 704-684-1057