

The background of the advertisement features a dark, stormy sky with a vibrant purple and blue gradient. A bright, jagged lightning bolt strikes down from the upper right corner, illuminating the scene. Below the sky, a silhouette of a mountain range is visible against the colorful horizon.

Mongoose®

PERFORMANCE BICYCLES

1

9

8

8

Mongoose is a company founded on the principle of producing only quality, state-of-the-art performance bicycles. During the early 70's our only product was the 20" Mongoose bicycle with Motomag wheels. Today in 1988 our product line has expanded to include road bicycles, all-terrain bicycles, freestyle bicycles, scooters, children's sidewalk bicycles, and yes, BMX bicycles. Even though our product line has expanded, our basic premise and concern is, and will always be, to build quality, performance and value into every Mongoose bicycle.

Our Mongoose Factory Team riders have proven instrumental in the development of new products and refinement of the entire product line. It is through our BMX riders that Mongoose pioneered 26" racing cruisers back in the early 80's. During that period Mongoose captured the first ever ABA National #1 cruiser title. A few years later Mongoose won an unprecedented 5 NBL National #1 cruiser titles. These award winning bicycles eventually paved the way for the development of Mongoose's all-terrain bicycle line.



Max Jones and John Tomac the strongest racing duo on the circuit.



Sam Arellano captured the NBL 15 open National #1 Plate



Can Can by Steve Broderson

Everything we learned developing BMX bicycles, about dirt, rocks, jumps, trails and the kind of damage they can inflict on a bicycle were incorporated into our Mongoose all-terrain line. We used the riding expertise of John Tomac and Max Jones along with their knowledge of components to put together the best possible performance all-terrain bicycle package. Today's Mongoose all-terrain line includes six models, ranging from the affordable Switchback to the uncompromised John Tomac Signature edition bicycle.

Much of the information from our racing teams came together for the development of the incredible Mangusta aluminum composite road bicycle. Introduced in 1987 the Mangusta's success has demonstrated Mongoose's capability as a full line performance bicycle maker. The Mangusta line incorporates much of the engineering and component experience we developed during our years developing award winning BMX and Freestyle bicycles. The geometry is the result of the input from John Tomac during the development of our performance all-terrain bicycle line. As a result, the Mangusta like any of our other models will always represent the latest input of components and geometry from our winning riders "in the field."

Mongoose's continuing involvement with BMX, Freestyle and Mountain Bike riders will help us stay on the leading edge of performance and technology. Ultimately that means every Mongoose model you choose will always represent the best possible combination of quality, performance and value.



Travis Chipres on the #1 rated Pro Class 24 cruiser.



Karl Rothe originally part of the San Francisco underground.




M A N G U S T A TM 5 0

The Mangusta 5000 is Mongoose's top-of-the-line 12-speed aluminum composite road bicycle. Its advanced engineering combines a lightweight thermo bonded aluminum front triangle with a rigid chromoly tail section for superior handling and response. The aerodynamically contoured Unicrown design chromoly fork helps give the Mangusta 5000 its remarkably quick yet comfortably stable ride. The premium components have been carefully selected and matched to augment the Mangusta's performance, feel and image. They include the responsive Shimano 105 derailleur and SIS system, Araya 700 X 25C black anodized rims, Biopace chainrings, sealed system alloy hubs and smooth Shimano Linear Response 105 Series brake levers. The Mangusta 5000 is two-tone finished in rich Aquamarine and Grey.

MANGUSTA FRAME GEOMETRY

Frame (cm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G	H	I (mm)
51	510	540	987	410	577	70	74°	72°	45
54	538	550	989	410	579	70	74°	73°	45
57	568	560	1000	410	590	70	74°	73°	45
60	598	580	1020	410	610	70	74°	73°	45
63	628	600	1041	410	631	70	74°	73°	45

Frame measured center to center.



Shimano 105 rear derailleur ensures quick, positive shifting.




Responsive 105 brake system features Shimano Linear Response levers for excellent response.



MANGUSTA™ 3000

The Mangusta 3000 is Mongoose's performance engineered and equipped aluminum road bicycle. It features the same precision constructed aluminum composite frame and chromoly Unicrown fork as the premium Mangusta 5000 model. The 3000 is equipped with the new Shimano A350 derailleur system featuring switchable SIS indexing or friction control gear selection. Responsive Dia Compe QS 400 alloy side pull brakes, elliptical Biopace chainrings, Shimano PD450 pedals, Araya 32 hole 700 X 25C rims and alloy sealed system quick release hubs are included in the carefully selected components. The 3000 is finished in clear coated two-tone Red and Dark Platinum Grey.



The Shimano derailleur system features positive SIS indexing gear selection.



The 3000 features responsive Dia Compe QS400N side pull brakes and AC-260 aero brake levers.



M A N G U S T A TM 1 0 0 0

The Mangusta 1000 is Mongoose's most affordable lightweight 12 speed racing bicycle featuring the same advanced thermo-bonded aluminum and chromoly composite frame as the premium 3000 model. The 1000 provides all the important state-of-the-art equipment for optimum ride and response. Features like Suntour Accu-Shift indexing derailleur system, Delta cut Suntour 6 speed freewheel, Weinmann 490 SQ alloy brakes, aero brake levers, alloy quick release hubs and 170mm SR alloy cranks. The Mangusta 1000 is available two-tone finished in Light Grey and White or Royal Blue and White.



The Weinmann aero levers are coupled to responsive Weinmann 490SQ caliper brakes.



The Mangusta 1000 is also available in two-tone Royal Blue and White.



J O H N T O M A C S I G N A T




Have you ever wondered what it would be like to ride a national champion's bike? A bike ridden to unprecedented 1st Place victories at all three Rock Hopper events, the famous Tahoe Flume Race and the incredible Mammoth Lake Kamikaze Downhill? Well, now the John Tomac Signature Edition can give you that chance. Built to John's exact geometry and component specifications, the frame's radically precise and quick $72^{\circ}/73^{\circ}$, $16\frac{3}{4}''$ chainstay geometry is fabricated from reknown Prestige Double Butted chromoly frame and fork tube sets. Equipped with a full Shimano Deore XT component group with Biopace chainrings, precise Deore SIS XT fingertip controls, Deore XT 13-26 free hub cassette, Araya RM-20 black alloy rims, Tioga T-Bone stem and Farmer John tires, added extra refinements like stainless steel spokes, Shimano sharkfin chainstay protector and Specialized MountainClips...getting the picture of no-holds barred performance? You bet! See how fast you can go with a little help from Johnny. Two-tone finished in Dark Platinum Grey and Euro Black. A John Tomac Signature Edition frame set is also available for custom building.

JOHN TOMAC SIGNATURE FRAME GEOMETRY

Frame (inch)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G	H	I (mm)
17"	430	462	1045	425	625	288	73°	72°	30
19"	480	580	1052	425	632	288	73°	72°	30
21"	530	590	1061	425	641	288	73°	72°	30

Frame measured center to center.



U R E™




M O N G O O S E A

The ATB is Mongoose's premium All-Terrain Bicycle providing the finest in performance, componentry and reliability. It combines many of the same performance features developed for the John Tomac Signature Edition bike. The ATB frame's quick yet stable 71°/72° geometry is constructed with 4130 Double Butted chromoly. The forks are fabricated with aerodynamically contoured tubing for precise steering control and sleek styling. The ATB is equipped with a responsive Shimano Deore derailleur system, Deore SIS fingertip shifters, Shimano alloy brakes, Biopace chainrings and Tioga T-Bone stem and tapered alloy handlebars. The ATB is two-tone finished in Light Grey and Wildfire Red.

ATB FRAME GEOMETRY

Frame (inch)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G	H	I (mm)
17"	430	465	1050	430	625	288	72°	71°	50
19"	480	580	1057	430	632	288	72°	71°	50
21"	530	590	1066	430	641	288	72°	71°	50

Frame measured center to center.



T B™



Tioga T-Bone stem and handlebars provide excellent control and a comfortable ride.



Shimano alloy crankset and Biopace chainrings provide maximum torque and energy transfer.



S Y C A M O R E TM

The Sycamore is one of Mongoose's newest 18 speed all-terrain bicycles. It features all the latest performance equipment for precise handling and response. The heart of the Sycamore is the heliarc welded Triple Butted chromoly mainframe and chromoly bladed forks. The derailleur system is the new Shimano FD-M450 Exage Mountain featuring front and rear SIS index shifting. The Sycamore also features Shimano alloy cranks, Biopace chainrings, sealed system headset, bottom bracket and hubs as well as Araya 7X(N) 26 X 1.5 alloy rims. The Sycamore is available finished in metallic Silver Smoke or two-tone Teal Green and Grey.



The new Exage Mountain rear derailleur provides quick positive gear engagement.



The new Exage Mountain front derailleur features SIS indexing or friction control shifting.



M O N G O O S E[®] A L T A[™]

The new 18 speed Mongoose Alta has been completely re-equipped for 1988. Featuring an all chromoly frame and chromoly fork for optimum response and reliability. The top level equipment includes the new Shimano Light Action derailleur with adjustable SIS indexing or friction shifting action. The 170mm SR alloy cranks are equipped with elliptical Ovaltech chainrings, a 14-28 Shimano freewheel and Uniglide chain comprise the wide ratio drive system. The Alta's other performance equipment includes responsive cantilever brakes, Araya 7X(N) rims and quick release alloy hubs. The Alta is available two-tone finished in Ocean Blue and Gray or Euro White. Ladies model in Ocean Blue and Grey.



Computer designed Ovaltech chainrings increase your pedaling efficiency.



The ladies Alta is available two-tone finished in Ocean Blue/ Dark Grey.



H I L L T O P P E R TM

The Mongoose Hill Topper provides an outstanding package of performance equipment and value pricing. Like the more expensive Alta, the Hill Topper is equipped with the new Shimano AX-55 derailleur system with switchable SIS indexing or friction control fingertip levers which provide precise gear selection and engagement. The 170mm alloy crank, 28/38/48 triple plateau chainrings and six speed Shimano 14-28 provide the torque and wide gear ratios necessary to tackle a variety of terrain. The Hill Topper is available two-tone finished in Wildfire Red and White or Sport Blue and White. The ladies model in Wildfire Red and White.



Quick release hub allows convenient no-tool front wheel removal.



The ladies Hill Topper is available in two-tone Wildfire Red and White.



S W I T C H B A C K™

The Mongoose Switchback is styled and equipped to provide all the important performance and versatility advantages of a state-of-the-art all terrain bicycle. The precision Shimano AX-50 derailleur, six speed 14-28 Shimano freewheel and 170mm Sugino alloy cranks provide the wide gear ratios and torque to ride a mountain trail or a neighborhood bike path. The Shimano fingertip gear levers are adjustable for SIS indexing or friction control shifting. The MTB brake levers, responsive cantilever brakes and 26 X 1.5 gumwall tires provide the smooth safe stopping power and traction for go anywhere versatility. The new Mongoose Switchback is available in Euro White or Euro Black. The ladies model in Euro White.



The SIS indexing derailleur system provides easy positive gear engagement.




The ladies Switchback is available in Euro White.




CALIFORNIAN PRO™

The Californian Pro is Mongoose's premium race ready machine. Equipped with all the features that provide Pro level handling and performance. It all starts with the heliarc welded frame with the lightweight advantage of a Triple Butted chromoly front triangle and chromoly tail for extra quick acceleration! The premium components include Mongoose's 1 1/8" Uni-crown design chromoly forks, Dia Compe front and rear brakes, heat treated 175mm Boron Steel cranks, a slick looking Tioga alloy CD chainwheel and SR alloy platform pedals. Other quality components include the patented Pro Class® Series III hard anodized wheels and smooth rolling ACS sealed system hubs. The Californian Pro even comes with a complete set of safety pads. Available in Dark Platinum Grey or Classic Chrome.



Dia Compe side pull brakes have quick release feature for easy wheel removal.



The heat treated Boron Steel cranks and Tioga CD alloy chainwheel.




MINI CALIFORNIAN™

The Mini Californian packs full size race ready performance into a scaled down machine for smaller riders. Featuring all of the important premium features of expensive custom built mini-racers at an affordable price. Features like the scaled down frame with lightweight chromoly mainframe construction, $1\frac{1}{8}$ " chromoly forks, Tioga alloy CD chainwheel and quick stopping alloy caliper brakes. The patented Pro Class® alloy wheels with the distinctive lightening holes and the $20 \times 1\frac{3}{8}$ " skinwall knobby tires provide true lightweight performance. Available in Dark Platinum Grey.



The Pro Class $20 \times 1\frac{3}{8}$ alloy rims and skinwall tires give you true lightweight performance.



The heat treated Boron Steel cranks and Tioga CD alloy chainwheel.



E X P E R T™

The Mongoose Expert provides all of the important performance features of race ready bicycles costing much more. Features like heliarc welded chromoly mainframe construction, $1\frac{1}{8}$ " chromoly bladed forks, alloy caliper brakes and heat treated Boron steel cranks. The Expert even gives you the performance advantage of Pro Class® alloy wheels. The distinctive lightening holes reduce weight without affecting strength while the ACS sealed system hubs ensure long lasting rolling performance. The Expert is available in Euro Black or durable Classic Chrome.



The patented Pro Class Alloy wheels are lighter than ordinary wheels for improved acceleration.



The $1\frac{1}{8}$ " Chromoly Unicrown design forks have Mongoose's patented axle retention drop outs.




M O N G O O S E M - 1™

The M-1 is Mongoose's most affordable full size bicycle. Built with the reliability and styling that made Mongoose famous. Precision features like heliarc welded frame and fork, heat treated 170mm cranks, 36 spoke Pro Steel™ BMX wheels and durable alloy/steel stem. The mushroom style grips, BMX saddle and black platform style pedals give the M-1 its serious race ready styling. The "pedal back to stop" Shimano coaster brake provides safe dependable stops in all weather conditions. The Mongoose M-1 is the perfect choice for beginning riders who want full size Mongoose performance and dependability at a value price. Available in Wildfire Red or Classic Chrome.



The patented Pro Steel wheels lightening holes reduce weight without affecting strength.



The platform pedals provide plenty of traction and full foot support.




M O N G O O S E[®] M-1 M I N I[™]

The M-1 Mini combines a full size 20" wheel and big bike styling with a scaled down frame to fit younger, smaller riders. The M-1 Mini features precision heliarc welded frame and fork construction, extra strong 36 spoke Pro Steel[™] BMX wheels, and durable Cheng Shin gumwall tires. Rugged, color coordinated low profile handlebars with reinforcing crossbar, mushroom style grips and nylon saddle mean big bike performance and styling. The M-1 Mini easily accepts training wheels for beginning riders. Finished in bright Turquoise Blue.



The patented Pro Steel wheels feature the distinctive lightening holes.



Full support pedals ensure plenty of traction in any weather.



M O N G O O S E[®] L I L' Q T[®]

The Lil' QT combines Mongoose durability and BMX styling into the perfect first bike for little girls. The rugged, heliarc welded frame and fork, 36 spoke Pro Steel™ BMX wheels and Shimano coaster brake provide long lasting dependability and service. Color coordinated, crossbar reinforced handlebars, white BMX style grips and white nylon saddle give the Lil' QT its show stopping good looks. Easily accepts training wheels for beginning riders. Finished in bright Bubble Gum Pink.



The 36 spoke Pro Steel wheels give the Lil' QT an extra measure of durability.



The full wrap chain guard provides protection from greasy chains.



The Mitygoose is a 16" sidewalk bicycle built with big bike features and performance. Precision heliarc welded frame, tubular steel fork, 28 spoke wheels and full ball bearing systems separate the Mitygoose from ordinary sidewalk bicycles. The Shimano coaster brake ensures safe all-weather stopping control. The Cheng Shin 16x2.125 gumwall tires, crossbar reinforced handlebars, one piece steel 102mm cranks give the Mitygoose extra durability. The Mitygoose even comes with a crossbar pad. Easily accepts training wheels for beginning riders. Finished in bright Turquoise Blue.


M I T Y G O O S E

Mongoose's newest 12" sidewalk bike features pneumatic gumwall tires for smooth easy rolling performance, just like the big bikes. One piece steel cranks, full ball bearing bottom bracket, head set and hubs and adjustable spoked wheels give the Little Foot a performance edge. Unlike some other 12" sidewalk bikes, the Little Foot gives the safety and control of a Shimano coaster brake for quick stops. Comes complete with training wheels and a full set of Mongoose safety pads. Finished in Wildfire Red.



L I T T L E F O O T

Photo courtesy of BMX Plus Magazine



ERIC RUPE SIGNATURE™

The Eric Rupe Signature Edition and Pro Class-24 frame sets are designed for those riders that want exacting control of a racing machine. Fabricated of premium Triple Butted and straight gauge chromoly tubing, the Eric Rupe Signature Edition is an exact replica of the frame set that Eric piloted to two consecutive National #1 Pro titles and to five consecutive NBL Grand National #2 Pro titles. The Pro Class-24 racing cruiser has an equally impressive heritage, having captured an unprecedented five National #1 Cruiser titles in the same year! Both frame sets are finished in durable polished Classic Chrome.



PRO CLASS® - 24



P R O M I N I S C O O T .

The Pro Miniscope is the trickiest and slickest state-of-the-art scooter around. With larger 14" fiber reinforced nylon wheels and the extra large diameter 1 1/8" tubular chromoly chassis, the Pro Miniscope has no equal. Fully equipped with an SR Spin-Tech rotor system, Pro Class chromoly handlebars, high performance rear band brake and front freestyle brake for radical riding or freestyling. (What this all means is, the Pro Miniscope is definitely not for Nerds!) Available in Tahiti Green or Coral Reef.





The 12" Mongoose Miniscope is all new for 1988 and trickier than ever. Check out the extra large diameter 1 1/8" tubular 4130 chromoly chassis, the full faring running board and the full wrapped rear frame stand. The band brake means better stopping, even when the wheels are wet. The 12" Miniscope even comes equipped with frame rail skid pads, bosses for fork pegs and a side mounted kickstand. Available in Bright Blue/Deep Blue fade and Classic Chrome.

M I N I S C O O T[®]

The new 10" Miniscope Jr. packs all the performance features and cruisin' fun into a smaller scale machine for younger riders. Durable heliarc welded frame and fork and 10" pneumatic tires mean a stable yet smooth ride. The foot operated friction brake provides quick and safe, controlled stops. The Miniscope Jr. even comes equipped with a handy side stand. Finished in bright Turquoise Blue.



M I N I S C O O T[®] J R.




D E C A D E P

Photo courtesy of Super BMX Magazine



Chris Lashua and Karl Rothe encourage Marty Schlesinger to get 'rad air'.

Photo courtesy of Super BMX Magazine



Karl Rothe performs one of his many award winning tricks.

Mongoose's top of the line freestyle machine is ridden and proven by the Mongoose Factory Freestyle team. The Decade Pro's frame is performance engineered with Triple Butted chromoly tubing, a deep knurled top tube platform and chromoly forks with two sets of bosses for optional pegs. The Pro Class® Series VI 48 spoke wheels feature a Sansin sealed front hub and the new ACS R.L. rear hub for perfect pedal control. The Decade Pro also comes equipped with a SR Spintech rotor system, quick stopping Dia Compe Nippon front caliper and 990 U-Brake. The Decade Pro comes to you radically finished in Euro Black with chrome trim. If your freestylin' is getting a little stale, get a Decade Pro frame and fork set and remotivate yourself.



The Dia Compe "U" style brake is positioned on the chainstay, out of the way.



The Pro Class pedal is equipped with a replaceable nylon end bumper.

R O™



D E C A D E TM M



Photo courtesy of Super BMX Magazine

Steve Broderson pulls a radical one hander.



Photo courtesy of Super BMX Magazine

Chris Lashua executing one of his many spectacular tricks.

The Decade is Mongoose's most popular freestyle bicycle. Developed and refined with the help of the Mongoose freestyle team. Guys like Karl Rothe, Chris Lashua and Marty Schlesinger. These guys couldn't get together on the choice of wheels, so the Decade is available as two models. The Decade Mag, equipped with nylon mag wheels, or the Decade Spoke with Pro Class® Series 5 alloy 48-spoke wheels. Either model Decade has been equipped with the latest in radical freestyle equipment for radical tricks. Cool stuff like Pro Class handlebars with the extra traction of a deep knurled crossbar, Tioga CD front chainwheel, quick stopping Dia Compe freestyle front brake and the new ACS Gripper U-brake. The Decade also features the new Tioga freestyle stem and the new ACS Pro alloy rotor. The Mongoose Decade Mag is available in Dark Platinum Grey, Wildfire Red or Classic Chrome, highlighted with white mags and accessories.



Pro Class saddle features chrome skid rail.



The front Dia Compe brake features a recessed rear nut and quick release feature.

A G



D E C A D E S P O K E TM

The Mongoose Decade Spoke was set up for our other factory riders like Trevor Hernandez and Steve Broderson who prefer to freestyle on spoked wheels. The Decade Spoke features Pro Class® Series 5 alloy 48 spoke wheels, Pro Class handlebars with extra traction of a deep knurled crossbar, Tioga CD front chainwheel, quick stopping Dia Compe freestyle front brake and the new ACS Gripper U-brake. The Decade Spoke also features the new Tioga freestyle stem and new ACS Pro alloy rotor. The Mongoose Decade Spoke is finished in Bright Blue and trimmed with white and silver accessories.



The 48 spoke Pro Class Series V wheels are stronger than ordinary wheels.




The Tioga freestyle stem is constructed of alloy and chromoly for strength and light weight.



S T Y L I S T TM

The Stylist is Mongoose's newest, raddest and most affordable freestyle machine. The Stylist features Mongoose's famous chromoly main frame construction for lasting durability, a new frame stand, extra deep knurled for extra traction and rear bosses for optional foot pegs. The alloy/chromoly stem has a smooth alloy rotor for effortless 360° bar spins and the dual alloy hand brakes that will stop you on a dime. The fiber reinforced white nylon wheels and Cheng Shin freestyle tires can help you pull off the toughest ground tricks. The Stylist comes to you in Sport Blue or Wildfire Red with color coordinated trim.



The ACS rotor system allows for 360 degree handlebar rotation.



The Stylist has rear threaded bosses for optional foot pegs.

1988 ADULT MODEL SPECIFICATIONS


	JOHN TOMAC SIGNATURE™ (SIS 18 speed)	ATB™ (SIS 18 speed)	SYCAMORE™ (SIS 18 speed)	ALTA™ (SIS 18 speed)	HILL TOPPER™ (SIS 18 speed)	SWITCHBACK™ (SIS 12 speed)
FRAME	Tange Prestige Tubing, all chromoly, DBL butted mainframe, frame and fork available separately	All chromoly, Tange Infinity tubing	All chromoly triple butted mainframe	All chromoly	Chromoly/high carbon mountain design	High carbon mountain design
FORK	Tange Prestige chromoly	Chromoly Unicrown design	Chromoly Unicrown design	Chromoly Unicrown design	High carbon Unicrown design	High carbon Unicrown design
HEADSET	Shimano HP-MT60 Deore XT, sealed	Mori Peak II, sealed	Steel, chrome plated, sealed system	Steel, chrome plated, sealed system	Steel, chrome plated	Steel, chrome plated
HANDLEBAR	Tange Prestige, 6 degree	Tioga, tapered alloy	Steel, flat bend	Steel, flat bend	Steel, 2" rise	Steel, 2" rise
GRIP	ODI Mushroom	Foam mountain style	Foam mountain style	Foam mountain style	Foam mountain style	Foam mountain style
STEM	Tioga T-Bone 150mm (135mm on 17")	Tioga T-Bone 150mm (135mm on 17")	Alloy mountain design	Alloy mountain design	Alloy mountain design	Alloy mountain design
BRAKES AND LEVERS	Deore XT BR-M730, cantilever fr & rr, BL-M730 levers	Deore MT-61 rr, Shimano AT-50 fr, BL-MT-60 levers	Shimano Exage Mountain with Shimano levers	Dia Compe 983D with mountain levers	Alloy cantilevers with mountain levers	Alloy cantilevers with mountain levers
DERAILLEURS	Deore XT FD-M730, RD-M730, short cage "competition," SL-M730 SIS	Deore FD-MT60, RD-MT60, SL-M 60 SIS shifter	Shimano Exage Mountain FD-M450 RD-M450 with index system, Shimano shifter SL-450 SIS	Shimano FD-Z204GS, Shimano RD-541GS with index system, Shimano shifter SL-MS41 SIS	Shimano FD-Z204GS, Shimano RD-541GS with index system, Shimano shifter SL-MS41 SIS	Shimano FD-AX50, Shimano RD-541GS with index system, Shimano shifter SL-MS41 SIS
FREEWHEEL	Shimano freehub 13-26, 6-speed	Shimano Z 13-30, 6-speed	Shimano Z 14-28, 6-speed	Shimano Z 14-28, 6-speed	Shimano Z 14-28, 6-speed	Shimano Z 14-28, 6-speed
CHAIN	Shimano silver/black, Shimano Shark Fin chain protector	Shimano UG black	Shimano UG black	Shimano UG black	Black	Black
CHAINWHEEL	Shimano FC-M730 175mm crank, Biopace 26/36/46 chainrings, BB set-M730 sealed mechanism	Shimano FC-MT60, Biopace 28/38/48 T	Shimano FC-M450 alloy 28/38/48 T Biopace	Sakae SXC-T350 alloy 28/38/48 T Ovaltech	Sakae CT-626 alloy 28/38/48 T	Sugino DZFA alloy 52/40 T
PEDAL	Shimano PD-M730 alloy cage, Specialized MountainClips	Sakae MTP-122	Nylon mountain with chromoly spindle	Nylon mountain with chromoly spindle	Nylon platform	Nylon platform
WHEELS	Araya RM-20 black alloy, Deore XT quick release hubs HB-M730 fr, FH-M730 rr, stainless steel spokes	Araya RM-20, Suzue SI-SQ front and rear, quick release	Araya 7X(N) rims, alloy sealed hubs, front and rear, quick release	Araya 7X(N) rims, alloy sealed hubs, front and rear, quick release	Araya 7X(N) rims, heavy duty hubs, front quick release	Steel 7X design, heavy duty hubs, 24" wheels available on 16" model
TIRES	Tioga Farmer John 26 x 1.95 skinwall	Tioga Farmer John 26 x 1.95 skinwall	26 x 1.5 skinwall	26 x 1.5 skinwall	26 x 1.5 skinwall	26 x 1.5 gumwall
SADDLE	Vetta #200 black suede	Vetta #205 vinyl	Mountain design vinyl	Mountain design vinyl	Padded spring saddle	Padded spring saddle
SEAT POST	Suntour XC 300mm alloy	Alloy, adjustable quick release	Alloy, adjustable quick release	Alloy, adjustable quick release	Steel	Steel
BRAZE-ONS	DBL water bottle bosses	Front and rear rack mounts, DBL water bottle bosses	Front and rear rack mounts, DBL water bottle bosses	Front and rear rack mounts, DBL water bottle bosses	Front and rear rack mounts, DBL water bottle bosses	Front and rear rack mounts, DBL water bottle bosses
FINISH	Dark Grey/Euro Black	Wildfire Red/Light Grey	Silver Smoke or Teal Green/Dark Grey	Ocean Blue/Grey or Euro White. Ladies in Ocean Blue/Grey	Wildfire Red/White or Sport Blue/White. Ladies in Wildfire Red/White	Euro White or Euro Black. Ladies in Euro White
SIZES	17", 19", 21"	17", 19", 21"	16", 18", 20", 22"	16", 18", 20", 22"	16", 18", 20", 22"	16", 18", 20"
*WEIGHT (lbs)	26, f/f set 5-13 oz.	28	29	30	31	32

Complete CPSC equipment included, but not shown. Specifications subject to change without notice.

*Weights vary depending on frame size.

MANGUSTA™ 5000
MANGUSTA™ 3000
MANGUSTA™ 1000

Composite construction with aluminum mainframe and chromoly tail	Composite construction with aluminum mainframe and chromoly tail	Composite construction with aluminum mainframe and chromoly tail
Chromoly Aero Unicrown design	Chromoly Aero Unicrown design	Chromoly Aero Unicrown design
Tange SE-3 sealed system	Steel, chrome plated sealed system	Steel, chrome plated sealed system
SR CTB alloy	Steel with alloy sleeve	Steel with alloy sleeve
Sugino BT-75 cloth tape	Padded cushion tape	Padded cushion tape
SR CT alloy anatomic sizing	Alloy anatomic sizing	Alloy anatomic sizing
Shimano 105 SLR calipers and aero levers	Dia Compe QS400N calipers, Dia Compe AC 260 aero levers	Weinmann 490SQ calipers, Weinmann 7100 aero levers
Shimano 105 FD-Z206EC, RD-1050, SIS shifters SL-1050	Shimano FD-A350, RD-A350, front and rear SIS shifters SL-A350	Suntour A3000 Accu-Shift index system
Shimano Z 13-24, 6-speed	Shimano Z 14-26, 6-speed	PT-6S Delta cut 14-28, 6-speed
Shimano UG silver/black	Shimano UG black	Suntour Z black
Shimano 105 FC-1050 42/52 T	Shimano FC-A350 42/52 T	SR SXC-310 42/52 T
SR SXP-101 with clips and straps	Shimano PD-A450 with clips and straps	Alloy racing
Araya SS-40 700X25C 32H with Suzue alloy sealed system hubs	Araya SS-40 700X25C 32H with alloy sealed system hubs	Weinmann #913 700X25C with alloy sealed system hubs
IRC Roadlite EX 700X25C	Cheng Shin C-736 700X25C	Cheng Shin C-736 700X25C
Selle Italia Turbo perforated leather	Viscount vinyl	Velo vinyl
Alloy, adjustable	Alloy, adjustable	Alloy/steel, adjustable
DBL water bottle bosses, pump peg	DBL water bottle bosses, pump peg	DBL water bottle bosses, pump peg
Aquamarine/Dark Grey, clear coated	Red/Dark Platinum Grey, clear coated	Light Grey/White or Royal Blue/White, clear coated
51cm, 54cm, 57cm, 60cm, 63cm	51cm, 54cm, 57cm, 60cm, 63cm	51cm, 54cm, 57cm, 60cm, 63cm
23	25	25


SYCAMORE FRAME GEOMETRY

Frame (inch)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G	H	I (mm)
16"	396	520	1019	432	590	290	84°	83°	45
18"	431	525	1019	432	591	288	80°	79°	45
20"	480	535	1019	432	591	288	75°	74°	45
22"	546	570	1050	432	621	288	73°	72°	45

ALTA FRAME GEOMETRY

Frame (inch)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G	H	I (mm)
16"	394	547	1070	445	628	289	79°	76°	50
18"	456	577	1065	445	623	289	72°	72°	50
20"	509	582	1081	445	638	289	71°	70°	50
22"	561	582	1087	445	644	289	72°	70°	50

HILL TOPPER FRAME GEOMETRY

Frame (inch)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G	H	I (mm)
16"	394	547	1070	445	628	289	79°	76°	50
18"	456	577	1065	445	623	289	72°	72°	50
20"	509	582	1081	445	638	289	71°	70°	50
22"	561	582	1087	445	644	289	72°	70°	50

SWITCHBACK FRAME GEOMETRY

Frame (inch)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G	H	I (mm)
*16"	394	547	1070	445	628	289	79°	76°	50
18"	456	577	1065	445	623	289	72°	72°	50
20"	509	582	1080	445	638	289	71°	70°	50

*24" wheel available

Frame measured center to center.

1988 JUVENILE MODEL SPECIFICATIONS

	CALIFORNIAN PRO™	MINI CALIFORNIAN™	EXPERT™	M-1™	M-1 Mini™	LIL' QT®	MITYGOOSE®	LITTLE FOOT™
FRAME	All chromoly triple butted mainframe, 1 1/8"	Chromoly mainframe, 1"	Chromoly mainframe, 1 1/8"	High carbon steel, 1"	High carbon steel, 1"	High carbon steel	carbon steel, 1 1/8"	Carbon steel 1"
FORK	All chromoly, 1 1/8" legs	Chromoly, 1 1/8" legs	Chromoly, 1 1/8" legs	High carbon steel, 1" legs	High carbon steel, 1" legs	High carbon steel, 1" legs	Carbon steel, 1" legs	Carbon steel, 1" legs
HANDLEBAR	Pro Class chromoly 8 3/4" x 27"	Mini steel 5 1/2" x 23 1/2"	Pro Class steel 7" x 25 1/2"	Pro Class steel 7" x 25 1/2"	Mini steel 5 1/2" x 23 1/2"	Mini steel 5 1/2" x 23 1/2"	Mini steel 5 1/2" x 23 1/2"	One piece bar/stem
STEM	SR 427, chromoly and alloy	Polygon 104-40, chromoly and alloy	Polygon 104-40, chromoly and alloy	MX-750, steel	MX-750, steel	Polygon 104-40 alloy and chromoly	MX-750 steel	One piece bar/stem
GRIPS	mushroom type	mushroom type	mushroom type	mushroom type	mushroom type	mushroom type	mushroom type	mushroom type
BRAKES	Dia Compe MX 901 front and rear, Tech levers	Alloy 630 sidepull front and rear	MX 901 fr; MX 1001 rr, Tech levers, alloy	MX 1020 rr, Tech levers, Shimano coaster	MX-1020 rr, Tech levers, Shimano coaster	Shimano coaster	Shimano coaster	Shimano coaster
CRANK	SR Cosmolite, Boron 175mm	SR Cosmolite, Boron 165mm	SR Cosmolite, Boron 170mm	Heat treated, 170mm	Heat treated, 165mm	Heat treated, 165mm	Heat treated, 102mm	One piece, 3 1/2"
CHAINWHEEL	Tioga Compact Disc 44T	Tioga Compact Disc 42T	SPR-200, steel 44T	SPR-200, steel 44T	SPR-200, steel 44T	SPR-200, steel 44T	Steel 36T	Steel 28T
FREEWHEEL	Suntour 16T chromoly, chrome	Suntour 16T chromoly, chrome	Suntour 16T chromoly, chrome	Shimano coaster 18T	Shimano coaster 18T	Shimano coaster 18T	N/A	N/A
PEDAL	SR MP-474, alloy platform	LU-862, nylon platform	LU-862, nylon platform	LU-472, nylon platform	LU-472, nylon platform	LU-472, nylon platform	VP-341, block type	VP-206, platform
HUBS	ACS sealed mechanism	ACS sealed mechanism	ACS sealed mechanism	KK steel	KK steel	KK steel	Steel	Steel
RIMS	Pro Class alloy Series III hard anodized 20 x 1.75	Pro Class alloy 20 x 1 3/8	Pro Class alloy 20 x 1.75	Pro Steel 20 x 1.75	Pro Steel 20 x 1.75	Pro Steel 20 x 1.75	Steel 28H 16 x 1.75	Steel 16H 12 1/4 x 2 1/4
TIRES	Comp III style skinwall 2.125 fr, 1.75 rr	Comp III style skinwall 20 x 1 3/8	Comp III style skinwall 2.125 fr, 1.75 rr	Comp III style gumwall 20 x 1.75	Comp III style gumwall 20 x 1.75	Comp III style gumwall 20 x 1.75	Cheng Shin gumwall 16 x 1.125	Cheng Shin 12" pneumatic
SEAT AND SEAT POST	Velo gripper, 30" laidback chromoly seatpost	Velo gripper, 305mm steel seatpost	Velo gripper, 305mm steel seatpost	Velo gripper, 305mm steel seatpost	Velo gripper, 305mm steel seatpost	Velo padded, 305mm steel seatpost	Padded vinyl, 230mm steel seatpost	Padded vinyl
FINISH	Dark Platinum Grey or Classic Chrome	Dark Platinum Grey	Euro Black or Classic Chrome	Wildfire Red or Classic Chrome	Turquoise Blue	Bubble Gum Pink	Turquoise Blue	Wildfire Red
WEIGHT (lbs)	26	23	25	27	26	28	21	18

Complete CPSC equipment included, but not shown. Mongoose, Pro Class, Minisoot, Mitygoose, and Lil' QT are registered trademarks belonging to American Recreation Group. All Rights Reserved.

ACCESSORIES

DECADE PRO™	DECADE™	STYLIST™	PRO MINISCOOT®	MINISCOOT®	MINISCOOT JR.™
All chromoly 1 1/4", top tube platform, available separately with fork	All chromoly 1 1/4", top tube platform	Chromoly mainframe 1 1/4", top tube platform	1 1/8" diameter 4130 chromoly rails, R/B nylon fiber reinforced	1 1/8" 4130 chromoly rails, full faring R/B, side stand	Heliarc welded 1" tensile steel, full faring R/B, side stand
All chromoly, 1 1/8" legs with 4 stand bosses	Chromoly, 1 1/8" legs with 4 stand bosses	High carbon, 1 1/8" legs with 2 stand bosses	Heliarc welded, 1" hi-tensile steel, peg bosses	Heliarc welded, 1" hi-tensile steel, peg bosses	Heliarc welded, 1" hi-tensile steel
Pro Class freestyle, nonslip crossbar, chromoly	Pro Class freestyle, nonslip crossbar, chromoly	Freestyle design	Pro Class, chromoly	Freestyle, hi-tensile steel	Steel
SR Spin-Tech w/integral rotor, alloy and chromoly	Tioga RS-2 freestyle P/S ACS "Pro" rotor	Alloy and chromoly, ACS rotor	SR Spin-Tech with integral rotor	Chromoly/alloy, with rotor	Alloy/chromoly
mushroom type	mushroom type	mushroom type	2 tone, mushroom type	mushroom type	mushroom type
Dia Compe FS-883 fr, Dia Compe 990 rr, 182 S II Tech levers	Dia Compe FS-880 fr, ACS gripper U-brake rr, 128 S II Tech levers	FS-901 fr, FS-1001 rr, Tech levers	Rear band brake, front freestyle brake	Rear band brake, front freestyle brake	Rear friction brake
SR Cosmolite, Boron 175mm	SR Cosmolite, Boron 175mm	SR Cosmolite, Boron 175mm	N/A	N/A	N/A
Tioga Compact Disc 42T	Tioga Compact Disc 42T	Y105-5, Steel 42T	N/A	N/A	N/A
ACS R.L.	Suntour 16T chromoly, chrome	Suntour 16T chromoly, chrome	N/A	N/A	N/A
Pro Class freestyle, with end bumper	VP-777, nylon platform	LU-468, nylon platform	N/A	N/A	N/A
Sansin fr, ACS R.L. rr	48 hole alloy sealed mechanism, or Suzue on mag	Suzue	Integral with wheel	Integral with wheel	Integral with wheel
48 hole Pro Class Series VI, stainless spokes 20 x 1.75	48 hole Pro Class Series V, or DGK mag wheel 20 x 1.75	DGK mag wheel 20 x 1.75	14" fiber reinforced nylon wheel	12" fiber reinforced nylon wheel	10" fiber reinforced nylon wheel
Cheng Shin freestyle skinwall 20 x 1.75	Cheng Shin freestyle skinwall 20 x 1.75	Cheng Shin freestyle skinwall 20 x 1.75	14 x 2.125 gumwall	12 x 2.125 gumwall	10 x 2.0
Pro Class freestyle, 30° laidback chromoly seatpost	Pro Class freestyle, 30° laidback chromoly seatpost	Velo gripper, 30° laidback seatpost	N/A	N/A	N/A
Euro Black/Chrome trim	Spoke: Bright Blue Mag: Dark Platinum Grey, Wildfire Red or Classic Chrome	Sport Blue or Wildfire Red	Tahiti Green or Coral Reef	Bright Blue/Deep Blue fade or Classic Chrome	Turquoise Blue
28	Spoke, 27 Mag, 29	27	21	20	15



Mongoose Helmet Bag



T-Shirts, Jerseys and Hats



Mongoose bicycle pads and Pro Class Scooter pads.

Specifications subject to change without notice.

MONGOOSE LIMITED WARRANTY

Mongoose bicycle frames purchased from an authorized Mongoose bicycle dealer are warranted by BMX Products Company ("BMX") to be free from defects in materials and workmanship under normal use for as long as the bicycle is owned by the original owner. ■ All original parts purchased from an authorized Mongoose bicycle dealer, except tires, tubes and cables, are warranted by BMX to be free from defects in materials and workmanship under normal use for ninety (90) days from the date of purchase. ■ During each of the respective limited warranty periods, all original parts and bicycle frames subject to this limited warranty and determined by BMX to be defective in materials or workmanship, will be repaired or replaced by BMX, through an authorized Mongoose bicycle dealer, free of charge, except for shipping or other transportation charges and dealer labor charges (if applicable), which charges are not covered by this limited warranty. ■ This limited warranty applies only to Mongoose bicycles which were fully assembled by an authorized Mongoose bicycle dealer at the time of purchase. Mongoose bicycles should be inspected by an authorized Mongoose bicycle dealer every six months. In order to obtain limited warranty service, the bicycle, together with the bill of sale, or other dated proof-of-purchase document identifying the bicycle frame number, must be presented to an authorized Mongoose bicycle dealer. ■ For assistance in locating an authorized Mongoose bicycle dealer, please write to BMX Products Company, 75 Modular Avenue, Commack, NY 11725. ■

NOTICE: The user assumes the risk of any personal injuries, damage to or failure of the bicycle and any other losses if Mongoose bicycles are used in any competitive event, including bicycle racing, or in bicycle motocross, dirt biking, freestyling, or similar activities or training for such activities, or if Mongoose bicycles are altered or used for stunt riding, ramp jumping, acrobatics or similar activities, operated with multiple riders or used to tow another person or vehicle, or used with motors or any power driven apparatus. Any of the foregoing will invalidate this limited warranty and BMX shall not be liable for any failure, loss, damage or injury resulting from such uses or alterations. ■ BMX shall not be responsible for incidental or consequential damages. This limited warranty does not cover personal injuries, damage to or failure of the bicycle or other losses due to accident, misuse, alteration, neglect, abuse, normal wear and tear, improper assembly, improper fit, improper maintenance or use of unauthorized replacement parts. ■ This limited warranty is the only warranty applicable to Mongoose bicycles, and is expressly in lieu of any other warranty. Any implied warranty, including any warranty of merchantability or fitness for a particular purpose, is limited in duration to the duration of this express warranty. ■ This limited warranty gives you specific legal rights and you may also have other rights which may vary from state to state. This limited warranty applies only to the United States.

Available from:

BMX Products Company
1250 Avenida Acaso ■ Suite H ■ Camarillo, CA ■ 93010



©1988 BMX Products, Company. All rights reserved.