

1 9 9 3



**Sportfaisst**  
HORNBERG



A L P I N E S T A R S U S A







Mr. Mazzarolo the founder of Alpinestars

**A**lpinestars is a name you can believe in. A name that has progressed through 30 years of history with great determination. During all these years, experience after experience, we've engineered the highest race-ready performance products in their category. Proudly we can say with confidence we have set worldwide standards of excellence that no one else has come close to. This quest to stay ahead defines our mission. It affects everything we do, from start to finish. In fact we are the name other companies try to emulate because we put "how we build" before "how much we sell." What's radically different about Alpinestars is that quality is more important to us than profits. We are a big business, worldwide in fact, with a family-run spirit that derives from the attitude of our founder, Mr. Mazzarolo himself. At Alpinestars you'll find a CEO who is actually responsible for the product you purchase. No committees, no board of directors who are short-term thinkers, but a craftsman focused and uncompromising. Such old-fashioned values make Alpinestars unique. We believe that the "machine" you buy should satisfy both sides of your brain—your passion and your intelligence.

# ALPINESTARS

It's Alpinestars' mission to deliver the ultimate in performance and quality—the radical S900 frame set is no exception. The S900 is designed to prevent suspension compression under heavy pedal load. This happens mostly during steep

climbs. After countless rides of numerous prototypes with different pivot locations, Alpinestars designers positioned the swingarm pivot point precisely at the correct location below the chainline. This position effectively

The Cro Mega S900 rear suspension geometry is designed to prevent shock compression under heavy pedaling. So when climbing, the rear suspension is virtually locked out but it is active when the going gets rough.



prevents unwanted suspension compression when climbing, no matter what chaining you're in. At the same time this pivot position provides effective suspension to cushion your ride.

The limited production Cro Mega S900 is engineered from the best

Cro-moly tubing in the world, True Temper's super-light, heat-treated, OX III Ultra, double-butted Cro-moly. So you know it'll be light and reliable. The S900 from Alpinestars. It offers maximum performance and handling without compromise.

F U L L Y S U S P E N D E D



Ultraight Alpinestars anodized seat post.


Nickel plated, True Temper OX III Ultra tubing.

Air/oil Fox shock with damping adjuster delivers 2 inches of wheel travel.

Marinko B front suspension fork is lighter, stronger, adjustable and delivers 2 inches of wheel travel.

Exclusive Alpinestars frame geometry.





The Al Mega E900 is the "ultimate technology at a production price" as *Mountain Bike Action* magazine quotes in June 1992.

Al Mega E900 is also available as a frame set.

But with all due respect it didn't tell us anything we didn't already know. After all we engineered the Al Mega E900. In fact we think the Al Mega E900 is the ultimate production bike available. Why? Because of our unique frame construction known as EOS<sup>®</sup> (Elevated Oversize System), combined with the

# AL • MEGA E900

finest materials available.

What is EOS? Elevated refers to elevated and shortened chainstays. Elevating the chainstays significantly improves the climbing traction of your bike. The second phase of EOS is Oversize, which refers to the tubing dimensions. The E900 is built with the best oversized

aluminum tubing in the world, Easton 7000



Easton ProGRAM VariLite<sup>™</sup> aluminum tubing is the best in the world.

series ProGRAM VariLite. Why Easton?

Because its lightweight taperwall construction puts its strength where the stress is, at the tube ends, and thins out the low-stress center sections for weight savings. By creating VariLite, the engineers at Easton have changed advanced frame materials forever.

And the exacting standards they set for themselves are also used when it comes

building frames. Our factory is one of the few factories authorized to build with Easton VariLite tubing. And that is an accomplishment our competitors are vying for, but haven't been able to achieve. Lastly is the word System. System sums up the unique materials plus the advanced frame geometry, all of which is totally proprietary to Alpinestars.

And we're proud to say we purposely didn't cover it with paint because we want the quality of our frame construction to show through.



Mavic 32 hole rims with DT Swiss double butted 15/16 gauge spokes with alloy nipples.

Lightweight Titanium File saddle.

Shimano XTR shifting system for quick, accurate shifts.

Richey WCS Z Max Kevlar-beaded tires.

## T I T A N I U M



Hi-tech satin finish.



Alpinestars' Titanium 0° rise stems feature a recessed titanium binder ball for light weight and are available in 115mm, 130mm, 145mm and 160mm.

Our Titanium bottom-bracket spindle spins in sealed cartridge bearings, housed in aluminum cups for maximum longevity and weight savings.

Alpinestars' Titanium seat posts feature a micro-adjusting head for precision seat angle adjustments. Available in 27.2mm and 31.75mm.

Our Titanium bars have a 25.4mm center section and are 580mm wide and come in a high-pollished finish.





Our Alpinestars seat post is the lightest 31.6mm unit anywhere.

All our cables run over the top tube, through Alpinestars' forged-aluminum, triple cable stop.

Short E-taps, long top tube and real racing geometry expressed in polished Easton ProFrame VariLite tubing. Frames don't get any better.

ROCK  
SHOX

VARILITE  
EASTON  
PRO-FRAME  
ALUMINUM  
—USA

## AL • MEGA E735



Rock Shox/Deore XT-M system brakes. Suspension compatible.



Investment-cast, stainless steel seat collar. Slotted for lightweight and polished to a mirrorlike finish.

Think of it as the possible dream. A full-on, suspended race bike without having to mortgage the farm. Introducing the 1993 Alpinestars AL Mega E735. First, we built the E735 with Easton's ultra-trick VariLite taperwall tubing using our race-proven geometry, then polished it to a brilliant finish.

•••••

Then we added Rock Shox suspension; full Shimano Deore XT components; super-light Alpinestars-engineered seat post and handlebar; Ritchey Z Max tires, and Mavic rims. All this and more. The new AL Mega E735. It's ready if you are.



The E560 gets new XTR-style Shimano Deore LX components.


The oversized Ultimeum Cir study fork rides in a Ritchey logic header.

VARILITE  
EASTON  
PRO-FRAME  
ALUMINUM  
—USA

## AL • MEGA E560



Investment-cast stainless steel seat collar.



EOS System—short, elevated chainstays for maximum tire clearance and climbing traction.

The new AL Mega E560 features our patented EOS™ frame geometry used by Team Alpinestars' assault on the World Cup Series. We polished the lightweight Easton VariLite frame to a brilliant finish and then added the new Shimano Deore LX components; gnarly Megabrite tires by Ritchey; lightweight saddle, and much more. The 1993 E560. It's light. Quick. And outhandles the competition.

•••••


"The Flying Wabblman" Tim Davies at the controls of the AL Mega E735.



Mavic 234 rims carry 26 x 2.1 Ritchey Hard Drive tires.




The D735 rolls on Mavic 231 double wall rims and Ritchey Z Max rubber.



A top-pull front derailleur means extra wheel clearance for smooth shifting on most inflated trails.

Up-front butted Cro-moly fork blades carry forged dropouts. Frame geometry is fully suspension-compatible.



Anodized aluminum seat post rides in braided-on Alpinestars investment-coat seat collar with stainless steel quick-release lever.



The oversized Cromoly Ultracrom fork boasts forged dropouts. Frame geometry is suspension compatible.



## CRO • MEGA D735



Shimano SPD pedals make entry and release a snap.



All aluminum construction makes this one of the lightest seat posts available.



If you'd rather ride on real steel, our D735 eats up the rough stuff with a stiff, True Temper OX II, double-butted Cro-moly frame set—nickel-plated to look as slick as it works.

• • • • •

We bolt up Shimano's 1993 Deore XT equipment group with dual SIS front-shifting and Multi Condition brakes, plus Shimano SPD clipless pedals. A 0° rise, Cro-moly Alpinestars stem ensures proper riding position.

## CRO • MEGA D560



To ensure proper rider position and comfort we have specifically designed a 0° rise stem to work in conjunction with our suspension compatible geometry.



All new in '93, the totally re-designed Deore LX components.

The 560 combines our race-proven geometry into a True Temper OX II frame, with top tube cable routing and 425mm S-bend chainstays for extra mud clearance.

• • • • •

If you're 4'10" to 5'2". You're looking for big bike performance in a package that fits. Well, stop looking. The Cro Mega T560 comes equipped with Shimano Deore LX components throughout.

## CRO • MEGA T560







Reinforced seat collar makes seat height adjustments a breeze.

Top-routed control cables ensure maximum performance.

Ritchey Mod Quad tires offer high performance on- or off-road.



Cool Ritchey Mod Quad tires front and rear.

Shimano components throughout, plus clean top tube cable routing and a top pull front derailleur for mega mud clearance.

Tri-1 Ritchey True Crown™ standard equipment.

We start with an aircraft-quality Ti-moly frame, then add an oversized Cro-moly Unicrown fork and forged dropouts at both ends.

## CRO • MEGA D320



Investment cost cable stops route all control cables along the top tube.



This well-Cro-moly fork blades offer just the right amount of flex for shock absorption while maintaining rigidity for pinpoint steering control.

• • • • •

The D320's Cro-moly frame gets an oversized Cro-moly Unicrown fork, and forged dropouts at both ends. Plus, new 320 series Shimano components, top-routed cables and Ritchey tires. The result—a bike you can take around the block or around the world.

## CRO • MEGA D220



Brand new for '93 are Shimano Altus components.



Ritchey Mod Quad's unique interlocking tread design.

• • • • •

You can ride the D220 with confidence knowing that it has Alpinestars' race-tested geometry built into it. What's more the D220 features Shimano's cool Rapid Fire Plus shifting system, Ritchey Mod Quad tires and comfy Turbo-style saddle.

## CRO • MEGA T220



Alpinestars engineered the T220 for a perfect fit and great ride. The T220 features a sturdy but light double-diamond, Cro-moly frame and full-size 26-inch wheels.





The Alpinestars ATB cycling shoes have been called the "best mountain bike shoes made." It's no

wonder—we've been in the performance shoe and boot business for over thirty years. For 1993, we've refined the mounting system for even more reliability. Of course, we retained double-velcro main straps, metal loops and heel retention straps to deliver easy entry and a custom fit.



ATB SERIES III  
"WILD THING"



ATB SERIES III  
"NOIR"

TEAM ALPINESTARS USA  
LYCRA HELMET COVER  
yellow/turquoise/blue



TEAM ALPINESTARS USA  
LYCRA HELMET COVER  
yellow/violet/purple



Introducing the official Team Alpinestars USA apparel line for 1993. Our Alpinestars Team wear is made in Italy. It's designed to fit and feel great.

1

Ultra-warm Team Alpinestars USA jacket,  
yellow/turquoise/blue

Team Alpinestars USA eight-panel shorts,  
yellow/turquoise/blue

Alpinestars USA eight-panel shorts, black

Sublimated Team Alpinestars USA short-sleeve jersey,  
yellow/turquoise/blue

Alpinestars USA headband, yellow/turquoise/blue

2

Team Alpinestars USA eight-panel bib tight,  
yellow/turquoise/blue

Long-sleeve Team Alpinestars USA jersey,  
yellow/turquoise/blue

Winter gloves, yellow/turquoise/blue

Team Alpinestars USA eight-panel bib shorts,  
yellow/turquoise/blue

3

Alpinestars USA headband, yellow/violet/purple

Sublimated Team Alpinestars USA short-fingered gloves,  
yellow/violet/purple  
(also available in yellow/turquoise/blue)

Long-sleeve Team Alpinestars USA jersey,  
yellow/violet/purple

Sublimated Team Alpinestars USA short-sleeve jersey,  
yellow/violet/purple

Official Alpinestars USA T-shirts

Team Alpinestars USA eight-panel shorts,  
yellow/violet/purple

4

Team Alpinestars USA eight-panel bib tight,  
yellow/violet/purple

Ultra-warm Team Alpinestars USA jacket,  
yellow/violet/purple

Winter gloves, yellow/violet/purple

Team Alpinestars USA eight-panel bib shorts,  
yellow/violet/purple



1

2



3

4

229 - Fly  
499 - Swe



Alpinestars' 6061 aluminum handlebars are available in three colorful, blacked finishes: blue, purple and black.

Alpinestars handlebars: 240g

Our lightweight aluminum seat posts are available in 31.6 or 29.8mm. Three anodized color options are available: blue, purple and black.

Alpinestars seat post:  
31.6mm-280g • 29.8mm-262g

Slotted for light weight and polished to a mirrorlike finish, our investment-cast, stainless steel seat collars are available two ways: with a quick release for easy adjustment, or with a binder bolt for maximum weight savings. Designed to work with 35mm seat tubes.

Alpinestars seat collars:  
Quick release-70g • Binder bolt-40g

To design a lightweight stem we first start with thin-wall Cro-moly tubing. A recessed binder bolt is used for additional weight savings. Available in 0° rise and 1.15 through 1.60mm extensions in 15mm increments.

Alpinestars stems • 115mm-282g  
130mm-310g • 145mm-338g  
160mm-366g

S P E C I F I C A T I O N S

	AL MEGA E180	AL MEGA E1715	CRO MEGA D1715	AL MEGA E180	CRO MEGA D1860	CRO MEGA D1920	CRO MEGA D1920	CRO MEGA S988	TI MEGA FRAMESET-ALUMINUM	TI MEGA FRAMESET-BLUE/BLACK
SIZES	38mm, 45mm, 48mm, 52mm	38mm, 45mm, 48mm, 52mm	38mm, 45mm, 48mm, 52mm	38mm, 45mm, 48mm, 52mm	32mm*, 38mm, 45mm, 48mm, 52mm	38mm, 45mm, 48mm, 52mm	32mm*, 38mm, 45mm, 48mm, 52mm	38mm, 45mm, 48mm, 52mm	38mm, 45mm, 48mm, 52mm	38mm, 45mm, 48mm, 52mm
FRAME MATERIAL	Eastern ProCarbon Variable tubing, E.O.S.™ aluminum chassis	Eastern ProCarbon Variable tubing, E.O.S.™ aluminum chassis	True Temper CR 6, Cro-moly tubing, double diamond design	Eastern ProCarbon Variable tubing, E.O.S.™ aluminum chassis	True Temper CR 6, Cro-moly tubing, double diamond design	Cro-moly tubing, double diamond design	Cro-moly tubing, double diamond design	True Temper CR 6 & Cro-moly tubing, True Suspension Multi-Tube I.P.T. air/fat	3 A12.5 titanium tubing, E.O.S.™ aluminum chassis I	3 A12.5 titanium tubing, E.O.S.™ aluminum chassis I
FOK	Handle 1	Rock Slider	Alpinestars, bonded Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Handle 1	Handle 1
HEADSET	Tango Superfit, 31.75mm	Tango Superfit, 31.75mm	Rikbay Logic, 31.75mm	Rikbay Logic, 31.75mm	Overton, 31.75mm	Overton, 31.75mm	Overton, 31.75mm	Tango Superfit, 31.75mm	Tango Superfit, 31.75mm	Tango Superfit, 31.75mm
CRANKSET	Shimano XT, FC-M900-A, 104mm chain ring, 28-36-46T	Shimano XT, FC-M900-A, 104mm chain ring, 28-36-46T	Shimano XT, FC-M970-A, 104mm chain ring, 28-36-46T	Shimano FC-M969G, 104mm chain ring, 28-36-46T	Shimano FC-M969G, 104mm chain ring, 28-36-46T	Shimano FC-M920, 104mm chain ring, 28-36-46T	Shimano FC-M920, 104mm chain ring, 28-36-46T	Shimano FC-A720, 104mm chain ring, 28-36-46T		
BOTTOM BRACKET	Shimano BB90	Shimano BB90	Shimano D171	Shimano D1861	Shimano D1921	Shimano D1921	Shimano D1921	Shimano D1921		
PEDAL	Shimano LH91	Shimano LH91	Shimano D171	Shimano D1861	Shimano D1921	Shimano D1921	Shimano D1921	Shimano D1921		
CHAIN	Shimano CN-H601	Shimano CN-H601	Shimano SHD	Tango Super Four V	Tango Super Four V	Wolff	Wolff	Shimano D1921		
CASSETTE	Shimano MH90 12 28T	Shimano MH90 12 28T	Shimano MH90 12 28T	Shimano MH90 12 28T	Shimano MH90 12 28T	Shimano MH90 12 30T	Shimano MH90 12 30T	Shimano MH90 12 30T		
FRONT DERAILLEUR	Shimano XT FD-M901 top pull	Shimano XT FD-F76 top pull	Shimano XT FD-F76 top pull	Shimano FD-S61 top pull	Shimano FD-S61 top pull	Shimano FD-S61 top pull	Shimano FD-S61 top pull	Shimano XT top pull	Shimano XT top pull	Shimano XT top pull
REAR DERAILLEUR	Shimano XT RD-M900	Shimano XT RD-M973 SS	Shimano XT RD-M973 SS	Shimano RD-M960 GS	Shimano RD-M960 GS	Shimano RD-M920 GS	Shimano RD-M920 GS	Shimano RD-A720 GS		
CONTROL LEVER	Shimano XT ST-M900, Dual SS Rapid Fire Plus	Shimano XT ST-M900, Dual SS Rapid Fire Plus	Shimano XT ST-M900, Dual SS Rapid Fire Plus	Shimano ST-M960, Dual SS Rapid Fire Plus	Shimano ST-M960, Dual SS Rapid Fire Plus	Shimano ST-M920, Dual SS Rapid Fire Plus	Shimano ST-M920, Dual SS Rapid Fire Plus	Shimano XT top pull	Shimano XT top pull	Shimano XT top pull
HANDLEBAR	Alpinestars, 6061 aluminum, 25.4mm dia., 2° bend	Alpinestars, 6061 aluminum, 25.4mm dia., 2° bend	Alpinestars, 6061 aluminum, 25.4mm dia., 2° bend	Alpinestars, 6061 aluminum, 25.4mm dia., 2° bend	Alpinestars, 6061 aluminum, 25.4mm dia., 2° bend	Alpinestars, 6061 aluminum, 25.4mm dia., 2° bend	Alpinestars, 6061 aluminum, 25.4mm dia., 2° bend	Alpinestars Titanium, 25.4mm dia., 2° bend	Alpinestars, 6061 aluminum, 25.4mm dia., 2° bend	Alpinestars, 6061 aluminum, 25.4mm dia., 2° bend
STEM	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars 3 A12.5 titanium stem with aluminum stem bolt	Alpinestars, Cro-moly
GRIP	Rikbay True Grip 8	Rikbay True Grip 8	Rikbay True Grip 8	Rikbay True Grip 8	Rikbay True Grip 8	Rikbay True Grip 8	Rikbay True Grip 8	Rikbay True Grip 8		
BRACKET	Shimano XT BB-M900	Shimano XT BB-M974-M, Multi-Condition	Shimano XT BB-M974-M, Multi-Condition	Shimano BB-M960-M, Multi-Condition	Shimano BB-M960-M, Multi-Condition	Shimano BB-M920-M, Multi-Condition	Shimano BB-M920-M, Multi-Condition	Shimano BB-M920-M, Multi-Condition		
REAR HUB	Shimano FH-M900 32H	Shimano FH-M970 32H	Shimano FH-M970 32H	Shimano FH-M960 32H	Shimano FH-M960 32H	Shimano FH-M920 32H	Shimano FH-M920 32H	Shimano FH-M920 32H		
FRONT HUB	Shimano XM8 HB-M900 32H	Shimano XM8 HB-M970 32H	Shimano XM8 HB-M970 32H	Shimano XM8 HB-M960 32H	Shimano XM8 HB-M960 32H	Shimano XM8 HB-M920 32H	Shimano XM8 HB-M920 32H	Shimano XM8 HB-M920 32H		
RIM	Mavic 231, silver, uncoated	Mavic 231, silver, uncoated	Mavic 231, silver, uncoated	Mavic M232A, silver, uncoated	Mavic M232A, silver, uncoated	Ukay PU 30	Ukay PU 30	Ukay PU 30		
TIRE	Rikbay 2-Mon Kevlar 28 x 2.1	Rikbay 2-Mon Kevlar 28 x 2.1	Rikbay 2-Mon Kevlar 28 x 2.1	Rikbay Maggiste Hard Case 28 x 2.1	Rikbay Maggiste Hard Case 28 x 2.1	Rikbay Maggiste Hard Case 28 x 2.1	Rikbay Maggiste Hard Case 28 x 2.1	Rikbay Maggiste Hard Case 28 x 2.1		
SADDLE	"The Sple"™, black, perforated leather	"The Sple"™, black, perforated leather	"The Sple"™, black, perforated leather	"The Sple"™, black, perforated leather	"The Sple"™, black, perforated leather	"The Sple"™, black, perforated leather	"The Sple"™, black, perforated leather	"The Sple"™, black, perforated leather		
SEAT POST	Alpinestars, aluminum	Alpinestars, aluminum	Alpinestars, aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Alpinestars, aluminum		
SEAT COLLAR	Alpinestars, polished stainless steel	Alpinestars, polished stainless steel	Alpinestars, polished stainless steel	Aluminum	Aluminum	Aluminum	Aluminum	Alpinestars, aluminum		
WEIGHT	26.1 lbs. / 11.84 kg	26.5 lbs. / 12.02 kg	26.1 lbs. / 11.84 kg	26.4 lbs. / 11.95 kg	26.4 lbs. / 11.97 kg	26.3 lbs. / 11.92 kg	26.3 lbs. / 11.92 kg	26.9 lbs. / 12.20 kg		
COLOR	Polished Aluminum	Polished Aluminum	Polished Aluminum	Nickel Plated	Purple/Turquoise tone	Purple/Turquoise tone	Purple/Turquoise tone	Nickel Plated	Satin Black	Satin Black

\*The 32mm frame size uses the unique

stem tube. In all instances, an effort has been made to duplicate the components found on the same other sized model.

F R A M E D I M E N S I O N S

	AL MEGA AND TI MEGA
SIZE	38.0 45.0 48.0 52.0
TOP TUBE	61.4 67.8 69.7 61.2
CHAINSTAY	42.0 42.0 42.0 32.0
BB DROPP	4.40 2.80 1.80 3.20
BB DROPP	4.40 2.80 1.80 3.20
HEAD ANGLE	69.5 70.2 70.8 71.5
SEAT ANGLE	75.0 74.2 73.4 72.5

	CRO MEGA
SIZE	32.0 38.0 45.0 48.0 52.0
TOP TUBE	33.3 35.7 37.8 39.7 47.4
CHAINSTAY	42.0 42.0 42.0 42.0 42.0
BB DROPP	4.45 4.40 4.40 3.80 3.20
BB DROPP	4.45 4.40 4.40 3.80 3.20
HEAD ANGLE	69.5 69.2 70.2 70.8 71.5
SEAT ANGLE	75.0 75.2 74.2 73.4 72.5




Alpinestars stem stickers are available in small, medium and large sizes.



Proudly display the Alpinestars logo with this banner.

ALPINESTARS WARRANTY

ALPINESTARS WARRANTY: EACH NEW STEEL OR TITANIUM ALPINESTARS BICYCLE FRAME AGAINST DEFECTS IN MATERIALS AND WORKMANSHIP FOR THE PERIOD OF THE ORIGINAL WARRANTY, AND EACH NEW ALPINESTARS HEADSET FRAME FOR A PERIOD OF ONE YEAR FROM THE DATE OF PURCHASE. THIS WARRANTY IS EXPRESSLY LIMITED TO THE FRAME OR HEADSET OF A BICYCLE FRAME. COLOR OR PAINT AND THE SIZE RANGE OF THE WARRANTY. CLAIMS MADE UNDER THIS WARRANTY MUST BE MADE THROUGH AN AUTHORIZED ALPINESTARS USA DEALER. PROOF OF PURCHASE IS REQUIRED. LABOR CHARGE FOR PARTS REPLACEMENT IS NOT INCLUDED UNDER WARRANTY. THIS WARRANTY DOES NOT COVER DAMAGE OR FAILURE DUE TO ABUSE, IMPROPER ASSEMBLY OR MAINTENANCE, NORMAL WEAR AND TEAR, OR INSTALLATION OF PARTS OR ACCESSORIES NOT ORIGINALLY INTENDED FOR USE WITH THE FRAME BY THE BICYCLE AS BUILT. ALPINESTARS USA SHALL NOT BE RESPONSIBLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. THE USER ASSUMES THE RISK OF ANY PERSONAL INJURY OR DAMAGE TO THE BICYCLE OR OTHER CITIES IF ALPINESTARS BICYCLES ARE USED FOR STUNT DRIVING, COMPETITIVE, OR ANYTHING OTHER THAN NORMAL USE. THE WARRANTY DOES NOT COVER USA BIKES WHICH MAY VARY FROM STATE TO STATE.



Alpinestars stem stickers are available in 21 and 28 cm bottles.

Alpinestars New Generation sticker kit.



	S P E		C I F I C A T I O N S								
	AL MEGA E900	AL MEGA E735	CRO MEGA D735	AL MEGA E560	CRO MEGA D560	CRO MEGA D320	CRO MEGA D220	CRO MEGA S900	TI MEGA FRAMESET-TITANIUM	TI MEGA FRAMESET-ALUMINUM	TI MEGA FRAMESET-REDUCED
SIZES	38cm, 45cm, 48cm, 52cm	38cm, 45cm, 48cm, 52cm	38cm, 45cm, 48cm, 52cm	38cm, 45cm, 48cm, 52cm	32cm*, 38cm, 45cm, 48cm, 52cm	38cm, 45cm, 48cm, 52cm	32cm*, 38cm, 45cm, 48cm, 52cm	38cm, 45cm, 48cm, 52cm	38cm, 45cm, 48cm, 52cm	38cm, 45cm, 48cm, 52cm	38cm, 45cm, 48cm, 52cm
FRAME MATERIAL	Easton ProGram VarLite tubing, E.O.S.™ elevated chainstays	Easton ProGram VarLite tubing, E.O.S.™ elevated chainstays	True Temper OX II, Cro-moly tubing, double-diamond design	Easton ProGram VarLite tubing, E.O.S.™ elevated chainstays	True Temper OX II, Cro-moly tubing, double-diamond design	Cro-moly tubing, double-diamond design	Cro-moly main triangle tubing, double-diamond design	True Temper OX III, Cro-moly tubing, Racer Suspension Media; Fox A.L.P.S. air/oil	3 Al 2.5V titanium tubing, E.O.S.™ elevated chainstay	3 Al 2.5V titanium tubing, E.O.S.™ elevated chainstay	3 Al 2.5V titanium tubing, E.O.S.™ elevated chainstay
FORK	Manitou II	Rock Shox	Alpinestars, butted Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Manitou II	Manitou II	Manitou II	Manitou II
HEADSET	Tange Superlite, 31.75mm	Tange Superlite, 31.75mm	Ritchey Logic, 31.75mm	Ritchey Logic, 31.75mm	Ritchey Logic, 31.75mm	Overize, 31.75mm	Tange Superlite, 31.75mm	Tange Superlite, 31.75mm	Tange Superlite, 31.75mm	Tange Superlite, 31.75mm	Tange Superlite, 31.75mm
CRANKSET	Shimano XTR, FC-M900-A, round chain rings, 26-36-46T	Shimano XT, FC-M730-A, round chain rings, 26-36-46T	Shimano XT, FC-M730-A, round chain rings, 26-36-46T	Shimano FC-M560SG, round chain rings, 26-36-46T	Shimano FC-M560SG, round chain rings, 26-36-46T	Shimano FC-M320, round chain rings, 26-36-46T	Shimano FC-M320, round chain rings, 28-38-48T	Shimano FC-M320, round chain rings, 28-38-48T	Shimano FC-M320, round chain rings, 28-38-48T	Shimano FC-M320, round chain rings, 28-38-48T	Shimano FC-M320, round chain rings, 28-38-48T
BOTTOM BRACKET	Shimano UN91	Shimano UN71	Shimano UN71	Shimano UN51	Shimano UN51	Shimano LP20	Shimano LP20	Shimano LP20	Shimano LP20	Shimano LP20	Shimano LP20
PEDALS	Shimano SPD	Shimano SPD	Shimano SPD	Tioga Sure Foot IV	Tioga Sure Foot IV	Wellgo	Wellgo	Wellgo	Wellgo	Wellgo	Wellgo
CHAIN	Shimano CN-7401	Shimano CN-HG90	Shimano CN-HG90	Shimano CN-HG70	Shimano CN-HG70	Shimano CN-HG50	Shimano CN-HG50	Shimano CN-HG50	Shimano CN-HG50	Shimano CN-HG50	Shimano CN-HG50
CASSETTE	Shimano M900 12-28T	Shimano HG90 12-28T	Shimano HG90 12-28T	Shimano HG70 12-28T	Shimano HG70 12-28T	Shimano HG50 13-30T	Shimano HG50 13-30T	Shimano HG50 13-30T	Shimano HG50 13-30T	Shimano HG50 13-30T	Shimano HG50 13-30T
FRONT DERAILLEUR	Shimano XTR FD-M901 top pull	Shimano XT FD-736 top pull	Shimano XT FD-736 top pull	Shimano FD-561 top pull	Shimano FD-561 top pull	Shimano FD-M321 top pull	Shimano FD-AT11 top pull	Shimano XTR top pull	Shimano XTR top pull	Shimano XTR top pull	Shimano XTR top pull
REAR DERAILLEUR	Shimano XTR RD-M900	Shimano XT RD-M735 SS	Shimano XT RD-M735 SS	Shimano RD-M560 GS	Shimano RD-M560 GS	Shimano RD-M320 GS	Shimano RD-AT20 GS	Shimano XTR top pull	Shimano XTR top pull	Shimano XTR top pull	Shimano XTR top pull
CONTROL LEVER	Shimano XTR STI-M900, Dual SIS Rapid Fire Plus	Shimano XT ST-M095, Dual SIS Rapid Fire Plus	Shimano XT ST-M095, Dual SIS Rapid Fire Plus	Shimano ST-M560, Dual SIS Rapid Fire Plus	Shimano ST-M560, Dual SIS Rapid Fire Plus	Shimano ST-M320, Dual SIS Rapid Fire Plus	Shimano ST-AT20, Dual SIS Rapid Fire Plus	Shimano XTR top pull	Shimano XTR top pull	Shimano XTR top pull	Shimano XTR top pull
HANDLEBAR	Alpinestars, 6061 aluminum 25.4mm dia., 5" bend	Alpinestars, 6061 aluminum 25.4mm dia., 5" bend	Alpinestars, 6061 aluminum 25.4mm dia., 5" bend	Alpinestars, 6061 aluminum 25.4mm dia., 5" bend	Alpinestars, 6061 aluminum 25.4mm dia., 5" bend	Alpinestars, 6061 aluminum 25.4mm dia., 5" bend	Alpinestars, 6061 aluminum 25.4mm dia., 5" bend	Alpinestars, 6061 aluminum 25.4mm dia., 5" bend	Alpinestars titanium, 25.4mm dia., 5" bend	Alpinestars, 6061 aluminum 25.4mm dia., 5" bend	Alpinestars, 6061 aluminum 25.4mm dia., 5" bend
STEM	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars, Cro-moly	Alpinestars 3 Al 2.5 titanium stem with titanium draw bolt	Alpinestars, Cro-moly	Alpinestars, Cro-moly
GRIPS	Ritchey True Grip II	Ritchey True Grip II	Ritchey True Grip II	Ritchey True Grip	Ritchey True Grip	Ritchey True Grip	Ritchey True Grip	Ritchey True Grip	Ritchey True Grip	Ritchey True Grip	Ritchey True Grip
BRAKES	Shimano XTR BR-M990	Shimano XT BR-M734-M, Multi-Condition	Shimano XT BR-M734-M, Multi-Condition	Shimano BR-M560-M, Multi-Condition	Shimano BR-M560-M, Multi-Condition	Shimano BR-M320-M, Multi-Condition	Shimano BR-AT20-M, Multi-Condition	Shimano XTR top pull	Shimano XTR top pull	Shimano XTR top pull	Shimano XTR top pull
REAR HUB	Shimano XTR FH-M900 32H	Shimano XT FH-M732 32H	Shimano XT FH-M732 32H	Shimano FH-M560 32H	Shimano FH-M560 32H	Shimano FH-M560 32H	Shimano HG-RM50 36H	Shimano HG-RM50 36H	Shimano XTR top pull	Shimano XTR top pull	Shimano XTR top pull
FRONT HUB	Shimano XTR HB-M900F 32H	Shimano XT HB-M730 32H	Shimano XT HB-M730 32H	Shimano HB-M560 32H	Shimano HB-M560 32H	Shimano HB-M560 32H	Shimano HB-RM50 36H	Shimano HB-RM50 36H	Shimano XTR top pull	Shimano XTR top pull	Shimano XTR top pull
RIMS	Mavic 231, silver anodized	Mavic 231, silver anodized	Mavic 231, silver anodized	Mavic M234, silver anodized	Mavic M234, silver anodized	Ukai PJ-20	Ukai PJ-20	Ukai PJ-20	Ukai PJ-20	Ukai PJ-20	Ukai PJ-20
TIRES	Ritchey Z-Max Kevlar 26 X 2.1	Ritchey Z-Max 26 X 2.1	Ritchey Z-Max 26 X 2.1	Ritchey Megabite Hard Drive 26 X 2.1	Ritchey Megabite Hard Drive 26 X 2.1	Ritchey Mod Quad 26 X 2.0	Ritchey Mod Quad 26 X 2.0	Ritchey Mod Quad 26 X 2.0	Ritchey Mod Quad 26 X 2.0	Ritchey Mod Quad 26 X 2.0	Ritchey Mod Quad 26 X 2.0
SADDLE	Selle Italia Flite; black, perforated leather	"Flite Style," leather covered	"Flite Style," leather covered	"Flite Style," leather covered	"Flite Style," leather covered	"Flite Style," leather covered	"Turbo Style"	"Turbo Style"	"Turbo Style"	"Turbo Style"	"Turbo Style"
SEAT POST	Alpinestars, aluminum	Alpinestars, aluminum	Alpinestars, aluminum	Aluminum	Aluminum	Aluminum	Aluminum	Alpinestars, aluminum	Alpinestars 3 Al 2.5 titanium	Alpinestars, aluminum	Alpinestars, aluminum
SEAT COLLAR	Alpinestars, polished stainless steel	Alpinestars, polished stainless steel	Alpinestars, polished stainless steel	Alpinestars, polished stainless steel with quick release	Alpinestars, polished stainless steel with quick release	Alpinestars, polished stainless steel with quick release	Alpinestars, polished stainless steel with quick release	Alpinestars, polished stainless steel with quick release	Alpinestars, polished stainless steel with quick release	Alpinestars, polished stainless steel with quick release	Alpinestars, polished stainless steel with quick release
WEIGHT	26.1 lbs. / 11.84 kg.	26.5 lbs. / 12.02 kg.	26.1 lbs. / 11.84 kg.	26.4 lbs. / 11.95 kg.	26.6 lbs. / 12.07 kg.	28.2 lbs. / 12.79 kg.	28.3 lbs. / 12.84 kg.	26.9 lbs. / 12.20 kg.	26.9 lbs. / 12.20 kg.	26.9 lbs. / 12.20 kg.	26.9 lbs. / 12.20 kg.
COLOR	Polished Aluminum	Polished Aluminum	Nickel-Plated	Polished Aluminum	Nickel-Plated	Purple/Turquoise two-tone	Purple/Red two-tone	Nickel-Plated	Satin finish	Satin finish	Satin finish

\*The 32cm frame size uses the unique

T\* frame style. In order to be particularly suited for the small performance-oriented rider (for whom the bike is intended) there are several other nonstandard features, such as the "zero" stack headset, a clamp-on stem, and downsized forks. In all respects, an effort has been made to duplicate the components found on the larger frame sizes of each model.



# DISTRIBUTION NETWORK

ALPINESTARS USA  
4145 Santa Fe Road, Bldg 2  
San Luis Obispo, California 93401  
Tel: 805/545-5760 • Fax: 805/549-0599

ALPINESTARS USA EURO OFFICE  
13, Chemin Du Paradis  
73203 Albertville, France  
Tel: (33) 79/371-410 • Fax: (33) 79/370-900

ALPINE RACING (UK) LIMITED  
Unit 8, Severn Bridge Industrial Estate  
Portskewett, Newport Gwent, NP6 4YT, U.K.  
Tel: (44) 0291/421-885 • Fax: (44) 0291/422-072

CYKLOCENTRUM SPOL. S.R.O.  
Na Vytoni 10  
120 00 Praha 2, Czechoslovakia  
Tel: (42) 2/299-444 • Fax: (42) 2/298-049

ETTOL  
Grenaavej 670  
DK-8541 Skoedstrup/Aarhus, Denmark  
Tel: (45) 86/992-000 • Fax: (45) 86/992-038

ISLA INTERNATIONAL  
30, Rue Bernard Jugault, No. F  
92600 Asnieres, France  
Tel: (33) 1/4790-1876 • Fax: (33) 1/4793-3233

MOHAG  
Motorfahrzeug-Handels AG  
Bernstrasse Nord 202  
8064 Zurich, Switzerland  
Tel: (41) 1/432-1525 • Fax: (41) 1/432-8114

MOTIONCRAFT (HK) LTD.  
G/F No. 3 Wood Road  
Wan Chai, Hong Kong  
Tel: (852) 836-0547 • Fax: (852) 836-0147

MOTIONCRAFT CYCLE & SUPPLY PTE LTD.  
21 Cuppage Terrace  
Singapore 0922  
Tel: (65) 737-7866 • Fax: (65) 737-1892

MOTOBIKE S.A.  
C/Brusi, 36-38  
08006 Barcelona, Spain  
Tel: (34) 3/202-0230, 414-0303 • Fax: (34) 3/202-1969

MV INTERNATIONAL CORP./BICI- BICI INVERSIONES  
Avenida Nueva Granada  
Edificio Patricia 15 Local 2  
Los Rosales, Caracas, Venezuela  
Tel and Fax: (58) 02/617354

NICHINAO SHOKAI CO., LTD.  
6-16-8 Sotokanda, Chiyodaku  
Tokyo, 101, Japan  
Tel: (81) 03/3832-6251 • Fax: (81) 03/832-6266


PRO BIKE GMBH  
Im Starkefeld 47  
7910 Neu-Ulm, Germany  
Tel: (49) 731/723-686 • Fax: (49) 731/77916

RS TAICHI INC.  
3-1-25 Nakagaito, Daito  
Osaka, 574, Japan  
Tel: (81) 0720/74-3268 • Fax: (81) 0720/74-3385

STARDUE SRL  
Via Marosticana 12  
31010 Coste Di Maser (Treviso), Italy  
Tel: (39) 423/923-019 • Fax: (39) 423/923-056

STIBOLT NORGE-SKI AS  
Aslakveien 20 A  
0753 Oslo 7, Norway  
Tel: (47) 02/509-700 • Fax: (47) 02/524-093

UVEX TOKO CANADA LTD. (UTC)  
40 Engelhard Drive  
Aurora, Ontario L4G 3H5, Canada  
Tel: 416/841-4001 • Fax: 416/841-4006

The Alpinestars logo is located at the bottom right of the page. It features the brand name "alpinestars" in a stylized, italicized, lowercase font. The letters are white with a red outline and a red shadow effect, giving it a three-dimensional appearance. The background of the logo is a dark red color.