

WHEELER



Tweewielerspecialist

SCHOLTEN

Luttekraat 7 - 13

8011 LN Zwolle

Korte Luttekraat 5

Tel.: (038) 21 73 78

BIKE COLLECTION

WHEELER
worldwide



WHEELER

Wereldwijde topklasse

Als je over de hele wereld fietsen op de markt wil brengen, heb je een topklasse organisatie nodig. Wie fietsen ontwerpt en bouwt waarop wereldkampioenen zegevierend over de finish gaan, heeft superieure kennis nodig. Met geavanceerde technologie alleen kom je er niet. De medewerkers van Wheeler Worldwide beseffen dat terdege. Zij beschikken niet alleen over de juiste kennis en vaardigheden, maar ontwerpen en bouwen kwaliteitsprodukten. Die ze koesteren alsof het hun eigen fietsen zijn.

Misschien zijn we onbescheiden, maar we geloven dat we fietsen op de markt brengen die je gemakkelijk indeelt in de absolute topklasse. Wereldkampioen of gewoon fietsfanaat: als het om fietsen gaat, vinden we dat elke fietser topkwaliteit mag verwachten. Waarom zou jij niet profiteren van het beste dat de fietsindustrie heeft te bieden?

Elke fiets die ons logo draagt, wordt in onze eigen fabriek ontworpen, geconstrueerd en geassembleerd. Dit geldt zowel voor de fietsen van de wereldkampioenen uit het Wheeler Team als voor alle andere Wheeler bikes. Van kinderfiets tot high-tech racemonster, onze ingenieurs behandelen ze met dezelfde toewijding.



Over normen en waarden • Veel fietsfabrikanten beloven kwaliteit. Kwaliteit kun je meten: er zijn normen voor. Wheeler was één van de eerste fietsfabrikanten die voldeed aan de internationale ISO-9000 kwaliteitsnorm. Zo'n keurmerk krijg je niet cadeau: je moet het verdienen. Maar wat belangrijker is, we zijn niet alleen een 'ISO-9000-bedrijf' maar denken en doen ook in die termen. Want alleen dan krijgt een norm ook waarde.

Wheeler Dealers •

Onze passie en toewijding voor goede fietsen houdt niet op bij de fabriekspoort.

Je Wheeler Worldwide dealer is een ander onmisbaar lid van ons team. Zie hem of haar als onze ogen en oren in de wereld. Geen andere fietsfabrikant ter wereld luistert en kijkt zo aandachtig naar de plaatselijke omstandigheden. Elk land stelt immers z'n specifieke eisen aan fietsen. Wheeler fietsen zijn volledig afgestemd op het gebruik en de wettelijke voorschriften in het land waar ze op de markt worden gebracht. Onze dealers maken dat mogelijk.



Serius • Fietsen en fietsers moet je serius nemen. De tijd dat fietsen als speelgoed of wegwerp-artikel werden beschouwd ligt gelukkig ver achter ons. Steeds meer mensen fietsen. En steeds meer fietsers leggen meer kilometers af. Kijk eens rond in Londen, Berlijn, Parijs of Brussel en constateer dat de fiets een serius alternatief is geworden voor vlot en goedkoop vervoer. In die snel veranderende wereld moet je zoeken naar de perfecte balans tussen veiligheid, comfort en duurzaamheid. We rekenen dat tot onze taak. Of het nu om kinder-, stads-, trekking- of racebikes gaat, je kunt erop vertrouwen dat wij jouw fietsplezier serius nemen.






Over ontwerpen

Je hoeft geen vliegtuigbouwkundig ingenieur te zijn om een fiets te ontwerpen... maar het is wel een aardige start voor een eventuele carrière in ons Research & Development-team.

Als fietsers steeds vragen naar 'lichter', 'sterker', 'comfortabeler' en 'goedkoper', moet je precies weten hoe je de in de ruimtevaarttechnologie opgedane ervaring kunt toepassen binnen de fietsindustrie. Onze 'R&D-freaks' beschikken over die kennis. Gebruikmakend van de meest recente ontwikkelingen in computergestuurd ontwerpen, las- en lijmverbindingstechnieken en het toepassen van materialen als staal, titanium en aluminium, zijn ze in staat de beste fietsen ter wereld te construeren.

Het juiste spul • Theorie is leuk, maar werkt het ook? Dat vraagt meer dan computer-ondersteund ontwerpen. Een fiets moet ook goed 'voelen'. Daarom maken de kampioenen uit ons Wheeler racing-team onlosmakelijk deel uit van onze ontwerp-afdeling. Onze fietsen krijgen het zwaar te verduren tijdens een helletocht als Parijs-Roubaix of de bloedstollende down-hill wedstrijden waarbij in ruw terrein snelheden tot 100 km/u worden behaald. Wij vertalen de ervaringen en kritiek van onze testrijders naar innovaties. Hier zijn er een paar die we in onze 1995-modellen hebben verwerkt:

Oog voor detail • **LOW FRICTION TRANSMISSION.**
De nokken voor de rem- en derailleurkabels vind je bij Wheeler fietsen op een andere plaats dan bij andere merken. Als je logisch nadenkt, begrijp je waarom. De kabels worden nu zijdelings langs het frame geleid, dat er zo min mogelijk wrijving tussen binnen- en buitenkabel ontstaat. We passen speciaal ontworpen kabelnokken toe, die




garanderen dat er geen wrijving meer kan optreden tussen nok en kabel. Met zo'n oog voor detail stelt Wheeler je in staat zonder noemenswaardige krachtsinspanning supersnel te remmen en te schakelen. In deze catalogus hebben we bij de fietsen met Low Friction Transmission het LFT-symbool afgedrukt.

Slimme dropouts •

INCREASED CLEARANCE DESIGN. Dropouts of patten zijn de delen van de voor- en achtervork waarin de naaf van je wielen ronddraaien. Voor het snel verwisselen van het achterwiel hebben we de dropouts van de achtervork compleet opnieuw ontworpen. Tegelijkertijd creëden we daarmee meer ruimte tussen de ketting en rechterachtervork, die we lager positioneerden dan bij een conventioneel frame. Dit voorkomt dat - in ruw terrein - de ketting tegen het frame slaat. In deze catalogus hebben we bij de fietsen met deze dropouts het ICD-symbool afgedrukt.

Jij bent de maat • Ons **HUMAN FIT CONCEPT.** Niet de fiets, maar de mens is de maat van alle dingen. We vertellen niets nieuws als we zeggen dat langere mensen ook langere ledematen hebben. Maar als dat zo bekend is, waarom tref je dan op de meeste andere merken stuurpen en cranks van dezelfde lengte aan en is alleen de maat van het frame variabel?



Wheeler X-Stays.

Onze nieuwste innovatie heet X-stays. Een speciaal geconstrueerde achtervork die ter hoogte van de achterrem stijver van constructie is. Er gaat zo geen remkracht verloren. Ons X-stays ontwerp is ergonomisch doordacht: er is nu meer ruimte tussen de liggende achtervork en de voet op het pedaal. En omdat X-stays zo sterk en stijf zijn, kunnen we probleemloos de diameter van de staande achtervorken verkleinen om extra gewicht te sparen.

variabele lengte. Bij de 1995-modellen heeft Wheeler meer dan ooit rekening gehouden met het feit dat veel fietsers hun raspaardje in de toekomst willen uitrusten met een geveerde voorvork. Wij noemen het 'Suspension-Ready' geometrie.

Een koud kunstje? • Onze fietsen zijn functioneel. Maar daarmee zijn ze nog niet 'cool'! Hoe komt het dan dat ze er zo gelikt uitzien? Omdat we natuurlijk diep in ons hard ook een beetje ijdel zijn. Wat is er mooier dan oogverblindend design, onderdelen waar je adem van stokt, of flietsende trendy kleuren? Natuurlijk, je hoeft echt niet de mooiste fiets van de buurt te hebben. Maar het wel een leuk begin van je fietstocht...

Wheeler stemt de lengte van de stuurpen en de cranks af op de grootte van het frame: langere mensen hebben dus een fiets met langere cranks. En dit jaar zijn we nog een stapje verder gegaan. We creëren een speciaal op vrouwen afgestemd frame: de 'Response'. In deze catalogus hebben we bij de fietsen met dit soort geometrische aanpassingen het HFC-symbool afgedrukt.

Super comfort •

SUSPENSION-READY GEOMETRY. Om optimaal te kunnen profiteren van de meest recente innovaties op het gebied van fietsvering, heb je een frame nodig dat geschikt is voor voorvorken met een

Wheeler 1995 specifications

Model	9980 ALU-LINE	5900 ALU-LINE	9800 COMP LINE	7800 COMP LINE	6880 COMP LINE	5800 COMP LINE	4880 PRO LINE	3800 PRO LINE	2880 PRO LINE	2800 PRO LINE
Frame & Vork	Tig seamless Easton Elan 3 tubing, forged end. Fork: Marzocchi XC 600 air/oil	Alcoa 7005 alloy Suspension Ready Geometry Fork: Unicorn Cr-Mo oversized 1,1/8"	Tig Optima prestige, double butted forged end, Fork: Cr-Mo triple butted uncrown	Tig Cr-Mo double butted tubes, forged end. Fork: Optima Cr-Mo butted uncrown	Optima double butted tubes , forged end. Fork: Marzocchi Zokes elastomer	Optima Cr-Mo tubes , forged en. Fork: Cr-Mo blades uncrown	Optima Cr-Mo tubes, forged end. Fork: Tange Struts GS2 with multi stage elastomer 50mm travel	Optima Cr-Mo tubes, forged end. Fork: Cr-Mo uncrown forged end. Lady: Response frame	Optima Cr-Mo tubes. Fork: SR 7005 suspension elastomer and spring	Optima Cr-Mo tubes. Fork: unicorn
Kleur	Satin, anodized	Aluminum Polished Fork: Midnight Blue	Titanium finish	Bordeaux Red	Titanium finish	Iced Silver	Radiant Green	Titanium finish	Radiant Blue	Black
Maten	18,19,5,21"	18,19,5,21"	18,19,5,21"	18,19,5,21"	18,19,5,21"	18,19,5,21"	18,19,5,21"	18,19,5,21"	18,19,5,21"	18,19,5,21,22,5"
Groep	Shimano Deore XT	Shimano Deore LX	Shimano Deore XT	Shimano Deore LX/STX RC	Shimano STX RC	Shimano Deore LX	Shimano STX Alivio	Shimano Alivio/Acera	Shimano Alivio/Acera	Shimano Alivio/C90
Cranks & Kettingwiel	Sugino Mighty 900 44/32/22t	Cyclone 42/32/22t	Sugino Mighty 900 44/32/22t	Sugino Impel 500 42/32/22t	Shimano STX RC 42/32/22t	347 SGS 42/32/22t	Shimano Acera 42/34/24t	Shimano Acera 42/34/24t	Shimano Acera 42/34/24t	Shimano C90 alloy 38/32/24t
Freewheel	Shimano cassette 8-spd 11/28t	Shimano 8-spd 11/28t	Shimano XT 8-spd 11/28t	Shimano 8-spd 11/28t	Shimano 7-spd 11/28t	Shimano cassette 8-spd 11/28t	Shimano 7-spd 11/28t	Shimano 7-spd 11/28t	Shimano 7-spd 11/28t	Shimano 7-spd 11/28t
Remmen	Shimano Deore XT alloy cantilever	Wheeler Comp Stop	Shimano XT alloy	Shimano STX RC	Shimano STX	Wheeler 'Pro Stop' cantilever	Shimano Alivio	Wheeler 'Pro Stop' cantilever	Wheeler 'Pro Stop' cantilever	Wheeler 'Pro Stop' cantilever
Remgriepen	Shimano Deore XT alloy with shifter	Dia Compe PC 3 alloy power lever	Shimano XT alloy with shifter	Dia Compe PC 7 alloy power lever	Shimano STX RC with shifter	Dia Compe PC 3 alloy power lever	Dia Compe PC 3 alloy power lever	Dia Compe PC 3 alloy power lever	Dia Compe PC 1 power lever	Dia Compe PC 1 power lever
Shifters	Shimano Deore XT 8-spd with new optical gear display	Grip Shift srt 600 8-spd index front and rear	Shimano XT rapidfire plus with optical gear display	Grip Shift srt 600 8-spd index front and rear	Shimano STX RC rapidfire plus with optical gear display	Grip Shift srt 600	Grip Shift with index front and rear 7 spd	Grip Shift with index front and rear	Grip Shift with index front and rear 7 spd	Grip Shift with index 7spd
Bracket	Shimano cassette	Shimano cassette	Shimano cartridge	Shimano cassette	Shimano cartridge	Shimano cassette	Shimano cassette	Shimano cassette	Shimano cartridge	Shimano cartridge
Stuur	Wheeler ultralight alloy butted 145grm	Wheeler alloy	Wheeler ultralight alloy butted 145grm	Wheeler alloy	Wheeler alloy	Wheeler alloy	Wheeler alloy	Wheeler alloy straight	Wheeler alloy straight	Wheeler alloy straight
Handvatten	Wheeler control grip II	Rubber for Grip Shift	Wheeler control grip II gel	Rubber for Grip Shift	Wheeler controlgrip II gel	Rubber for Grip Shift	Rubber for Grip Shift	Rubber for Grip Shift	Rubber for Grip Shift	Rubber for Grip Shift
Stuurpen	Wheeler Z-Trax Cr-Mo oversized	Wheeler Ultrax	Wheeler Z-Trax Cr-Mo oversized	Wheeler Z-trax Cr-Mo	Wheeler Z-trax Cr-Mo	Wheeler Cr-Mo	Wheeler Ultrax	Wheeler Ultrax	Wheeler Ultrax	Wheeler Ultrax
Balhoofdset	Dia Compe alloy A-head set system	YST steel	Dia Compe alloy A-head with seal	Dia Compe A-head set with seal	Dia Compe A-head set	Steel with seal	Dia Compe alloy top A-head set	Steel with seal	Steel with seal and lock nut	Steel with seal
Velgen	Araya RM 395 26"	Alloy 26"	Araya RM395 26"	Araya TM 810F alloy 26"	Araya TM18 32h	Alloy 26"	Alloy 26"	Alloy 26"	Alloy 26"	Alloy 26"
Banden	Maxxis II 26x1.95	Wheeler Banzai 26x2.05	Maxxis II front and rear 26x1.95	Maxxis II front and rear 26x1.95	Maxxis II 26x1.95 front and rear	26x2.05 Wheeler Banzai	Wheeler Banzai 26x2.05	Wheeler Banzai 26x2.05	26x1.95 Black wall	26x1.95
Spaken	Stainless steel double butted 14/15g	Stainless steel 14g	Stainless steel double butted 14/15g	Stainless steel 14g	Stainless steel 14g	Stainless steel 14g	Stainless steel 14g	Stainless steel 14g	Stainless steel 14g	Stainless steel 14g
Naven	Shimano Deore XT 8-spd 32h QR	Alloy with quick release axle 8-spd 32h	Shimano XT 8-spd 32h QR	Shimano Deore LX 8-spd 32h QR	Shimano STX rc with quick release 7spd 32h	Alloy parallax 32h QR	Shimano Alivio alloy with quick release and seal 7spd release	Shimano C90 alloy 36h 7spd freehub with quick release	Parallax 36h 7spd freehub with quick release	Alloy 36h 7spd with quick release
Zadel	Wheeler Flite titanium rail with HFC index	Wheeler Flite with HFC index	Wheeler Flite titanium rail with HFC index	Wheeler Flite with HFC index	Wheeler Flite with HFC index	Wheeler Flite with HFC index	Wheeler Flite with HFC index	Wheeler Flite with HFC index	Wheeler with HFC index	Wheeler Flite
Zadelpen	Alloy 350mm	Alloy 350mm	Alloy 350mm	Alloy 350mm	Alloy polish 350mm	Alloy 350mm	Alloy 350mm	Alloy 350mm	Alloy 350mm	Alloy 300mm
Pedalen	Alloy racing MTB	Wheeler alloy cage with reflector	Alloy Wheeler MTB racing	Wheeler alloy with reflector	Alloy MTB racing with reflectors	Wheeler alloy cage with reflector	Wheeler alloy body	Alloy cage with din reflectors & Cr-Mo axle	Alloy with din reflectors & Cr-Mo axle and seal	Plastic mtb with din reflectors & Cr-Mo axle and seal
Derailleur (voor)	Shimano Deore XT top pull	Shimano Deore LX top pull	Shimano XT top pull	Shimano Deore LX top pull	Shimano STX top pull	Shimano Deore LX	Shimano Alivio top pull	Shimano Acera top pull	Shimano Acera top pull	Shimano C90 easy set down pull
Derailleur (achter)	Shimano Deore XT super long cage 8spd	Shimano Deore LX gs long cage	Shimano XT 8spd middle cage	Shimano Deore LX gs long cage	Shimano STX RC 7spd long cage	Shimano Deore LX gs	Shimano STX GS long cage	Shimano Alivio 7spd long cage	Shimano Alivio 7spd	Shimano Alivio 7spd GS
Extra's	Plastic toe clip nylon straps; Alloy bottle cage	Plastic toe clip nylon straps	Plastic toe clip nylon straps; Alloy bottle cage	Plastic toe clip nylon straps; Alloy bottle cage	Plastic toe clips nylon straps; Alloy bottle cage	Plastic toe clip and nylon straps; Alloy cage	Bar ends; Alloy Wheeler; Alloy bottle cage	Plastic toeclips nylon straps; Alloy bottle cage	Plastic toeclips nylon straps; Alloy bottle cage	

Specificatiewijzigingen voorbehouden

Wheeler 1995 specificaties

Model	1800 PRO LINE	900 PRO LINE	3600 CROSS LINE	2600 CROSS LINE	600 CRUISER	8700 TREKKING	5700 TREKKING	3770 TREKKING	2700 TREKKING	1700 TREKKING	700 TREKKING
Frame & Vork	Optima Cr-Mo tube, forged end. Fork: unicrown	Hi-Ten tubes, Fork: unicrown	Tig Optima Cr-Mo tube, forged end, Fork: Cr-Mo blades unicrown forged end with low rider bosses	Tig Optima Cr-Mo tube, forged end, Fork: Cr-Mo blades unicrown	Hi-Ten beach cruiser geometry, Fork: unicrown	Lugged Optima double butted Cr-Mo tubes, forged end, Fork: Cr-Mo blades, unicrown	Lugged Optima Cr-Mo tube, carrier bosses, forged end, Fork: unicrown forged end	Lugged Optima Cr-Mo tube, Fork: unicrown	Tig welded Hi-Ten tube, carrier bosses, forged end, Fork: unicrown	Tig welded Hi-Ten tube, carrier bosses, forged end, Fork: unicrown	Tig welded hi ten carrier bosses, press end, Fork: unicrown
Kleur	Metallic Purple	Reflex Blue	Titanium finish	Dark Purple	Reflex Blue	Titanium finish	Dark Green	Light Blue	Bordeaux Red	Midnight Blue	Pearlized Black
Maten	18,19,5,22"; Ladies: 18, 19,5"	18, 19,5, 21"	18,20,5,22,23" Ladies: 18,20,5"	18,20,5,22,23"; Ladies: 18,20,5"	19,5"	18,5,21,22,5,24"; Ladies 18,5,20,5,22"	18,5,21,22,5,24" Ladies: 18, 20,5"	18,5,21,22,5, 24" Ladies 18,20,5,22"	18,5,21,22,5,24"; Ladies 18,20,5,22"	18,5,21,22,5,24"; Ladies 18,20,5,22"	18,5,21,22,5,24"; Ladies 18,20,5,22"
Groep	Shimano Acera	Shimano Acera/C90	Shimano STX/Alivio/Acera	Shimano Alivio/C90	Wheeler	Shimano Deore LX/STX RC	Shimano STX/Alivio	Shimano Nexus	Shimano Alivio/C90	Shimano Acera	Shimano Acera/C90
Cranks & Kettingwiel	XR150 alloy 42/34/24"	Steel 48/38/28t with chain guard	STX alloy 42/32/22t	Shimano C90 38/32/24"	46t one piece crank	Shimano LX 42/32/22t; chain guard	Shimano Alivio alloy 42/34/24t with chain guard	33t alloy	Shimano C90 alloy 24/38/48t with chain guard	XR 100 alloy 28/38/48t	Alloy 28/38/48t; chain guard
Freewheel	7-spd 13/28t	7-spd 13/28t	Shimano cassette 7-speed 11/28t IG	Shimano cassette 7-speed 11/28t	Sprocket 18t	Shimano cassette 8-spnd 11/28t	Shimano IG 50 7spd 11/28	Shimano 18t sprocket	13-28t 7-spnd	13-28t 7-spnd	13-28t 7-spnd
Remmen	Wheeler 'Pro Stop' cantilever	Wheeler 'Pro Stop' cantilever	Shimano Acera alloy cantilever	Wheeler 'Pro Stop' cantilever	Front caliper rear coaster	Shimano str cr alloy cantilever	Wheeler Pro Stop alloy cantilever	Shimano C90 front alloy cantilever rear roller brake	Wheeler 'Super Stop' cantilever	Wheeler 'Super Stop' cantilever	Wheeler 'Pro Stop' cantilever
Remgriep	Dia Compe pc 1 power lever	Shimano C90 alloy with shifter	Dia Compe pc 3 alloy power lever	Dia Compe pc1 power lever	Plastic lever	Dia Compe pc 8 alloy power lever	Dia Compe pc3 alloy power lever	Shimano	Dia Compe pc1 power lever	Dia Compe pc1 power lever	Shimano C90 alloy with shifter
Shifters	Grip Shift	Shimano C90 thumbshifter with optical gear display	Grip Shift with index front and rear 7spd	Grip Shift	N/A	Grip Shift SRT 600	Grip Shift with index front and rear	Shimano Revo shift	Grip Shift	Grip Shift	Shimano C90 thumb shifte; optical gear display
Bracket	Cassette type	Boron axle	Shimano cassette LP35	Shimano cartridge	9 pcs	Shimano cartridge UWS1	Shimano cassette LP35	Cartridge	Shimano CT 90 cassette	Boron axle	Boron axle
Stuur	Wheeler steel straight	Wheeler steel straight	Wheeler alloy	Alloy straight wheeler	Steel for cruiser	Wheeler superlite alloy butted 1700mm	Wheeler alloy trekking	Alloy wheeler trekking	Wheeler alloy raised	Wheeler steel raised	Wheeler steel raised
Handvatten	Rubber for Grip Shift	Rubber	Rubber for Grip Shift	Kraton rubber for Grip Shift	Sponge full bar	Rubber for Grip Shift	Rubber for Grip Shift	Shimano together with shifter	Rubber for Grip Shift	Rubber for Grip Shift	Rubber
Stuurpen	Wheeler ultrax	Wheeler Hi-Ten	Wheeler Ultrax	Wheeler Ultrax	Alloy head	Acor suspension stem	Alloy with adjustable angle 90-150 degree	Alloy with adjustable angle 90-150 degree	Wheeler alloy head, adjustable angle	Wheeler alloy head	Wheeler steel
Balhoofdste	Steel with seal	Steel with conductor	Steel with seal	Steel with seal with conductor	Steel	Wheeler alloy with seal	Steel with seal and conductor	Steel with seal with conductor	Steel with seal and conductor	Steel with seal and conductor	Steel with seal and conductor
Velgen	Alloy 26"	Alloy 26"	Alloy 700c	Alloy 700c	Alloy 26"	Araya PX45 alloy 700c	Alloy 700c with grinding wall	Alloy 700c with grinding wall	Alloy 700 Acor with grinding wall	Alloy 700 Acor with grinding wall	Alloy 700c with grinding wall
Banden	26"x1.95	26x1.95	Wheeler Cross master II 700x43c	Wheeler Cross master I 700x43c	26"x1.135	Acor Trekking 700x35c with reflection	Acor Trekking 700x35c with reflection	Acor Trekking 700x35c with reflection	Acor Trekking 700cx35c with reflection	Acor Trekking 700cx35c with reflection	Wheeler Trekking 700cx35c with reflection
Spaken	Steel 14g	Steel 14g	Stainless steel 14g	Stainless steel 14g	Stainless 14g	Stainless steel 14g	Stainless steel 14g	Stainless steel 14g	Stainless steel 14g	Steel 14g	Steel 14g
Naven	Alloy 36h QR	Alloy 36h 7spd with cap nut	Shimano Alivio 7spd with quick release and seal 36h	Alloy 36h parallax QR	Alloy 36h with cap nut	Shimano LX 36h QR	Shimano Acera parallax 7spd with quick release 36h	Shimano Nexus 36h	Alloy QR	Alloy 36h QR, with 2 cap nut	Alloy 36h with cap nut
Zadel	Wheeler Flite	Wheeler vinyl	Wheeler with HFC index	Wheeler soft skin	Wheeler with double spring	Wheeler leather with HFC index	Wheeler with spring with gel	Wheeler with spring and gel comfort	Wheeler with spring and gel comfort	Wheeler v.ith spring	Wheeler with spring
Zadelpen	Alloy 300mm	Steel 300mm	Alloy 350mm	Alloy	Steel	Alloy Wheeler	Alloy 300mm	Alloy	Alloy	Alloy	Steel
Pedalen	Plastic off road with din reflectors	Plastic with din reflectors, boron axle and seal	Wheeler steel cage with din reflect & boron axle and seal	Plastic cross with din reflectors & Cr-Mo axle and seal	Plastic with din reflectors & boron axle and seal	Alloy with reflectors; Cr-Mo axle	Plastic anti slip with din reflectors & boron axle	Plastic anti slip with din reflectors & Cr-Mo axle	Acor plastic with din reflectors & Cr-Mo axle	Acor plastic with din reflectors & Cr-Mo axle	Plastic anti slip with din reflectors & Cr-Mo axle
Derailleur (voor)	XR 150	XR 50 down pull	Shimano Alivio down pull	Shimano C90	N/A	Shimano LX	Shimano Acera down pull	N/A	Shimano C90	XR 00	XR 15
Derailleur (achter)	Shimano Acera 7 spdgs	Shimano Acera 7spd GS	Shimano STX sgs long cage 7s; J	Shimano Alivio 7spd long cage	N/A	Shimano LX super long cage 8spd	Shimano STX 7spd long cage	N/A	Shimano Alivio7spd long cage	Shimano Acera 7spd long cage	Shimano Acera 7 spd long cage
Extra's			Alloy bottle cage	Alloy bottle cage	Steel painted chaincover, kickstand.	3 pieces alloy cage, fenders, lights, carrier, lock	Fenders; lights; Chaincover: Wheeler plastic new dark smoked; alloy carrier with spring, lock	Dark smoke chaincover, fenders, lights, lock.	Wheeler Trekking chaincover, kickstand, carrier, fenders, lights, lock.	Wheeler Trekking chaincover, kickstand, carrier, fenders, lights, lock.	Kickstand, carrier, fenders, lights, lock.

Specificatiewijzigingen voorbehouden

Model	Specificatie	Maten	Verkoopprijs
HYBRID CROSS 700 C			
2600 Heren	SHM Alivio/C90/Grip Shift 21-sp.	18"/20,5"/22"/23"	f 899
Dames	SHM Alivio/C90/Grip Shift 21-sp.	18"/20,5"	f 899
3600	SHM STX/Alivio/Grip Shift 21-sp.	18"/20,5"/22"/23"	f 1.199
MTB Pro Line 26"			
900	SHM Acera mix 21-sp.	18"/19,5"/21"	f 749
1800 Heren	SHM Acera/Grip Shift 21-sp.	18"/19,5"/21"	f 849
Dames	SHM Acera/Grip Shift 21-sp.	18"/19,5"	f 849
2800	SHM Alivio/C90/Grip Shift 21-sp.	18"/19,5"/21"/22,5"	f 999
3800	SHM Alivio/Acera/Grip Shift 21-sp.	18"/19,5"/21"	f 1.099
2880 (geveerde vork SR 7005)	SHM Alivio/Acera/Grip Shift 21-sp.	18"/19,5"/21"	f 1.199
4880 (geveerde vork Tange GS2)	SHM STX/Alivio/Grip Shift 21-sp.	18"/19,5"/21"	f 1.499
MTB Competition Line 26"			
7800	SHM Deore LX/STX RC/Grip Shift 24-sp	18"/19,5"/21"	f 1.799
6880 (geveerde vork Marz.Zokes)	SHM STX RC 21-sp.	18"/19,5"/21"	f 1.899
9800	SHM Deore XT 24-sp.	18"/19,5"/21"	f 2.999
MTB Aluminium Line 26"			
5900	SHM Deore LX/Grip Shift 24-sp	18"/19,5"/21"	f 1.599
9980 (geveerde vork Marz.XC 600)	SHM Deore XT 24-sp.	18"/19,5"/21"	f 3.999
TREKKING 700 C			
700 Heren	SHM Acera/C90 21-sp	18,5"/21"/22,5"/24"	f 949
Dames		18,5"/20,5"/22"	
1700 Heren	SHM Acera/Grip Shift 21-sp.	18,5"/21"/22,5"/24"	f 1.099
Dames		18,5"/20,5"/22"	
2700 Heren	SHM Alivio/C90/Grip Shift 21-sp	18,5"/21"/22,5"/24"	f 1.199
Dames		18,5"/20,5"/22"	
5700 Heren	SHM STX/Alivio/Grip Shift 21-sp.	18,5"/21"/22,5"/24"	f 1.399
Dames		18,5"/20,5"/22"	
8700 Heren	SHM Deore LX/STX RC/Grip Shift 24-sp	18,5"/21"/22,5"/24"	f 2.299
Dames		18,5"/20,5"/22"	
CRUISER			
600	Terugtraprem + knijpremmen	19,5"	f 699
KINDERFIETSEN			
160 Jongens 16"	Terugtraprem + knijpremmen	26 cm	f 399
Meisjes			
180 Jongens 18"	Terugtraprem + knijpremmen	29 cm	f 399
Meisjes			
120 Jongens 20"	Terugtraprem + knijpremmen	32 cm	f 399
Meisjes			
188 Jongens 18"	Terugtraprem + knijpremmen	29 cm	f 499
400 Jongens 24"	Index 21-sp	36 cm	f 599

Prijswijzigingen voorbehouden

Voor inlichtingen: Augusta Benelux BV, telefoon 071-322306