




MCU Springs  
(Available in 10 to 160 weight)

Thermoplastic Carbon Fiber Legs  
(Ultra-light, Ultra-stiff, just plain Black!)



Upper Link Adapter  
(Use any stem with your Vector 2)



Oil Damping System (OES) Unit  
(Available for 955, Animal, 855, 756 & Vector 2 Fork)



Forged Stem  
(Anodized Silver, Blue, Red, 172g,  
Reach 115mm, 130mm, 145mm,  
Reversible Rise 10° / -10°)



**P**ro•Flex inventor and former Aerospace Engineer Bob Girvin knows the value of suspension. During the '80s, Bob rode his first mountain bike through the rocks, roots, and glacial debris of New England. Like many riders, he felt something was missing. An off-road motorcyclist and vintage automobile racer, Bob had experienced the benefits of suspension. He reasoned that a well designed suspension system would revolutionize mountain biking. The result of Bob's vision was born in 1990—the world's first mass produced full suspension bike.

At first, critics claimed full suspension mountain bikes were just a fad. No longer. This year people have tried Pro•Flex full suspension and become believers. In fact, *Popular Science* named the Pro•Flex 855 "The best new recreational product of the year." (December 1994), while *Mountain Biking Magazine* awarded the Pro•Flex 855 its "Suspension Bike of the Year" award.

Pro•Flex is the only active suspension design with Dig-In™. It's exclusive patented pivot location places the swingarm pivot on the chain line. A Pro•Flex stays plush and fully active in the middle and big rings, but will outclimb rigid and suspension bikes alike. What makes the difference? Patented Dig-In™ technology that pulls the rear wheel into the ground when climbing in granny gear.

Everyone is realizing what Bob Girvin believed all along—suspension is here to stay. Whether you're a racer or a part-time enthusiast, you'll have more fun on a Pro•Flex. Experience the difference for yourself. Test ride a Pro•Flex today and become a believer. Then the next time you float down a nasty trail in your neck of the woods, point your nose toward the East and give Bob a nod.

**PRO•FLEX**  
# 1 IN FULL SUSPENSION BIKES

956E

Front Suspension: GRVSN CL fork with 2.5" ODS damped dual stage MCU travel, thermoplastic composite legs.  
Rear Suspension: World Cup Series with 3.5" ODS damped dual stage MCU travel. External preload adjustment.  
Frame: Double butted 7005 aluminum triangle, aluminum swingarm.  
Wheels: SHIMANO SX 32 hole hubs, MAVIC 2005 aluminum triangle, thermoplastic swingarm.  
Drivetrain: BREVINO 24 1/2 speed hub, MAVIC 217 front rim, DT Revolution baited spokes, 8H anodized alloy nipples, CONSTITANT leader Pro-Grip Economy bar/levers.  
Brakes: BHCBS clip-on IT pedals, TORQNS crank, 42-32-22 front-11-28 rear, 8-speed XT derailleur, Grip SHFT SET 400 5-sp, SACRS chain, SHIMANO cassette BB.  
Ride: MAGURA 100-22.  
Saddle/Suspension: SAN MARCO Concept, KALEO aluminum handlebar/seat. Aluminum bar, DKA-COMPE KantaK headset, GRVSN forged stem, GRVSN forged bar ends.  
Color: BREVINO Teal, P&L Love Leaves.  
Saddle/Suspension: SAN MARCO Concept Titanium rail, TAMER carbon.Saddle/Suspension: AVALON carbon bar, DKA-COMPE KantaK cartridge headset, CONTROL TECH stem, GRVSN forged alloy bar ends.  
Color: Hand-painted finish, red and black highlights.  
Size: 12-14, 16, 18, 20"

956

Front Suspension: GRVSN AL fork with 2.5" ODS damped dual stage MCU travel, aluminum legs.  
Rear Suspension: World Cup Series with 3.5" ODS damped dual stage MCU travel. External preload adjustment.  
Frame: Double butted 7005 aluminum triangle, aluminum swingarm.  
Wheels: SHIMANO SX 32 hole hubs, MAVIC 230 rim, stainless spokes, WTB Velocitator 100s.  
Drivetrain: SAGNO Impel 350 crank arms, 42-32-22 front-11-28 rear, 8-speed IX derailleurs, GRP SHFT SET-400, SHIMANO cassette bottom bracket.  
Ride: Tektro, DKA-COMPE Power Lim lever.  
Saddle/Suspension: SAN MARCO Concept, POLYGRIP aluminum handlebar/seat. Aluminum bar, DKA-COMPE KantaK headset, GRVSN 2 position stem, GRVSN forged bar ends.  
Color: Matte Blue.  
Size: 12-14, 16, 18, 20"

Animal

Front Suspension: GRVSN AL fork with 2.3" ODS damped dual stage MCU travel, aluminum legs.  
Rear Suspension: World Cup Series with 3.5" ODS damped dual stage MCU travel. External preload adjustment.  
Frame: Double butted 7005 aluminum triangle, aluminum swingarm.  
Wheels: SHIMANO SX 32 hole hubs, MAVIC 221 rim (HD) wheels optional, DT Swiss stainless spokes, alloy nipples, WTB Velocitator 100s.  
Drivetrain: BHCBS clip-on pedals, SAGNO Impel 500 crank arms, 42-32-22 front-11-28 rear, 8-speed XT derailleurs, GRP SHFT SET 400 5-sp, SACRS chain, SHIMANO cassette BB.  
Ride: MAGURA 100-22.  
Saddle/Suspension: SAN MARCO Concept, KALEO aluminum handlebar/seat. Aluminum bar, DKA-COMPE KantaK headset, GRVSN forged stem, GRVSN forged bar ends.  
Color: Yellow to Blue Fade.  
Size: 12-14, 16, 18, 20"

Beast

Front Suspension: GRVSN AL fork with 2.3" ODS damped dual stage MCU travel, aluminum legs.  
Rear Suspension: World Cup Series with 3.5" ODS damped dual stage MCU travel. External preload adjustment.  
Frame: Double butted 7005 aluminum triangle, aluminum swingarm.  
Wheels: SHIMANO SX 32 hole hubs, MAVIC 221 rim (HD) wheels optional, DT Swiss stainless spokes, alloy nipples, WTB Velocitator 100s.  
Drivetrain: BHCBS clip-on pedals, SAGNO Impel 500 crank arms, 42-32-22 front-11-28 rear, 8-speed XT derailleurs, GRP SHFT SET 400 5-sp, SACRS chain, SHIMANO cassette BB.  
Ride: MAGURA 100-22.  
Saddle/Suspension: SAN MARCO Concept, KALEO aluminum handlebar/seat. Aluminum bar, DKA-COMPE KantaK headset, GRVSN forged stem, GRVSN forged bar ends.  
Color: Blue Green Fade.  
Size: 12-14, 16, 18, 20"

956E

856

Front Suspension: GRVSN AL fork with 2.5" ODS damped dual stage MCU travel, aluminum legs.  
Rear Suspension: World Cup Series with 3.5" ODS damped dual stage MCU travel. External preload adjustment.  
Frame: Double butted 7005 aluminum triangle, aluminum swingarm.  
Wheels: SHIMANO SX 32 hole hubs, MAVIC 230 rim, stainless spokes, WTB Velocitator 100s.  
Drivetrain: SAGNO Impel 350 crank arms, 42-32-22 front-11-28 rear, 8-speed IX derailleurs, GRP SHFT SET-400, SHIMANO cassette bottom bracket.  
Ride: Tektro, DKA-COMPE Power Lim lever.  
Saddle/Suspension: SAN MARCO Concept, POLYGRIP aluminum handlebar/seat. Aluminum bar, DKA-COMPE KantaK headset, GRVSN 2 position stem, GRVSN forged bar ends.  
Color: Race Red, Titanium.  
Size: 12-14, 16, 18, 20"

756

Front Suspension: GRVSN AL fork with 2.5" dual stage MCU travel, aluminum legs.  
Rear Suspension: World Cup Series with 3.5" dual stage MCU travel. External preload adjustment.  
Frame: Double butted 7005 aluminum triangle, aluminum swingarm.  
Wheels: SHIMANO SX 32 hole hubs, MAVIC 238 rim, stainless spokes, WTB Velocitator 100s.  
Drivetrain: SAGNO Impel 350 crank arms, 42-32-22 front-11-28 rear, 8-speed IX derailleurs, GRP SHFT SET-400, SHIMANO cassette bottom bracket.  
Ride: Tektro, DKA-COMPE Power Lim lever.  
Saddle/Suspension: SAN MARCO Concept, POLYGRIP aluminum handlebar/seat. Aluminum bar, DKA-COMPE KantaK headset, GRVSN 2 position stem, GRVSN forged bar ends.  
Color: Matte Blue.  
Size: 12-14, 16, 18, 20"

656

Front Suspension: GRVSN AL fork with 2.5" dual stage MCU travel, aluminum legs.  
Rear Suspension: World Cup Series with 3" dual stage MCU travel. External preload adjustment.  
Frame: Tapered wall 7005 aluminum triangle, chromoly swingarm.  
Wheels: SHIMANO SX 32 hole hubs, MAVIC 238 rim, stainless spokes, WTB Velocitator 100s.  
Drivetrain: SAGNO Impel 350 crank arms, 42-32-22 front-11-28 rear, 7-speed STX IX derailleurs, Grip SHFT SET-400, SACRS chain, SHIMANO cassette bottom bracket.  
Ride: DKA-COMPE VC-700, Grip Shift integrated.  
Saddle/Suspension: SELL SAN MARCO Torino, Polygon aluminum handlebar/seat. Aluminum bar, DKA-COMPE KantaK headset, GRVSN aluminum stem, GRVSN forged bar ends.  
Color: Race Red, Signature Blue.  
Size: 12-14, 16, 18, 20"

Attack LE

Front Suspension: ROCK SHOX Quanta 5 fork with 2" travel. Rear Suspension: Sport/Des Series with 2.5" dual stage MCU travel. External preload adjustment.  
Frame: Tapered wall 7005 aluminum triangle, chromoly swingarm.  
Wheels: SHIMANO SX 32 hole hubs, MAVIC 238 rim, stainless spokes, WTB Velocitator 100s.  
Drivetrain: SAGNO Impel 300 crank arms, 42-32-22 front-11-28 rear, 7-speed AEROS 100 IX derailleurs, GRP SHFT SET-400, SHIMANO cassette BB.  
Ride: Tektro red anodized.  
Saddle/Suspension: SAN MARCO Torino, KALEO aluminum handlebar/seat. VETTA Torino, KALEO aluminum handlebar/seat. Aluminum bar, DKA-COMPE KantaK headset, GRVSN FORGED aluminum stem.  
Color: Full Hornedred, red highlights.  
Size: 12-14, 16, 18, 20"

Attack

Front Suspension: ROCK SHOX Quanta 5 fork with 2" travel. Rear Suspension: Sport/Des Series with 2.5" dual stage MCU travel. External preload adjustment.  
Frame: Tapered wall 7005 aluminum triangle, chromoly swingarm.  
Wheels: SHIMANO SX rim, PROWHEEL 32 hole thru hubs, MAVIC 238 rim, stainless spokes, WTB Velocitator 100s.  
Drivetrain: CYTONE crank arms, 42-32-22 front-11-28 rear, Tapered AEROS 100 IX derailleurs, GRP SHFT SET-400, SACRS chain, SHIMANO cassette bottom bracket.  
Ride: Tektro, DKA-COMPE Power Lim lever.  
Saddle/Suspension: VETTA Torino, KALEO aluminum handlebar/seat. VETTA Torino, KALEO aluminum handlebar/seat. Aluminum bar, DKA-COMPE KantaK headset, GRVSN 2 position stem.  
Color: Competition Yellow or Forest Green.  
Size: 12-14, 16, 18, 20"



956LE



Beast



656



956



856



756



Animal



756



Attack

PRO-FLX

## 956LE

**Front Suspension:** GIRVIN CL fork with 2.5" ODS damped dual stage MCU travel, thermoplastic composite legs.

**Rear Suspension:** World Cup Series with 3.5" ODS damped dual stage MCU travel. External preload adjustment.

**Frameset:** Double butted Easton™ VariLite 7005 aluminum triangle, thermoplastic swingarm.

**Wheels:** HERSHEY 28/32 naked/red hubs, MAVIC 217 Sunset rims, DT Revolution butted spokes, blk anodized alloy nipples, CONTINENTAL Leader Pro/Cross Country kevlar tire.

**Drivetrain:** RITCHEY clipless Ti pedals, TOPLINE crank, 42/32/22 front—11/28 rear, 8-speed XT front, SRAM ESP rear derailleurs, Grip Shift SRT-900, SACHS chain, Action-Tec Ti Attack Bracket.

**Brakes:** HERSHEY brake, PAUL Love Levers

**Saddle/Seatpost:** SAN MARCO Concour Titanium rail, TAMER Carbon.

**Handlebar/Stem:** AVALON carbon bar, DIA COMPE Kontak cartridge headset, CONTROL TECH stem, GIRVIN forged alloy bar ends.

**Color:** Hand-polished finish, red and black highlights.  
**Sizes:** 12-14, 16, 18, 20"

## 956

**Front Suspension:** GIRVIN AL fork with 2.5" ODS damped dual stage MCU (Microcellular Urethane) travel, Easton™ aluminum legs.

**Rear Suspension:** World Cup Series with 3.5" ODS damped dual stage MCU travel. External preload adjustment.

**Frameset:** Double butted Easton™ VariLite 7005 aluminum triangle, thermoplastic swingarm.

**Wheels:** SHIMANO XT 32 hole hubs, MAVIC 220 steel gray anodized rims, DT Revolution butted spokes, black anodized alloy nipples, WTB Velociraptor kevlar tire.

**Drivetrain:** SHIMANO M535 clipless pedals, XT crank arms, 42/32/22 front—11/28 rear, 8-speed XT derailleurs, XT Rapidfire Plus, SACHS chain, Action-Tec XT cartridge bottom bracket.

**Brakes:** SHIMANO XT V-Brake.

**Saddle/Seatpost:** SAN MARCO Concour SYNCROS Aluminum.

**Handlebar/Stem:** Easton™ aluminum bar, DIA COMPE Kontak cartridge headset, CONTROL TECH stem, GIRVIN forged alloy bar ends.

**Color:** Hand-polished finish, red and black highlights.  
**Sizes:** 12-14, 16, 18, 20"

## Animal

**Front Suspension:** GIRVIN AL fork with 2.5" ODS damped dual stage MCU travel, aluminum legs.

**Rear Suspension:** World Cup Series with 3.5" ODS damped dual stage MCU travel. External preload adjustment.

**Frameset:** Double butted 7005 aluminum triangle, aluminum swingarm.

**Wheels:** SHIMANO LX 32 hole hubs, MAVIC 221 rims (HED wheels optional), DT Swiss stainless spokes, alloy nipples, WTB Velociraptor kevlar tire.

**Drivetrain:** RITCHEY clipless pedals, SUGINO Impel 500 crank arms, 42/32/22 front—11/28 rear, 8-speed XT derailleurs, GRIP SHIFT SRT-800 X-ray, SACHS chain, SHIMANO cartridge BB.

**Brakes:** MAGURA HS-22.

**Saddle/Seatpost:** SELLE SAN MARCO Concour, KALLOY aluminum

**Handlebar/Stem:** Aluminum bar, DIA-COMPE Kontak headset, GIRVIN forged stem, GIRVIN forged bar ends.

**Color:** Yellow to Blue Fade.

**Sizes:** 12-14, 16, 18, 20"

## Beast

**Front Suspension:** GIRVIN AL fork with 2.5" ODS damped dual stage MCU travel, aluminum legs.

**Rear Suspension:** World Cup Series with 3.5" ODS damped dual stage MCU travel. External preload adjustment.

**Frameset:** Double butted 7005 aluminum triangle, aluminum swingarm.

**Wheels:** SHIMANO LX 32 hole hubs, MAVIC 221 rims, DT Swiss stainless spokes, WTB Primal Raptor tire.

**Drivetrain:** Toe clip pedals, SUGINO Impel 500 crank arms, 42/32/22 front—11/28 rear, 8-speed LX/XT derailleurs, GRIP SHIFT SRT-600, SACHS chain, SHIMANO cartridge bottom bracket.

**Brakes:** Magura Hydraulic.

**Saddle/Seatpost:** VETTA Torino manganese, KALLOY aluminum

**Handlebar/Stem:** Aluminum bar, DIA-COMPE headset, GIRVIN 2-position stem, GIRVIN forged bar ends.

**Color:** Blue Green Fade.  
**Sizes:** 12-14, 16, 18, 20"

## 856

**Front Suspension:** GIRVIN AL fork with 2.5" ODS damped dual stage MCU travel, aluminum legs.

**Rear Suspension:** World Cup Series with 3.5" ODS damped dual stage MCU travel. External preload adjustment.

**Frameset:** Double butted 7005 aluminum triangle, aluminum swingarm.

**Wheels:** SHIMANO LX 32 hole hubs, MAVIC 220 rims, DT butted spokes, alloy nipples, WTB Velociraptor kevlar tire.  
**Drivetrain:** RITCHEY clipless pedals, SUGINO Impel 500 crank arms, 42/32/22 front—11/28 rear, 8-speed XT derailleurs GORE RIDE-ON shifter cables, GRIP SHIFT SRT-800 X-Ray, SACHS chain, SHIMANO cartridge BB.

**Brakes:** SHIMANO LX, DIA-COMPE Power Cam lever.

**Saddle/Seatpost:** SAN MARCO Concour, POLYGON aluminum

**Handlebar/Stem:** Aluminum bar, DIA-COMPE Kontak cartridge headset, GIRVIN forged 2-position stem, GIRVIN forged bar ends.

**Color:** Race Red or Titanium.

**Sizes:** 12-14, 16, 18, 20"

## 756

**Front Suspension:** GIRVIN AL fork with 2.5" dual stage MCU travel, aluminum legs.

**Rear Suspension:** World Cup Series with 3.5" dual stage MCU travel. External preload adjustment.

**Frameset:** Double butted 7005 aluminum triangle, aluminum swingarm.

**Wheels:** SHIMANO LX 32 hole hubs, MAVIC 238 rims, stainless spokes, WTB Velociraptor tires.

**Drivetrain:** SUGINO Impel 500 crank arms, 42/32/22 front—11/28 rear, 8-speed LX derailleurs, GRIP SHIFT SRT-600, SHIMANO cartridge bottom bracket.

**Brakes:** Tektro, DIA-COMPE Power Cam lever.

**Saddle/Seatpost:** SAN MARCO Tecno, POLYGON aluminum

**Handlebar/Stem:** Aluminum bar, DIA-COMPE Kontak headset, GIRVIN 2-position stem, GIRVIN forged bar ends.

**Color:** Matte Blue.

**Sizes:** 12-14, 16, 18, 20"

## 656

**Front Suspension:** GIRVIN AL fork with 2.5" dual stage MCU travel, aluminum legs.

**Rear Suspension:** World Cup Series with 3" dual stage MCU travel. External preload adjustment.

**Frameset:** Taperwall 7005 aluminum triangle, cromoly swingarm.

**Wheels:** SHIMANO STX 32 hole hubs, MAVIC 238 rims, stainless spokes, WTB Velociraptor tire.

**Drivetrain:** Sugino Impel 350 crank arms, 42/32/22 front—11/28 rear, 7-speed STX/LX derailleurs, Grip Shift SRT-450, SACHS chain, SHIMANO cartridge bottom bracket.

**Brakes:** DIA-COMPE VC-700, Grip Shift integrated.

**Saddle/Seatpost:** SELLE SAN MARCO Tecno, Polygon aluminum.

**Handlebar/Stem:** Aluminum bar, DIA-COMPE Kontak headset, GIRVIN aluminum stem, GIRVIN forged bar ends.

**Color:** Race Red, Sapphire Blue.

**Sizes:** 12-14, 16, 18, 20"

## Attack LE

**Front Suspension:** ROCK-SHOX Quadra 5 fork with 2" travel.

**Rear Suspension:** Sport•Flex Series with 2.5" dual stage MCU travel. External preload adjustment.

**Frameset:** Tapered wall 7005 aluminum triangle, cromoly swingarm.

**Wheels:** SHIMANO STX 32 hole hubs, MAVIC 238 rims, stainless spokes, WTB Velociraptor tire.

**Drivetrain:** SUGINO Impel 300 crank arms, 42/32/22 front—11/28 rear, 7-speed ALVIO/STX-RC derailleurs, GRIP SHIFT SRT-450, SHIMANO cartridge BB.

**Brakes:** Tektro red anodized.

**Saddle/Seatpost:** SAN MARCO Tecno, KALLOY aluminum

**Handlebar/Stem:** Aluminum bar, DIA-COMPE Kontak headset, GIRVIN FORGED aluminum stem.

**Color:** Ball Burnished, red highlights.

**Sizes:** 12-14, 16, 18, 20"

## Attack

**Front Suspension:** ROCK-SHOX Quadra 5 fork with 2" travel.

**Rear Suspension:** Sport•Flex Series with 2.5" dual stage MCU travel. External preload adjustment.

**Frameset:** Tapered wall 7005 aluminum triangle, cromoly swingarm.

**Wheels:** SHIMANO STX rear, PRO•FLEX 32 hole front hubs, MAVIC 238 rims, stainless spokes, WTB Velociraptor tire.

**Drivetrain:** CYCLONE crank arms, 42/32/22 front—11/28 rear, 7-speed Accra-X/STX derailleurs, GRIP SHIFT SRT-300, SACHS chain, SHIMANO cartridge bottom bracket.

**Brakes:** TEKTRO, DIA-COMPE Power Cam levers.

**Saddle/Seatpost:** VETTA Torino, KALLOY aluminum

**Handlebar/Stem:** Aluminum bar, DIA-COMPE headset, GIRVIN 2-position stem.

**Color:** Competition Yellow or Forest Green.  
**Sizes:** 12-14, 16, 18, 20"