



**YETI**  
CYCLES  
HANDMADE IN DURANGO, COLORADO USA

1

9

9


7

# LAWWILL-6

Molas Pass, 43 miles North of Durango, CO - Elevation: 10,823'



# LAWWILL - 4



# A. R. C. A. S. - 3

Smelter Mountain, overlooking downtown Durango, CO - Elevation: 7,884



# A. R. C.

Chius Park, 18 miles North of Durango, CO - Elevation: 7,563




# F. R. O. A L L O Y

Cherry Creek, 38 miles West of Durango, CO - Elevation: 6,815'



# F. R. O. C H R O M O

Kennebec Pass, 36 miles Northwest of Durango, CO - Elevation: 11,607'



# R O A D P R O J E C T

Shalona Hill, 14 miles North of Durango, CO on old Highway 550 - Elevation: 7,285'





# SUSPENSION FRAMESETS



LAWWILL - 6



LAWWILL - 4



A.R.C. A.S - 3

# HARD TAIL FRAMESETS



A.R.C.



F.R.O. ALLOY



F.R.O. CHROMO




ROAD PROJECT

To ensure a great ride, Yeti has carefully chosen each and every component in our new line of complete bicycles for 1997. For those of you who want to build your dream bike piece-by-piece, we gladly offer our entire line of handcrafted frames separately.


# G E O M E T R Y

## LAWWILL - 6




	16"	18.5"
A	23.5"	23.75"
B	69°	69°
C	73°	73°
D	43.6"	43.85"
E	16.9"	16.9"
F	12.5"	12.5"
G	1.62"	1.62"
H	4.25"	4.5"
Stand-over	30.5" <sup>**</sup>	31.75" <sup>**</sup>

## LAWWILL - 4




	14"	16"	18.5"
A	21.4"	23.5"	23.75"
B	70°	70°	70°
C	73°	73°	73°
D	40.9"	43.0"	43.3"
E	16.9"	16.9"	16.9"
F	12.0"	12.0"	12.0"
G	1.62"	1.62"	1.62"
H	4.25"	4.25"	4.5"
Stand-over	29.0" <sup>**</sup>	30.0" <sup>**</sup>	31.25" <sup>**</sup>

## A.R.C. A.S. - 3




	16"	17.5"	19"	20"
A	21.3"	21.9"	22.7"	23.0"
B	71°	71°	71°	71°
C	73°	73°	73°	72°
D	41.0"	41.7"	42.3"	42.7"
E	16.9"	16.9"	16.9"	16.9"
F	11.5"	11.5"	11.5"	11.5"
G	1.62"	1.62"	1.62"	1.62"
H	4.5"	4.5"	5.25"	6.0"
Stand-over	28.5" <sup>**</sup>	29.0" <sup>**</sup>	29.75" <sup>**</sup>	31.0" <sup>**</sup>

## A.R.C.




	14"	16"	17.5"	19"	20"
A	21.0"	22.0"	22.6"	23.1"	23.5" <sup>60.5</sup>
B	71°	71°	71°	71°	71°
C	74°	73°	73°	73°	72°
D	41.0"	41.5"	42.0"	42.25"	42.25"
E	16.9"	16.9"	16.9"	16.9"	16.9"
F	11.0"	11.5"	11.5"	11.5"	11.5"
G	1.62"	1.62"	1.62"	1.62"	1.62"
H	4.0"	4.5"	4.5"	5.25"	6.0"
Stand-over	27.75"	29.25"	29.75"	30.5"	31.75"

## F.R.O. ALLOY




	14"	16"	17.5"	19"	20"
A	21.0"	22.0"	22.6"	23.1"	23.5"
B	71°	71°	71°	71°	71°
C	74°	73°	73°	73°	72°
D	41.0"	41.5"	42.0"	42.25"	42.25"
E	16.9"	16.9"	16.9"	16.9"	16.9"
F	11.0"	11.5"	11.5"	11.5"	11.5"
G	1.62"	1.62"	1.62"	1.62"	1.62"
H	4.0"	4.5"	4.5"	5.25"	6.0"
Stand-over	27.75"	29.25"	29.75"	30.5"	31.75"

## F.R.O. CHROMO



	14"	16"	17.5"	19"	20"
A	21.0"	22.0"	22.6"	23.1"	23.5"
B	71°	71°	71°	71°	71°
C	74°	73°	73°	73°	72°
D	41.0"	41.5"	42.0"	42.25"	42.25"
E	16.9"	16.9"	16.9"	16.9"	16.9"
F	11.0"	11.5"	11.5"	11.5"	11.5"
G	1.62"	1.62"	1.62"	1.62"	1.62"
H	4.0"	4.5"	4.5"	5.25"	6.0"
Stand-over	27.75"	29.25"	29.75"	30.5"	31.75"

## ROAD PROJECT



	49cm	51cm	53cm	55cm	57cm	59cm	61cm
A	52.5cm	53.3cm	54.3cm	55.6cm	56.5cm	57.4cm	58.5cm
B	73°	73°	73°	73.5°	73.5°	74°	74°
C	74°	74°	74°	73.5°	73°	73°	72.5°
D	97.0cm	97.5cm	98.0cm	98.0cm	98.4cm	99.1cm	100.2cm
E	40.9cm	40.9cm	40.9cm	40.9cm	40.9cm	40.9cm	40.9cm
F	26.9cm	26.9cm	26.9cm	26.9cm	26.9cm	26.9cm	26.9cm
G	4.0cm	4.0cm	4.0cm	4.0cm	4.0cm	4.0cm	4.0cm
H	9.0cm	9.0cm	11.0cm	12.5cm	14.5cm	16.0cm	18.0cm
Stand-over	74.0cm	76.0cm	78.0cm	80.0cm	81.5cm	83.5cm	85.5cm

\* DEPENDING ON SET-UP

Seatpost Diameter: All MTB Models 26.8 mm • Road Project 27.2 mm

Headset Diameter: All MTB Models 1.125" • Road Project 1.0"

Bottom Bracket Width: All Aluminum MTB Models 73 mm • Road Project and F.R.O. Chromo 68 mm; English Standard Threading

Front Derailleur Clamp Diameter: Yeti/Lawwill - Bottom Bracket Mount • A.R.C., F.R.O. Alloy and Road Project 1.25"/31.8mm • A.R.C. A.S. - 3 and F.R.O. Chromo 1.125"/28.6mm

# S P E C I F I C A T I O N S

	LAWWILL - 4	A.R.C. A.S. - 3 XT	A.R.C. A.S. - 3 LXT	A.R.C. XTR	A.R.C. XT	F.R.O. ALLOY LXT
COLORS/ GRAPHICS	Turquoise w./Yellow Seatstay and Turquoise Chainstay w./ Troy Lee Designs Graphics - Yellow, Black, White	Yellow w./Troy Lee Designs Graphics - Turquoise, Silver, Black	Yellow w./Troy Lee Designs Graphics - Turquoise, Silver, Black	Turquoise w./Troy Lee Designs Graphics - Yellow, Black, White  Columbine w./Troy Lee Designs Graphics - Silver, Black, White	Turquoise w./Troy Lee Designs Graphics - Yellow, Black, White  Columbine w./Troy Lee Deigns Graphics - Silver, Black, White	Anthracite w./Troy Lee Designs Graphics - Yellow, Black, White  Red w./Troy Lee Designs Graphics - Silver, Black, White
OPTION	Polished Tail Section	Polished Tail Section	Polished Tail Section	N/A	N/A	N/A
SIZES	14", 16", 18.5"	16", 17.5", 19", 20"	16", 17.5", 19", 20"	14", 16", 17.5", 19", 20"	14", 16", 17.5", 19", 20"	14", 16", 17.5", 19", 20"
FRAME	7005 Easton Tapered Main Frame, 6061 Lawwill Tail, Suspension-Specific Design, Custom Yeti/Rock Shox Coil-Over Pull Shock w./Adjustable Damping, Rear Disk Brake	Yeti 6061 Custom Butted Aluminum, Suspension-Specific Design, Rock Shox Coupe Deluxe Coil-Over Shock w./Adjustable Damping	Yeti 6061 Custom Butted Aluminum, Suspension-Specific Design, Rock Shox Coupe Deluxe Coil-Over Shock w./Adjustable Damping	Yeti/Easton Custom Tapered 7005 Aluminum, Suspension-Specific Design, Double-Tapered One-Piece Loop Tail, 3/8" Thick Plate Dropouts	Yeti/Easton Custom Tapered 7005 Aluminum, Suspension-Specific Design, Double-Tapered One-Piece Loop Tail, 3/8" Thick Plate Dropouts	Yeti Custom Butted 7005 Aluminum, Suspension-Specific Design, Tapered One-Piece Loop Tail, 3/8" Thick Plate Dropouts
FORK	Rock Shox DH0, Thru-Axle Type	Rock Shox Judy XC Long Travel/80mm	Rock Shox Judy XC Long Travel/80mm	Rock Shox Judy SL/63mm Travel	Rock Shox Judy SL/63mm Travel	Rock Shox Judy XC/63mm Travel
HEADSET	Ringle Sianna Jamma A-Headset Sealed Bearing/Alloy	Dia Compe Series III A-Headset Sealed Bearing/Alloy	Tioga DX A-Headset/Alloy	Dia Compe Series III A-Headset Sealed Bearing/Alloy	Dia Compe Series III A-Headset Sealed Bearing/Alloy	Tioga DX A-Headset/Alloy
CRANKSET	Shimano XTR, 4-Arm, 24-34-46T	Shimano Deore XT, 22-32-42T	Shimano Deore LX, 22-32-42T	Shimano XTR, 4-Arm, 24-34-46T	Shimano Deore XT, 22-32-42T	Shimano Deore LX, 22-32-42T
F. DERAILEUR	Shimano XTR, Top Swing/Top Pull w./ Carbon Mounting Bracket	Shimano Deore XT, Bottom Pull	Shimano Deore XT, Bottom Pull	Shimano XTR, Top Swing/Top Pull	Shimano Deore XT, Top Swing/Top Pull	Shimano Deore XT, Top Swing/Top Pull
R. DERAILEUR	Shimano XTR	Shimano Deore XT	Shimano Deore XT	Shimano XTR	Shimano Deore XT	Shimano Deore XT
SHIFTERS	Shimano XTR Rapidfire SL	Shimano Deore XT Rapidfire SL	Shimano Deore XT Rapidfire SL	Shimano XTR Rapidfire SL	Shimano Deore XT Rapidfire SL	Shimano Deore XT Rapidfire SL
FREEWHEEL	Shimano XTR 12-32T, 8-speed	Shimano Deore XT 11-30T, 8-Speed	Shimano Deore XT 11-30T, 8-Speed	Shimano XTR 12-32T, 8-Speed	Shimano Deore XT 11-30T, 8-Speed	Shimano Deore LX 11-30T, 8-Speed
PEDALS	Shimano SPD 636 DH Clipless	Shimano SPD 747 Clipless	Scott Clipless	Shimano SPD 747 Clipless	Shimano SPD 747 Clipless	Scott Clipless
BRAKES / LEVERS	F: Shimano XTR V-Brake/Rapidfire SL R: Hope Hydraulic Disk Brake/Hope/Rapidfire SL	F: Shimano XT V-Brake/Rapidfire SL R: Shimano XT V-Brake/Rapidfire SL	F: Shimano LX V-Brake/Rapidfire SL R: Shimano LX V-Brake/Rapidfire SL	F: Shimano XTR V-Brake/Rapidfire SL R: Shimano XTR V-Brake/Rapidfire SL	F: Shimano XT V-Brake/Rapidfire SL R: Shimano XT V-Brake/Rapidfire SL	F: Shimano LX V-Brake/Rapidfire SL R: Shimano LX V-Brake/Rapidfire SL
HANDLEBAR	Yeti T2-4 DH, Tapered Alloy	Yeti Thermoplastic XC	Yeti/Easton EA70, Tapered Alloy	Yeti Thermoplastic XC	Yeti Thermoplastic XC	Yeti/Easton EA70, Tapered Alloy
GRIPS	Yeti	Yeti	Yeti	Yeti	Yeti	Yeti
STEM	Ringle Zooka Clamp-On A-head 10 - Degree Rise	Control Tech Control Stem Alloy A-Head - 5 Degree Rise	Control Tech Control Stem Alloy A-Head - 5 Degree Rise	Control Tech Control Stem Alloy A-Head - 5 Degree Rise	Control Tech Control Stem Alloy A-Head - 5 Degree Rise	Control Tech Control Stem Alloy A-Head - 5 Degree Rise
HUBS	F: Ringle/Rock Shox DH0, Thru-Axle Type, 32H R: Ringle Disk Brake Compatible, 32H	F & R: Shimano Deore XT, Q/R, 32H	F & R: Shimano Deore LX, Q/R, 32H	F & R: Shimano XTR, Q/R, 32H	F & R: Shimano XT, Q/R, 32H	F & R: Shimano Deore LX, Q/R, 32H
RIMS	Mavic SUP 121 CD, 32H	Mavic SUP 217 Silver, 32H	Mavic SUP 220 Blue/Grey, 32H	Mavic SUP 217 Silver, 32H	Mavic SUP 217 Silver, 32H	Mavic SUP 220 Blue/Grey, 32H
SPOKES	DT 15G Stainless Steel w./Brass Nipples	DT Revolution Stainless Steel w./Alloy Nipples	DT 15G Stainless Steel w./Brass Nipples	DT Revolution Stainless Steel w./Alloy Nipples	DT Revolution Stainless Steel w./Alloy Nipples	DT 15G Stainless Steel w./Brass Nipples
TIRES	Michelin Wildgripper DH, 26 x 2.2, Kevlar Bead	WTB Velociraptor 26 x 2.1, Kevlar Bead	WTB Velociraptor 26 x 2.1, Kevlar Bead	Michelin Wildgripper 26 x 1.95, Kevlar Bead	Michelin Wildgripper 26 x 1.95, Kevlar Bead	WTB Velociraptor 26 x 2.1, Kevlar Bead
SADDLE	Yeti/Selle San Marco Embroidered	Yeti/Selle San Marco Embroidered	Yeti/Selle San Marco Embroidered	Yeti/Selle San Marco Embroidered	Yeti/Selle San Marco Embroidered	Yeti/Selle San Marco Embroidered
SEATPOST	Ringle Moby Post	Control Tech Control Post Micro-Adjustable	Control Tech Control Post Micro-Adjustable	Control Tech Control Post Micro-Adjustable	Control Tech Control Post Micro-Adjustable	Control Tech Control Post Micro-Adjustable
EXTRAS	DKG Seat Clamp, Troy Lee Designs Graphics/Electrostatic Powdercoat Finish	DKG Seat Clamp, Troy Lee Designs Graphics/Electrostatic Powdercoat Finish Scott Pro Stock Alloy Bar Ends	DKG Seat Clamp, Troy Lee Designs Graphics/Electrostatic Powdercoat Finish Scott Pro Stock Alloy Bar Ends	DKG Seat Clamp, Troy Lee Designs Graphics/Electrostatic Powdercoat Finish Scott Pro Stock Alloy Bar Ends	DKG Seat Clamp, Troy Lee Designs Graphics/Electrostatic Powdercoat Finish Scott Pro Stock Alloy Bar Ends	DKG Seat Clamp, Troy Lee Designs Graphics/Electrostatic Powdercoat Finish Scott Pro Stock Alloy Bar Ends

Specifications are subject to change without notice.

Some bicycles may be shown in this manual or in advertisements without CPSC required equipment. All Yeti bicycles meet or exceed CPSC requirements.



The Yeti Factory Crew



**Yeti Cycles, Inc.**  
**194 Bodo Drive**  
**Durango, CO U.S.A. 81301**  
**Tel. 970-259-1914**  
**Fax 970-259-4550**

**SSG Europe SA**  
**Route du Crochet 17**  
**CH-1762 Givisiez**  
**Tel. 037/80 16 16**  
**Fax 037/80 16 00**

YETI is a Registered Trademark of Yeti Cycles, Inc.

Photography by Jim Sadlon • Cover Image & Photographs Production by Scott Smith/Imagisrich

