


1999 KLEIN BICYCLES

ADROIT SERIES



The 1999 Adroit® is designed to be the ultimate cross-country racing bike. When comparing similar equipment (frame / fork / stem / headset), it's one of the lightest fuselages on the planet. Even so, it offers incredible frame stiffness for point-and-shoot steering control. The prime directive of this cross-country killer is to reduce weight and maximize performance. To this end, we pair our custom-made Precision Gradient Tubeset with our patented Mission Control® / AirHeadset™ system.

The Adroit comes with frameset innovations from Gary, including cable-routing, the world and an eye-popping model even comes painted Manitou® SX

The 1999 Adroit series ride it to believe it.

ADROIT PRO™

SIZES XS, SM, MD, LG, XL

FRAME Klein Full 6061 T6 Gradient Aluminum

WHEEL SYSTEM Rolf® Propel

FT SUSPENSION Custom painted Manitou® SX Carbon 70mm travel, Mission Control 3 & lockout lever

DRIVETRAIN XTR

PEDALS Time Atac Carbon clipless

FRAME WEIGHT 2.9 pounds, 1.315kg

OPTIONS Adroit Pro Fuselage™
(frame, fork, stem, AirHeadset)





MISSION CONTROL



Mission Control Road Stem



Mission Control ATB Stem

The nexus of control on a road or mountain bike is the headset. Since the first-generation Mission Control system, Klein has continually revolutionized headset design, maximizing responsiveness while saving weight. The new MC3[®] system features a superlight stem, custom-made by ICON[®]. This is paired with our patented AirHeadset, now in its third revolutionary incarnation. Using a sealed bearing system pressed directly into the headtube, we've created a headset 50 percent lighter and seven times



more direct
assembly
Those, like
the ride
shoot"st
system
cockpit
With all
better th

ADROIT RACE™

- SIZES XS, SM, MD, LG, XL
- FRAME Klein Full 6061 T6 Gradient Aluminum
- WHEEL SYSTEM Bontrager[®] Race Lite
- FT SUSPENSION Manitou SX-R 70mm travel,
Mission Control 3 & lockout lever
- DRIVETRAIN XT / XTR
- PEDALS Time Atac clipless
- FRAME WEIGHT 2.9 pounds, 1.315kg



ATTITUDE SERIES



3.1 pounds. Most companies can't even get there. That's the frame weight of the new Klein Attitude™, a pro-level ride without the pro-level sticker shock.

Have you ever ridden a handmade pro-level bike? Here's your chance. We start with the same Precision Gradient Tubeset that we use in the Adroit Pro, our hardtail flagship. We route the cables externally instead of internally, and use a standard inch-and-one-eighth headtube. By doing it this way, we save some time and pay a very small weight penalty. How small? Less than 60 grams.

ATTITUDE RACE™

SIZES XS, SM, MD, LG, XL

FRAME Klein Full 6061 T6 Gradient Aluminum

WHEEL SYSTEM Bontrager Race


FT SUSPENSION Manitou SX 70mm travel,
TPC, Alloy steerer & lockout lever

DRIVETRAIN LX / XTR

PEDALS Bontrager RE-1 clipless

FRAME WEIGHT 3.1 pounds, 1.406kg

OPTIONS Attitude Race Frame (Blue to Blue linear fade)







"Racing improves the breed." We don't know who said it, but we couldn't agree more. Our company was founded on the basic premise of gaining competitive advantage through superior engineering. Racers wanted to go faster, and they looked to Gary Klein to help them achieve the performance results they sought. Racing is a part of our heritage, it's who we are.

Rishi Grewal has ridden for Klein for 4 years now and is, in part, responsible for where we are today. It's not often that you find an athlete with a big block V-8 for a motor, much less one who's articulate enough to seriously contribute to new product development. In his 4th year of racing for Team Klein, he's been the most consistently successful NORBA rider, dominating the National Championship Series with a 2nd place finish in 1996 and a 3rd in 1997. "The tubing is supreme. It offers a really light, efficient bike that climbs well, yet descends well too. It has incredible compliance compared to other aluminum frames. It's a plush ride," says Grewal.

Rishi capped his 1998 season with a stunning victory in the solo class of the 24 Hours of Moab, much to the chagrin of endurance legend, John Starnstead, who went on to place a distant second. We, as a company, are fortunate to have him in our family. A true professional, his legend grows with each passing year.

ATB RA

ATTITUDE COMP™

SIZES XS, SM, MD, LG, XL

FRAME Klein Full 6061 T6 Gradient Aluminum

WHEEL SYSTEM Bontrager Comp

FT SUSPENSION Manitou SX-E 70mm travel,
TPC Sport damping

DRIVETRAIN LX / XT

PEDALS Bontrager RE-1 clipless

FRAME WEIGHT 3.1 pounds, 1.406kg




1998 also found Team Klein in the country, in a World Cup event like and trials events. Rep Team Devo captured the victory and the team for reminding

1999 marks another season of Team Cadillac Cat and their continued success.



MANTRA SERIES



The terrain around Chehalis is most often slick, rutted, and rooty. In need, the Mantra® was created. Riding in the capital forest is like a lunar-landing vehicle (minus the big helmet and funny suit). Stunt technical sections became playgrounds instead of battlegrounds. This thing is, it carved through singletrack like a surgical tool.

Quick. Precise. Agile. These aren't words typically used to describe a suspension bike. That makes sense; there's only one Mantra. We quickly realized the Mantra had the climbing tenacity of a sherpa and the singletrack prowess of an Adroit. When we started hearing those descriptions from others, we knew we were on to something huge.

For 1999, the Mantra gets a radical makeover, including a new carbon frame for those of you concerned about weight (ahem). A new size-specific frame angle allows us to remove almost a half pound from the rear section. This also allows us to produce an extra-large size for the first time ever. Weight comes out through the use of our new barrel-shaped head

The Mantra series provides the rider with better control through its design. This is largely thanks to frame rigidity, but can also be attributed to increased traction since the tires follow the ground so well. And of course, the responsiveness of the Adroit doesn't hurt.

MANTRA PRO™

SIZES SM, MD, LG, XL

FRAME Hexcel® Honeycomb Carbon main, Klein Full 6061 T6 Gradient Aluminum rear

WHEEL SYSTEM Bontrager Race Lite


FT SUSPENSION Custom painted Manitou SX-Ti 80mm travel, Mission Control 3, lockout lever

RR SUSPENSION Fox® Air Vanilla-RC Air/Oil Cartridge, lockout lever

DRIVETRAIN XTR

PEDALS Time Atac Carbon clipless

OPTIONS Mantra Pro Fuselage™ (frame, fork, stem, AirHeadset)







CARBON

Throughout our company's history, we've always taken the high road when selecting materials to build our frames. This mindset has served us well, and it has helped us produce some memorable frames along the way. To our way of thinking, there just are no shortcuts, especially where material selection is concerned. We've been making carbon road forks and handlebars for many years, so we knew we needed something special to make us seriously consider this project.


For this reason, we did our homework before selecting Honeycomb Carbon as the material to build our new Carbon Mantra. The carbon's unique honeycomb construction is ideal in the long flat torque tube application of the Mantra. A layer of hollow honeycombed material is sandwiched between two thin layers of carbon, producing an extremely stiff, yet lightweight tube. Compared to bicycles that are made with conventional carbon laminates, Honeycomb gives Klein a lighter structure that is also 20% stiffer and stronger!

Maintaining the quality standards that have defined our company for 25 years has once again served us well. We're extremely proud to introduce the 1999 Mantra Race and Mantra Pro.





MANTRA RACE

| | |
|---------------|---|
| SIZES | SM, MD, LG, XL |
| FRAME | Hexcel Honeycomb Carbon main, Klein Full 6061 T6 Gradient Aluminum rear |
| WHEEL SYSTEM | Bontrager Race |
| FT SUSPENSION | Manitou SX 80mm travel, TPC, Mission Control 3, lockout lever |
| RR SUSPENSION | Fox Air Vanilla-R Air/Oil Cartridge, damping adjuster |
| DRIVETRAIN | XT / XTR |
| PEDALS | Time Atac clipless |





WELDING



A chain is only as strong as its weakest link. Everyone's familiar with that adage, and it is particularly apt where bicycles are concerned. That's why we're very particular about how we weld and who we let handle the torch. Every weld must receive welding taskmaster Karl Goodrich's approval before it leaves the weld area.

Karl Goodrich, Klein W

What's different about a Klein u
with our welds is that we go c
a finish welding process called
for cosmetic purposes - it fla
smooth surface. The important
smooth surface by welding it
weld to get a smooth finish.

What's wrong with that? It weak
in there with a grinder and tak
just put on to build up the jc
from the physical strength of t
to be bombing down a moun
on a bike that's been ground.

Why don't other bike companies
twice as long. You have to do
you get your penetration. That
weld. Then you have to go ov
The other reason people prob:
a great deal of skill.

MANTRA COMP™

SIZES SM, MD, LG, XL

FRAME Klein 6061 T6 Aluminum Power Tubing main,
Klein Full 6061 T6 Gradient Aluminum rear

WHEEL SYSTEM Bontrager Race


FT SUSPENSION Manitou SX 80mm travel, TPC,
Alloy steerer, lockout lever

RR SUSPENSION Fox Air Vanilla-R Air/Oil Cartridge,
damping adjuster

DRIVETRAIN LX / XTR


PEDALS Bontrager RE-1 clipless

OPTIONS Mantra Comp Frame (includes rear shock)





ALIGNMENT



There's a conspiracy afoot. Whether you realize it or not, you're the victim. You're being robbed of energy, efficiency and control. We're talking about frame alignment. We can guarantee that you won't find this subject in most manufacturer's catalogs. In fact, if most consumers understood the importance of proper alignment, we would be one of the few bicycle makers still in business.

An Alignment Primer:

Efficiency. Energy loss due to improper alignment is staggering when computed over the course of just one ride. It's the equivalent of being lapped in a criterium. It's been our experience that lapped riders get pulled. This is the amount of energy that an improperly aligned frame throws away. So, why not align the frame properly and use that saved energy for the bell lap or finish line sprint?

A properly aligned frame. You hold the line. With a well-aligned frame, the front fork tube to bottom bracket frame is aligned within an inch. That's half the thickness of a thin sheet of paper.



Precision alignment tools. Both companies don't both. Precision alignment is a standard feature on

MANTRA®

- SIZES SM, MD, LG, XL
- FRAME Klein 6061 T6 Aluminum Power Tubing main, Klein Full 6061 T6 Gradient Aluminum rear
- WHEEL SYSTEM Bontrager Comp
- FRONT SUSPENSION Manitou SX-E 80mm travel, TPC Sport damping, Alloy steerer
- REAR SUSPENSION Fox Air Vanilla-RC Air/Oil Cartridge
- DRIVETRAIN LX / XT
- PEDALS Bontrager RE-1 clipless



ROAD SERIES



It's a common scenario. It might be a weekend at home or a sales meeting in some convention town. You get a wild urge to do something different, something crazy. You rent a high-performance sportscar for the afternoon.

It's red. Bright red. It's got more rubber on pavement than the Boston Marathon.

You spend the day strapped to this rocket-fuel burning, road-eating menace like some cartoon coyote. You alternately hang on for sweet life and shriek piercing whoops of unadulterated joy as you pull multiple g's through turns and punch the accelerator. Your concepts of speed, handling and performance are forever altered. The paint on your car will never seem quite so bright.

Introducing the 1999 Klein Quantum® line. Your road bike will never be quite the same.


QUANTUM PRO™

| | |
|--------------|--|
| SIZES | 51, 53, 55, 57, 59, 61, 63cm |
| FRAME | Klein Full 6061 T6 Gradient Aluminum |
| WHEEL SYSTEM | Rolf® Vector Pro |
| FORK | Klein Aeros Carbon, Mission Control 3 |
| DRIVETRAIN | Dura-Ace |
| PEDALS | 1999 Dura-Ace clipless |
| FRAME WEIGHT | 2.7 pounds, 1.225kg |
| OPTIONS | Quantum Pro Fuselage™ (frame, fork, stem, AirHeadset) |





ROAD RACING



If you're wondering where you've seen our road bikes before, it could have been in any number of places. It might have been at the Tour de France. Or, it might have been at the Olympic Games. More than likely, you've seen us crossing the finish line in first place or you've seen our riders atop the podium. We've already explained how we do things, maybe we should talk about the "why."

If you have been reading VeloNews (or any other publication that covers competitive cycling) lately, you've undoubtedly noticed lots of riders from the Ralph's / Klein Women's professional road racing team grabbing headlines at the nation's largest and most prestigious cycling events. This group has been gobbling up victory after victory over the last four years, all astride factory stock Klein Quantum Pro road bikes. Some of the more impressive awards that this group has gathered recently include: 1st place at the 1996 Olympic Trials, the 1996 National Criterium Championship, Best North American Women's Team at the 1996 VeloNews Awards, Best Overall Team and Best Overall Individual in the 1996 Fresca Cup, the 1997 USPRO Championship, the 1997 Tour of the America's Overall Championship and the 1997 National Time Trial Championship, to mention a few.

Riders on the Klein team spend more time than even Gary in the saddle, logging some 20+ hours per week and hammering out their interval, climbing and speed workouts. This is a demanding routine for a rider and requires a bike that is up to the task, one that's both fast and comfortable. The Quantum Pro has more than proven itself to the riders on the team.

QUANTUM RACE™

SIZES 51, 53, 55, 57, 59, 61, 63cm

FRAME Klein Full 6061 T6 Gradient Aluminum

WHEEL SYSTEM Rolf® Vector Comp


FORK ICON® Air Rail carbon

DRIVETRAIN Ultegra 9-speed

PEDALS ICON De la Sole clipless

FRAME WEIGHT 2.7 pounds, 1.225kg

OPTIONS Quantum Race T (triple version)
Quantum Race Frameset




sc.
help



THE PERFECT BALANCE



Wheels are secondary only to the frame in determining a bicycle's ride quality. Legendary wheelbuilder, Rolf, is as passionate about his wheels as we are about our frames. This level of excellence is on par with how we approach things here in Chehalis. Rolf has a very "Klein-like" understanding of the technological advantages that can be achieved through superior engineering. This very emphasis makes Rolf wheel systems our choice for all of our road bikes and our top-of-the-line hardtail.



The perfect wheel. critical design feat Strength. Serviceat another, and the balance - with a per

Emphasize light w factor. Focus on du wheel. Push aerody weight and servicea

Rolf® understands t revolutionary new that delivers light aerodynamics to sli handle conditions serviceability to kee parts.

It's a balance you w

QUANTUM®

- SIZES 51, 53, 55, 57, 59, 61, 63cm
- FRAME Klein Full 6061 T6 Gradient Aluminum
- WHEEL SYSTEM Rolf® Vector
- FORK ICON Air Rail carbon
- DRIVETRAIN Shimano® 105 9-speed
- PEDALS ICON De la Sole clipless
- FRAME WEIGHT 2.7 pounds, 1.225kg
- OPTIONS Quantum T (triple version)



FRAME GEOMETRIES

| Model | Size | Typical Rider Height (in./cm) | Seat Tube Center to Top (in./cm) | Top Tube Standover (in./cm) | Bottom Bracket (in./cm) | Effective Top Tube Length (in./cm) | Chainstay Length (in./cm) | Wheelbase (in./cm) | Fork Rake (in./cm) | Fork Travel (mm) | Seat Tube Angle | Head Tube Angle | Trail (in./cm) |
|----------------------|------|-------------------------------|----------------------------------|-----------------------------|-------------------------|------------------------------------|---------------------------|--------------------|--------------------|------------------|-----------------|-----------------|----------------|
| Mantra | S | 5'2"-5'4" / 157-163 | N/A | 28.59/72.63 | 12.20/30.98 | 22.65/57.30 | 16.40/41.66 | 41.05/104.27 | 1.50/3.81 | 80.00 | 64.60° | 71.20° | 2.88/7.31 |
| Mantra Comp | M | 5'4"-5'9" / 163-175 | N/A | 29.04/73.77 | 12.40/31.50 | 23.39/59.40 | 16.40/41.66 | 41.79/106.15 | 1.50/3.81 | 80.00 | 65.10° | 71.70° | 2.80/7.12 |
| | L | 5'9"-6'1" / 175-185 | N/A | 30.63/77.80 | 12.55/31.88 | 24.02/61.00 | 16.40/41.66 | 42.37/107.63 | 1.50/3.81 | 80.00 | 65.10° | 71.80° | 2.73/6.94 |
| | XL | 6'1"-6'6" / 185-199 | N/A | 30.63/77.80 | 12.70/32.26 | 24.65/62.60 | 16.40/41.66 | 43.09/109.46 | 1.50/3.81 | 80.00 | 66.40° | 71.80° | 2.73/6.94 |
| Mantra Race | M | 5'4"-5'9" / 163-175 | N/A | 29.04/73.77 | 12.40/31.50 | 23.39/59.40 | 16.40/41.66 | 41.79/106.15 | 1.50/3.81 | 80.00 | 66.10° | 71.70° | 2.80/7.12 |
| | L | 5'9"-6'1" / 175-185 | N/A | 30.63/77.80 | 12.55/31.88 | 24.02/61.00 | 16.40/41.66 | 42.37/107.63 | 1.50/3.81 | 80.00 | 65.10° | 71.80° | 2.73/6.94 |
| | XL | 6'1"-6'6" / 185-199 | N/A | 31.15/79.11 | 12.70/32.26 | 24.65/62.60 | 16.40/41.66 | 43.09/109.46 | 1.50/3.81 | 80.00 | 66.40° | 71.80° | 2.73/6.94 |
| Attitude* | XS | 5'0"-5'4" / 152-162 | 14.00/35.6 | 26.33/66.87 | 11.34/28.80 | 21.65/55.00 | 16.40/41.66 | 40.69/103.35 | 1.50/3.81 | 70.00 | 73.20° | 70.70° | 3.00/7.63 |
| | S | 5'4"-5'6" / 162-168 | 15.75/40.0 | 27.68/70.30 | 11.50/29.21 | 22.56/57.30 | 16.40/41.66 | 41.27/104.82 | 1.50/3.81 | 70.00 | 73.20° | 71.20° | 2.89/7.31 |
| | M | 5'7"-5'9" / 170-175 | 17.50/44.5 | 28.93/73.49 | 11.70/29.72 | 23.39/59.40 | 16.40/41.66 | 41.78/106.12 | 1.50/3.81 | 70.00 | 73.20° | 71.70° | 2.76/7.00 |
| Attitude Race | L | 5'9"-6'1" / 175-185 | 19.25/48.9 | 30.39/77.19 | 11.80/29.96 | 24.02/61.00 | 16.40/41.66 | 42.07/106.86 | 1.50/3.81 | 70.00 | 73.20° | 71.80° | 2.73/6.94 |
| | XL | 6'1"-6'6" / 185-199 | 21.00/53.3 | 32.07/81.45 | 11.92/30.27 | 24.65/62.60 | 16.40/41.66 | 42.48/107.89 | 1.50/3.81 | 70.00 | 73.20° | 71.80° | 2.73/6.94 |
| | | | | | | | | | | | | | |
| Quantum | 51cm | 5'2"-5'4" / 157-163 | 21.22/53.9 | 29.80/75.69 | 10.50/26.67 | 21.06/53.49 | 16.30/41.40 | 38.10/96.77 | 1.85/4.7 | N/A | 74.00° | 73.50° | N/A |
| | 53cm | 5'4"-5'9" / 163-175 | 22.01/55.9 | 30.60/77.72 | 10.60/26.92 | 21.54/54.71 | 16.30/41.40 | 38.60/98.04 | 1.85/4.7 | N/A | 74.00° | 73.50° | N/A |
| | 55cm | 5'9"-5'11" / 175-180 | 22.48/57.1 | 31.50/80.01 | 10.70/27.18 | 22.01/55.90 | 16.30/41.40 | 39.10/99.31 | 1.69/4.3 | N/A | 74.00° | 73.50° | N/A |
| | 57cm | 5'11"-6'1" / 180-185 | 23.50/59.7 | 32.40/82.30 | 10.80/27.43 | 22.48/57.10 | 16.30/41.40 | 39.40/100.09 | 1.69/4.3 | N/A | 74.00° | 74.00° | N/A |
| | 59cm | 6'1"-6'3" / 185-191 | 24.25/61.6 | 33.20/84.33 | 10.90/27.69 | 22.95/58.29 | 16.30/41.40 | 40.00/101.62 | 1.69/4.3 | N/A | 74.00° | 74.00° | N/A |
| | 61cm | 6'3"-6'5" / 191-196 | 25.00/63.5 | 34.10/86.61 | 11.00/27.94 | 23.43/59.51 | 16.30/41.40 | 40.40/102.62 | 1.69/4.3 | N/A | 74.00° | 74.00° | N/A |
| | 63cm | 6'5"-6'6" / 196-199 | 25.51/64.8 | 34.80/88.39 | 11.00/27.94 | 23.90/60.71 | 16.30/41.40 | 40.90/103.89 | 1.69/4.3 | N/A | 74.00° | 74.00° | N/A |
| Quantum Pro | 51cm | 5'2"-5'4" / 157-163 | 21.22/53.9 | 29.80/75.69 | 10.50/26.67 | 21.06/53.49 | 16.30/41.40 | 38.37/97.46 | 1.50/3.81 | N/A | 74.00° | 73.50° | N/A |
| | 53cm | 5'4"-5'9" / 163-175 | 22.01/55.9 | 30.60/77.72 | 10.60/26.92 | 21.54/54.71 | 16.30/41.40 | 38.87/98.73 | 1.50/3.81 | N/A | 74.00° | 73.50° | N/A |
| | 55cm | 5'9"-5'11" / 175-180 | 22.48/57.1 | 31.50/80.01 | 10.70/27.18 | 22.01/55.90 | 16.30/41.40 | 39.37/100.00 | 1.50/3.81 | N/A | 74.00° | 73.50° | N/A |
| | 57cm | 5'11"-6'1" / 180-185 | 23.50/59.7 | 32.40/82.30 | 10.80/27.43 | 22.48/57.10 | 16.30/41.40 | 39.67/100.76 | 1.50/3.81 | N/A | 74.00° | 74.00° | N/A |
| | 59cm | 6'1"-6'3" / 185-191 | 24.25/61.6 | 33.20/84.33 | 10.90/27.69 | 22.95/58.29 | 16.30/41.40 | 40.27/102.28 | 1.50/3.81 | N/A | 74.00° | 74.00° | N/A |
| | 61cm | 6'3"-6'5" / 191-196 | 25.00/63.5 | 34.10/86.61 | 11.00/27.94 | 23.43/59.51 | 16.30/41.40 | 40.67/103.30 | 1.50/3.81 | N/A | 74.00° | 74.00° | N/A |
| | 63cm | 6'5"-6'6" / 196-199 | 25.51/64.8 | 34.80/88.39 | 11.00/27.94 | 23.90/60.71 | 16.30/41.40 | 41.17/104.57 | 1.50/3.81 | N/A | 74.00° | 74.00° | N/A |

* The Attitude is only available as an international model.

SPECIFICATIONS

| | Sizes | Frame | Stays | Fork/Suspension | Headset | Rear Shock | Crankset | Fu/Rr Derailleur |
|----------------------|------------------------------|---|-----------------------------|---|---|---|---------------------------------|--|
| Mantra | S, M, L, XL | Klein 6061 T6 Aluminum Power tubing | Klein Gradient Aluminum UFI | Manitou SX-E 80mm w/TPC sport damping & alloy steerer | Dia-Compe STS Aheadset, sealed, Black | Fox AirVanilla Float | Shimano Deore LX 44al/32al/22al | (F) Shimano Deore LX (R) Shimano XTR SGS 9spd |
| Mantra Comp | S, M, L, XL | Klein 6061 T6 Aluminum Power tubing | Klein Gradient Aluminum UFI | Manitou SX 80mm w/TPC, alloy steerer & lockout lever | Dia-Compe SAS alloy Aheadset, sealed, Black | Fox AirVanilla Float-R w/damping adjust | Shimano Deore LX 44al/32al/22al | (F) Shimano Deore LX (R) Shimano XTR SGS 9spd |
| | S, M, L, XL | New Klein Carbon Beam with AirHeadtube | Klein Gradient Aluminum UFI | Manitou SX 80mm w/TPC & lockout lever | Klein Precision MC3 AirHeadset | Fox AirVanilla Float-R w/damping adjust | Shimano Deore LX 44al/32al/22al | (F) Shimano Deore XT (R) Shimano XTR SGS 9spd |
| | S, M, L, XL | New Klein Carbon Beam with AirHeadtube | Klein Gradient Aluminum UFI | Manitou SX-Ti 80mm w/lockout lever | Klein Precision MC3 AirHeadset | Fox AirVanilla Float-RC w/lockout lever | Shimano XTR 46al/34al/24al | (F) Shimano XTR (R) Shimano XTR SGS 9spd |
| Mantra Race | S, M, L, XL | New Klein Carbon Beam with AirHeadtube | Klein Gradient Aluminum UFI | Manitou SX-Ti 80mm w/lockout lever | Klein Precision MC3 AirHeadset | Fox AirVanilla Float-RC w/lockout lever | Shimano XTR 46al/34al/24al | (F) Shimano XTR (R) Shimano XTR SGS 9spd |
| | S, M, L, XL | Klein Full Gradient Aluminum | Klein Gradient Aluminum | Rock Shox Jeti XC 65mm travel with HydraCoil system | Dia-Compe SE-1 Aheadset, sealed, Black | N/A | Shimano STX-RC 42al/32al/22al | (F) Shimano Alivio (R) Shimano Deore LX SGS |
| | XS, S, M, L, XL | Klein Full Gradient Aluminum | Klein Gradient Aluminum | Manitou SX-E 70mm w/TPC sport damping | Dia-Compe STS Aheadset, sealed, Black | N/A | Shimano Deore LX 44al/32al/22al | (F) Shimano Deore XT (R) Shimano Deore XT SGS 9spd |
| Attitude Comp | XS, S, M, L, XL | Klein Full Gradient Aluminum | Klein Gradient Aluminum | Manitou SX-E 70mm w/TPC sport damping | Dia-Compe STS Aheadset, sealed, Black | N/A | Shimano Deore LX 44al/32al/22al | (F) Shimano Deore XT (R) Shimano Deore XT SGS 9spd |
| | XS, S, M, L, XL | Klein Full Gradient Aluminum | Klein Gradient Aluminum | Manitou SX 70mm w/TPC, alloy steerer & lockout lever | Dia-Compe SAS alloy Aheadset, sealed, Black | N/A | Shimano Deore LX 44al/32al/22al | (F) Shimano Deore LX (R) Shimano XTR SGS 9spd |
| | XS, S, M, L, XL | Klein Full Gradient Aluminum | Klein Gradient Aluminum | Manitou SX-R 70mm w/lockout lever | Klein Precision MC3 AirHeadset | N/A | Shimano Deore LX 44al/32al/22al | (F) Shimano Deore XT (R) Shimano XTR SGS 9spd |
| Adroit Race | XS, S, M, L, XL | Klein Full Gradient Aluminum with AirHeadtube | Klein Gradient Aluminum | Manitou SX-R 70mm w/lockout lever | Klein Precision MC3 AirHeadset | N/A | Shimano Deore LX 44al/32al/22al | (F) Shimano Deore XT (R) Shimano XTR SGS 9spd |
| | XS, S, M, L, XL | Klein Full Gradient Aluminum with AirHeadtube | Klein Gradient Aluminum | Manitou SX Carbon 70mm w/lockout lever | Klein Precision MC3 AirHeadset | N/A | Shimano XTR 46al/34al/24al | (F) Shimano XTR (R) Shimano XTR SGS 9spd |
| | XS, S, M, L, XL | Klein Full Gradient Aluminum | Klein Gradient Aluminum | ICON Air Rail Carbon | Tange Seiki DX alloy sealed | N/A | Shimano 105 53/39t | (F) Shimano 105 (R) Shimano 105 |
| Quantum | 51, 53, 55, 57, 59, 61, 63cm | Klein Full Gradient Aluminum | Klein Gradient Aluminum | ICON Air Rail Carbon | Tange Seiki DX alloy sealed | N/A | Shimano 105 53/39t | (F) Shimano 105 (R) Shimano 105 |
| | 51, 53, 55, 57, 59, 61, 63cm | Klein Full Gradient Aluminum | Klein Gradient Aluminum | ICON Air Rail Carbon | Tange Seiki DX alloy sealed | N/A | Shimano 105 53/42/30t | (F) Shimano 105GS (R) Shimano 105GS |
| | 51, 53, 55, 57, 59, 61, 63cm | Klein Full Gradient Aluminum | Klein Gradient Aluminum | ICON Air Rail Carbon | Cane Creek C2 alloy Aheadset | N/A | Shimano Ultegra 52/39t | (F) Shimano Ultegra (R) Shimano Ultegra |
| Quantum Race | 51, 53, 55, 57, 59, 61, 63cm | Klein Full Gradient Aluminum | Klein Gradient Aluminum | ICON Air Rail Carbon | Cane Creek C2 alloy Aheadset | N/A | Shimano Ultegra 52/39t | (F) Shimano Ultegra (R) Shimano Ultegra |
| | 51, 53, 55, 57, 59, 61, 63cm | Klein Full Gradient Aluminum | Klein Gradient Aluminum | ICON Air Rail Carbon | Cane Creek C2 alloy Aheadset | N/A | Shimano Ultegra 52/42/36t | (F) Shimano Ultegra GS (R) Shimano Ultegra GS |
| | 51, 53, 55, 57, 59, 61, 63cm | Klein Full Gradient Aluminum with AirHeadset | Klein Gradient Aluminum | Klein Aeres Carbon w/MC3 | Klein Precision MC3 AirHeadset | N/A | Shimano Dura-Ace 53/39t | (F) Shimano Dura-Ace (R) Shimano Dura-Ace |

| Shifters | Bottom Bracket | Chain | Pedals | Wheel System | Hubset | Cassette | Spokes | Rims | Tires | Brakes | Brake Levers | Handlebars | Stem | Seatpost | Saddle | Grips/Tape |
|--|---------------------------------|-----------------------|---|---------------------|--|-------------------------------|------------------------|--|---|-----------------------------|--|--|---|-----------------------------------|---|-----------------------------|
| Shimano LX 9spd Rapidfire | Shimano BB-UN52 | Shimano CN-HG72 9spd | Bontrager RE-1 clipless | | (F) Bontrager Comp 28h w/radial spoking (R) Bontrager Comp Freehub 32h | Shimano HG70-1 11-32, 9spd | DT 15g Black stainless | Bontrager Corvaio (F) 28h Black (R) ASYM 32h Black | Bontrager Jones (F) 49/53 folding w/SL tube (R) 46/50 folding w/SL tube | Avid 10 10 Direct Pull | Avid SD 1.0L Single Digit | Bontrager Crow Bar Race Modified alloy 630mm/40mm rise | Bontrager Race AHS forged alloy | SP-312 alloy Micro adjust, 31.6mm | SDG Comp Ventura w/Cro-Mo rails | Bontrager Race dual density |
| Shimano LX 9spd Rapidfire | Shimano BB-UN52 | Shimano CN-HG72 9spd | Bontrager RE-1 clipless | Bontrager Race | | Shimano HG70-1 11-32, 9spd | | | Bontrager Revolt ST (F) 49/53 folding w/SL tube (R) 46/50 folding w/SL tube | Avid 10 20 Direct Pull | Avid SD 1.9 Single Digit | Bontrager Crow Bar Race Modified alloy 630mm/40mm rise | Bontrager Race AHS forged alloy | Thomson 31.6x370mm, Black | SDG Comp BelAir Black/Red w/Cro-Mo rails | Bontrager Race dual density |
| Shimano Deore XT STI 9spd Rapidfire | Shimano BB-UN72 | Shimano CN-HG72 9spd | Time Atac clipless | Bontrager Race | | Shimano HG90-1 11-34, 9spd | | | Bontrager Revolt ST (F) 49/53 127psi folding (R) 46/50 127psi folding | Shimano XT V-Brake | Shimano XT STI combination brake/shift | Bontrager Comp 2 2014 alloy 580mm | Klein Forged MC3 Mission Control | Thomson 31.6x370mm, Black | SDG Comp BelAir Leather, Black/Red w/Cro-Mo rails | Bontrager Race dual density |
| Shimano XTR 9spd Std | Shimano XTR | Shimano Dura-Ace | Time Atac Carbon clipless | Bontrager Race Lite | | Shimano XTR 12-34, 9spd | | | Bontrager Super-X 49/48 127psi folding | Shimano XTR V-Brakes | Shimano XTR STI combination brake/shift | Bontrager Race Lite 580mm | Klein Forged MC3 Mission Control | Thomson 31.6x370mm, Black | SDG Comp Ventura w/Kevlar & Ti rails | Bontrager Race dual density |
| Shimano MC38 8spd Rapidfire | Shimano BB-LP27 | KMC IG 31 | ATB alloy, alloy cage with clips & straps | | (F) Bontrager Comp 28h w/radial spoking (R) Bontrager Comp Freehub 32h | Shimano HG50-1 11-30, 8spd | DT 15g Black stainless | Bontrager Corvaio (F) 28h Black (R) ASYM 32h Black | Bontrager Jones (F) 49/53 (R) 46/50 | Lee Chi TX 22 Direct Pull | Lee Chi LV 77 | Bontrager alloy 580mm | Bontrager Comp AHS forged alloy | SP-312 alloy Micro adjust, 31.6mm | Bontrager FS-10 w/steel rails | Bontrager Race dual density |
| Shimano LX 9spd Rapidfire | Shimano BB-UN52 | Shimano CN-HG72 9spd | Bontrager RE-1 clipless | | (F) Bontrager Comp 28h w/radial spoking (R) Bontrager Comp Freehub 32h | Shimano HG70-1 11-32, 9spd | DT 15g Black stainless | Bontrager Corvaio (F) 28h Black (R) ASYM 32h Black | Bontrager Jones (F) 49/53 folding w/SL tube (R) 46/50 folding w/SL tube | Avid 10 10 Direct Pull | Avid SD 1.0L Single Digit | Bontrager Crow Bar Race Modified alloy 630mm/40mm rise | Bontrager Race AHS forged alloy | SP-312 alloy Micro adjust, 31.6mm | SDG Comp Ventura w/Cro-Mo rails | Bontrager Race dual density |
| Shimano LX 9spd Rapidfire | Shimano BB-UN52 | Shimano CN-HG72 9spd | Bontrager RE-1 clipless | Bontrager Race | | Shimano HG70-1 11-32, 9spd | | | Bontrager Revolt ST (F) 49/53 folding w/SL tube (R) 46/50 folding w/SL tube | Avid 10 20 Direct Pull | Avid SD 1.9 Single Digit | Bontrager Race alloy 580mm | Bontrager Race AHS forged alloy | Bontrager Comp 31.6mm, Black | SDG Comp BelAir Black/Red w/Cro-Mo rails | Bontrager Race dual density |
| Shimano Deore XT STI 9spd Rapidfire | Shimano BB-UN72 | Shimano CN-HG72 9spd | Time Atac clipless | Bontrager Race Lite | | Shimano HG90-1 11-34, 9spd | | | Bontrager Super-X 49/48 127psi folding | Shimano XT V-Brake | Shimano XT STI combination brake/shift | Bontrager Race Lite 580mm | Klein Forged MC3 Mission Control | Bontrager Race Lite | SDG Comp BelAir Black/Red w/Cro-Mo rails | Bontrager Race dual density |
| Shimano XTR 9spd Std | Shimano XTR | Shimano Dura-Ace 9spd | Time Atac Carbon clipless | Rolf Propel XC | | Shimano XTR 12-34, 9spd | | | Bontrager Super-X 49/48 127psi folding | Shimano XTR V-Brakes | Shimano XTR STI combination brake/shift | Bontrager Race Lite 580mm | Klein Forged MC3 Mission Control | Thomson 31.6x370mm, Black | SDG Comp BelAir Black/Red w/Ti rails | Bontrager Race dual density |
| Shimano 105 9spd, Flight Deck compatible | Shimano BB-UN6500, splined | Shimano HG72, 9spd | ICON De la Sole Road clipless | Rolf Vector | | Shimano HG70-1 12-25t, 9spd | | | Continental SS Ultra 700x25c | Shimano 105 dual pivot | Shimano 105 combination brake/shift | ICON Swoop Ergo 6061 alloy road | ICON Bordeaux front load | ICON 2014 alloy 31.6mm | Sella Italia Sphere w/Cro-Mo rails | ICON Cork Tape |
| Shimano 105 9spd, Flight Deck compatible | Shimano BB-UN6500, splined | Shimano HG72, 9spd | ICON De la Sole Road clipless | Rolf Vector | | Shimano HG70-1 12-25t, 9spd | | | Continental SS Ultra 700x25c | Shimano 105 dual pivot | Shimano 105 combination brake/shift | ICON Swoop Ergo 6061 alloy road | ICON Bordeaux front load | ICON 2014 alloy 31.6mm | Sella Italia Sphere w/Cro-Mo rails | ICON Cork Tape |
| Shimano Ultegra 9spd, Flight Deck compatible | Shimano BB-UN6500, splined | Shimano Ultegra 9spd | ICON De la Sole Road clipless | Rolf Vector Comp | | Shimano HG90 12-25t, 9spd | | | Continental Gran Prix 3000 700x25c folding | Shimano Ultegra dual pivot | Shimano Ultegra combination brake/shift | ICON Stash Ergo 2014 alloy road | ICON Havana AHS front load | ICON 2014 alloy 31.6mm | Giro Fizik Pave w/Cro-Mo rails | ICON Cork Tape |
| Shimano Ultegra 9spd, Flight Deck compatible | Shimano BB-UN6500, splined | Shimano Ultegra 9spd | ICON De la Sole Road clipless | Rolf Vector Comp | | Shimano HG90 12-25t, 9spd | | | Continental Gran Prix 3000 700x25c folding | Shimano Ultegra dual pivot | Shimano Ultegra combination brake/shift | ICON Stash Ergo 2014 alloy road | ICON Havana AHS front load | ICON 2014 alloy 31.6mm | Giro Fizik Pave w/Cro-Mo rails | ICON Cork Tape |
| Shimano Dura-Ace 9spd | Shimano Full Cartridge, splined | Shimano Dura-Ace 9spd | 1999 Shimano Dura-Ace SPD-R clipless | Rolf Vector Pro | | Shimano Dura-Ace 12-23t, 9spd | | | Continental Gran Prix 3000 700x25c folding | Shimano Dura-Ace dual pivot | Shimano Dura-Ace combination brake/shift | ICON Stash Ergo 2014 alloy road | ICON / Klein MC3 Mission Control front load | Thomson 31.6x250mm, Black | Giro Fizik Pave w/Ti rails | ICON Cork Tape |