

ROCKY MOUNTAIN BICYCLES
I ROCKY MOUNTAIN BICYCLES



1999 PRODUCT CATALOG



It's been a big year for Rocky Mountain. Demand for our hand-built frames was so great that we had to increase our welding capacity and buy another CNC machine to deal with all the orders. Meanwhile, R&D has been busy developing some of the hottest new bikes around. We're also pleased to announce that we have joined forces with another Canadian bike manufacturer to allow us to continue to grow our business. Although Rocky Mountain remains completely autonomous, the move allows us to focus on what we do best, building killer bikes. As far as day-to-day life goes, we're still the same small band of hard-riding bike geeks that have been fanatically hand-building some of the finest examples of two-wheeled hardware anywhere. We haven't budged from our home in the mountains of B.C., and as the founder, I am still leading us into uncharted worlds of bike technology in a quest to bring you the lightest, strongest, fastest bikes on the planet.

Grayson Bain.
founder@bikes.com

CHOOSING THE RIGHT BIKE FOR YOU

Built for team only, pro-level racers



Expert-level racers, advanced riders



Hard-core mountain bikers, long-travel suspension junkies, amateur DH



Sport-level racers, serious mountain bikers



Novice racers, novice and intermediate mountain bikers



Sport trail riding, trekking, city riding, comfort



19

99

Greetings from R&D. You might wonder why an engineer is writing catalog copy. I wondered too. But, we're a small operation and while I can't give you the hype, I can give you the straight goods on all our bikes.

Here in R&D, we've dropped the weight on all our bikes and added a few new models we're sure you'll love. In addition, we've pushed DH technology over the top with the introduction of our new nine-inch travel RM9. The pioneering Turbo t.o. opens new frontiers in frame technology with its incredibly light space-age Scandium road frame. As always, we're proud of the fact that we are one of the few small operations that can take raw aluminum in one end and come up with a complete, machined, welded, painted, assembled, ready-to-ride bike at the other. See you on the trails!

Duhane Lam. Designer



E L E M E N T . T . O .

The evolution of performance. Born to race, the Element t.o. delivers 3.6" (90 mm) of super-efficient rear-wheel travel. Combining radical new air-spring technology from Marzocchi and Fox, the Element t.o. is lighter than ever and built for one purpose only — to win.

(8.0325)



(22.85)

FRAME

Easton Ultralite HBO TaperWall

SUSPENSION

Marzocchi Bomber Super Fly
Fox Air Vanilla Float RC

WEIGHT (18")

Frame: 2.13 kg/4.7 lb.
Bike: 10.91 kg/24 lb.

Team Only
SERIES



The bike of choice of our Pro racers, the Vertex t.o. is the ultimate cross-country dream machine. Spec'd to perfection, the Vertex is feather light for those long uphill grinds. Marzocchi packs light weight and Bomber performance into its revolutionary new Superfly fork to smooth your ride to the podium.

VERTEX T.O.

FRAME

Easton Ultralite HBO TaperWall

SUSPENSION

Marzocchi Bomber Super Fly

WEIGHT (18.5")

*Frame: 1.31 kg/2.9 lb.
Bike: 10.23kg/22.5 lb.*



TURBO T.O.

The brand new Turbo t.o. represents the dawning of a new age in lightness and strength.

Built with Easton's advanced SC7000 Scandium road tubes, the Turbo t.o. weighs in at a scant 1.0 kg (2.2 lb.) while delivering unprecedented strength and ride comfort. Forget about steel or titanium, Scandium is the ride of the future.

(8.0325)



(22.85)

FRAME

Easton SC7000 Scandium HBO

SUSPENSION

Time Equipe Pro Carbon

WEIGHT (54 cm)

Frame: 1.00 kg/2.2 lb.
Bike: 7.95 kg/17.5 lb.



Marzocchi

Marzocchi forks are the standard for suspension performance against which all other forks are measured. Two new forks from Marzocchi are pushing the limits of downhill and cross-country suspension performance to even higher levels.

With the Superfly, Marzocchi has created a new sub-three pound wonder that flies in the face of conventional fork design. Air-sprung and super light, the SuperFly is ready to sting on the cross-country race track.

Seven-inches (179 mm) of buttery-smooth travel to soak up anything that crosses your path. The new Monster T has huge 40 mm Easton stanchions to give you unparalleled control. A perfect complement for the ultimate downhill machine, the RM9.



RM9

Forget what you've been told. This is nine inches. Behold the RM9. Constructed with Easton's innovative RAD tubes and packing a Fox-assisted nine inches (230 mm) of plush rear travel, RM9 will scare many a world-cup competitor. The bar just got raised another notch.

FRAME

Easton RAD DH
Custom TaperWall

SUSPENSION

Marzocchi Monster T
Fox Vanilla RC piggyback

WEIGHT (18")

Frame: 4.5 kg/9.9 lb
Frame/Fork: 8.6 kg/18.9 lb.

INSTINCT



Follow your instincts. A new addition, the Instinct shares the same race-proven suspension and hand-built quality as the Element t.o. but won't require a second mortgage on the old digs. Tight single-track, big drops, or racing for the finish, your Instinct is faster than fear itself.



(22.85)



0325

FRAME

Hand-built Easton Elite TaperWall

SUSPENSION

Marzocchi Bomber Z2 BAM / Fox Air Vanilla Float R

WEIGHT (18")

Frame: 2.35 kg/5.2 lb.
Bike: 12.05kg/26.5 lb.

RACEFACE

RaceFace

Durable, innovative parts for riders that won't settle for anything less than the best. Race Face designs and manufactures performance North American parts for serious riders. All components are thoroughly tested to ensure their integrity, and they prove it by standing behind their product with some of the best warranties in the bike industry. Race Face Performance Components are light, fast, and built to last.



Signature
SERIES

Thin Air is what your competitors will be breathing when you pass them in your next race. Sharing the same frame as the Vertex t.o., this is Canadian welded quality that few can touch. The Thin Air will drive your performance to new heights.

THIN AIR



FRAME | Easton Ultralite HBO TaperWall

SUSPENSION | Marzocchi Bomber Z2 BAM

WEIGHT | 18.5"

Frame: 1.31 kg/2.9 lb.
Bike: 10.55 kg/23.2 lb.



TURBO

The Turbo frame sets the standard for lightweight aluminum road bikes. Fast aggressive riding, laid-out cornering, out-of-the-saddle climbs, and all-out sprints, the Turbo will boost you past the peloton.



(22.85)


(8.0325)

FRAME | *Easton Ultralite HBO TaperWall* | SUSPENSION | *Time Sprint Carbon*

WEIGHT (54 cm) | *Frame: 1.20 kg/2.6 lb.*
Bike: 8.41 kg/18.5 lb.



Easton knows how to work Aluminum better than anyone on the planet. Easton's proprietary TaperWall process is the key to the superior performance of Easton tubes. Cold-drawn to perfection with continuously variable wall thicknesses and smooth transitions, the result is a responsive and resilient ride that only Easton TaperWall tubing can provide.



Welded perfection. An RM9 frame ready for powder coating.

Innovation

Easton RAD tubes found on the RM9 are the latest in Easton TaperWall technology. Computer-drawn from round to square, RAD tubes provide for incredible strength at the head tube while retaining the distinctive Easton feel.

Space-Age Technology

Scandium SC7000 is the hot new Easton-exclusive alloy that is set to take the bike world by storm. Formerly used in top-secret aerospace applications, Scandium alloys are 40% stronger than 7005, and 45% stronger than 6061. The result is the Turbo t.o., possibly the lightest road bike that money can buy.

Rocky Magic

You can start with the best raw material but if you don't put it together right its no good.

First, each tube is perfectly mitered to exacting tolerances. Then each frame is welded by one of our seven welders. Welding the thin-walled aluminum tubes is very difficult, but the experience and skill of these seven specially-trained artists is second to none. Rocky Mountain welding and Easton tubes - the perfect match.

PIPELINE



Voted best "do anything go anywhere" bike by Mountain Biker magazine, the Pipeline is a Frorider's weapon of choice.

The Pipeline is back better than ever with the updated double diamond frame design that features greater strength, better standover height, and CNC machined head tube gussets. Adjustable NE3 suspension and a lightweight frame allow our riders to dominate the backcountry.



(22.85)

FRAME | *Easton Custom DH specific*

SUSPENSION | *Marzocchi Bomber Z1 Dropoff
Fox Vanilla R*

WEIGHT (18") | *Frame: 3.15 kg /6.9 lb.
Bike: 12.95 kg/28.5 lb.*



2XS

The ultimate in performance.

Available in limited numbers, the 2XS sports a custom handbuilt composite frame and a "Go-anywhere, do-anything" long travel suspension. Push it. Punish it. The 2XS wants more.

Frame:

Custom composite
/Easton TaperWall

Weight (18.0"):

frame: 3.0 kg/6.6 lb.



"Light enough to be a competitive cross-country racer, nimble enough to make a great play bike, and durable enough to pass a severe downhill test"

- Mountain Bike Action

A classic evolved from the primordial forests and snow-covered mountains of B.C., the Blizzard is back better than ever. The bike that pioneered the radically sloping top tube design has been upgraded with Reynolds tubing and a turbo-charged SRAM drivetrain. Here in the gnarly West Coast backcountry, the Blizzard is at the top of the food chain.

BLIZZARD

FRAME | Reynolds Heat-Treated Double Butted Custom Cro-Moly

SUSPENSION | Marzocchi Bomber Z2 Alloy Lite

WEIGHT (18.5")

Frame: 1.95 kg/4.3 lb.
Bike: 11.23kg/24.7 lb.



SRAM
RACING

Fast.

Forget NASCAR. Forget F1. This is the lightest most powerful drivetrain on the planet. SRAM shifters and derailleurs keep the power hooked up for ripping down trails and accelerating up the other side.

Light weight.

Advanced materials technology sets SRAM parts apart. Light weight composites make SRAM shifters, derailleurs, and brake levers lighter than anything else out there. High force return springs give lightning fast derailleur response while easy to use, bombproof shifters put the world at your fingertips.

Fririder approved.

Chosen by the Fririders, SRAM parts have been put through the ultimate torture test. Clean design, smooth lines, and fewer parts mean less down time and more air time.






*Frolosophy, the zen of being Fro
Its not about racing, its not
about spandex, its about wicked
rides and having fun. Pushing
the limits of sanity and hair gel,
the Fros are the ultimate test for
Rocky Mountain bikes. The goal
of the Fro is to find the funnest
way from point A to point B, not
the fastest. Go with the Fro.*



Rain lashes your skin. You can barely see. Slippery roots, rocks, logs ... mud. Welcome to another day of riding in B.C., the toughest, meanest place to ride and test a suspension bike. The Element race has been ridden and tortured here in every condition imaginable and has set new standards for durability and performance. Its back this year, lighter than ever.



(22.85)

FRAME | *Hand-built Easton Elite TaperWall*

SUSPENSION | *Marzocchi Bomber Z3 light / Fox Air Vanilla Float*

WEIGHT (18") | *Frame: 2.35 kg/5.2 lb. Bike: 12.23 kg/26.9 lb.*



Fox

Rear suspension is only as good as the shock that drives it.


Fox builds the most reliable, plushest rear shocks known to man. New for this year is the introduction of the revolutionary Fox Air Vanilla Float line of shocks. These air-sprung shocks give the same plush performance as a coil shock but at half the weight. Air Vanilla Floats feature an adjustable Air Spring with a self-adjusting Air Negative spring that really sucks up the bumps.



"Exceptional value for a virtually custom hand-built aluminum frame"

• **Mountain Bike Action.**

This light-weight performer is perfectly equipped to hit the race course or your favorite local trail. The best-selling Oxygen race continues the tradition of performance and incredible hand-built Rocky value. Pure Oxygen to fire up your ride.



FRAME | Hand-built Easton Elite TaperWall

SUSPENSION | Marzocchi Bomber Z4 Custom Alloy

WEIGHT (18.5") | Frame: 1.54 kg/3.4 lb.
Bike: 11.36 kg/25.0 lb.

OXYGEN RACE

HAMMER RACE



Ready for racing or for hard-core off-road riding, the Hammer race is a serious trail machine. No speed checks, the Hammer race gets a serious attitude adjustment with Reynolds 525 cold-drawn tubing and the same radically sloping top tube and frame geometry found on the high-end Blizzard. Hammer at will.



(8.0325)

(22.85)

FRAME | Reynolds 525
DB Custom cro-moly

SUSPENSION | Marzocchi Bomber Z4
Custom Alloy

WEIGHT (18.5") | Frame: 2.04 kg/4.5 lb.
Bike: 11.77 kg/25.9 lb.





SPICE

Have some fun in Spice world.
Push the limits. Take harsh lines. Sudden drops. No problem. The Spice uses the same hand-built frame as the Element race to give you serious performance, not serious skin grafts. Hand-built from scratch in our own factory, you'll be ready to rock, not bop.

(8.0325)



(22.85)

FRAME

Hand-built Easton Elite TaperWall

SUSPENSION

Marzocchi Bomber Z5 Air Light / Fox Vanilla coil-over-oil

WEIGHT (18")

*Frame: 2.49 kg/5.5 lb.
Bike: 12.72 kg/28.0 lb.*



Rocky Mountain Coatings

Continuous experimentation with incredibly durable and environmentally safe powder coats allow our team to pull off the hottest new looks in the industry. Raw powder is electrostatically adhered to each frame and baked at a controlled temperature to create an incredibly durable finish. Our incredibly detailed masking jobs are revolutionary, combining custom RMB two-coat metallics with solids in a four pass final finish. All this to make sure your bike will look great a long time after leaving the shop.



Cut through the trails, or shred the urban landscape. At the heart of the Vapor is the same Canadian-built frame as the Oxygen race and a Marzocchi Bomber fork for a killer ride at a killer price. Breeze through life, or Vaporize your competition.

VAPOR

FRAME | Hand-built Easton Elite TaperWall

SUSPENSION | Marzocchi Bomber Z5 Air Light

WEIGHT (18.5") | Frame: 1.54 kg/3.4 lb.
Bike: 11.82 kg/26.0 lb.



S O U L

Don't sell your Soul. Ride it.

The Soul blurs the lines between technical racing bikes and fun riding. The radically sloping top tube design comes from the bike's hard core West Coast roots, allowing you to launch your riding to the next level. Beat the devil with your Soul.

(8.0325)



(22.85)

FRAME | *RMB Butted Custom Cro-moly*

SUSPENSION | *Rock Shox Judy C*

WEIGHT (18") | *Frame: 2.08 kg/4.6 lb. Bike: 12.27 kg/27.0 lb.*

A long-time Rocky classic just got better. Born again with a radical new frame design, the Fusion is synergy between man and machine. Become one with the trail on your Fusion.

FRAME | RMB Butted
Custom Cro-Moly

SUSPENSION | Rock Shox
Jett T2

WEIGHT (18.5") | Frame: 2.08 kg/4.6 lb.
Bike: 12.50 kg/27.5 lb.



FRAME | RMB Butted
Custom Cro-Moly

SUSPENSION | Rock Shox
Jett XC

WEIGHT (18.5") | Frame: 2.08 kg/4.6 lb.
Bike: 12.36 kg/27.2 lb.

CARDIAC



FUSION



Named after a heart-busting climb in our local hills, the Cardiac has all the goods for your mountain biking adventures. Jumping logs or jamming the singletrack, the Cardiac is designed to be punished.

WHISTLER



Combining our classic mountain bike styling with road-friendly geometry, the Whistler is fully-equipped for trekking, commuting, or even the occasional venture off-road. The Whistler is ready for trips across the country, or just across town.

(B0325)



(22.85)

FRAME

RMB Tempered and Butted Cro-Moly

SUSPENSION

RMB Butted Custom Cro-Moly

WEIGHT (18")

*Frame: 2.09 kg/4.6 lb.
Bike: 12.27 kg/27.0 lb.*

Now you can have the best of both worlds. The Route 66 combines mountain bike durability with the light weight and comfort of a touring bike. Take a trip down Route 66.

FRAME | RMB Tempered
and Butted Cro-Moly

FORK | Tapered Cro-Moly
Custom Trekking

WEIGHT (18.5")

Frame: 2.09 kg/4.6 lb.
Bike: 12.04 kg/26.5 lb.



ROUTE 66 EURO
CLASSIC
SERIES

ROUTE 66

FRAME | RMB Tempered
and Butted Cro-Moly

FORK | Tapered Cro-Moly
Custom Trekking


WEIGHT (18.5")

Frame: 2.09 kg/4.6 lb.
Bike: 12.14 kg/26.7 lb.



Designed for a commute to work, or a tour through the Alps, the Route 66 Euro has the versatility of the standard Route 66 but with some nice upgraded parts. Enjoy the ride.

	ELEMENT T.O.	VERTEX T.O.	TURBO T.O.	INSTINCT	THIN AIR	TURBO	PIPELINE	BLIZZARD	ELEMENT RACE	OXYGEN RACE
FRAME	Easton Ultralite H.B.O. TaperWall	Easton Ultralite H.B.O. TaperWall	Easton SC7000 Scandium H.B.O.	Hand-built Easton H.B.O. TaperWall	Hand-built Easton H.B.O. TaperWall	Easton Ultralite H.B.O. TaperWall	Easton Custom DH Specific	Reynolds Heat Treated 725 Custom Cro-Moly	Hand-built Easton Elite TaperWall	Hand-built Easton Elite TaperWall
FORK	Marzocchi Super Fly	Marzocchi Super Fly	Time Equipe Pro Carbon	Marzocchi Z2 BAM	Marzocchi Z2 BAM	Time Sprint Carbon	Marzocchi Z1 Drop-Off	Marzocchi Z2 Alloy Lite	Marzocchi Z3 Light	Marzocchi Z4 Custom Alloy
REAR SHOCK	Fox Air Vanilla Float RC	N/A	N/A	Fox Air Vanilla Float R	N/A	N/A	Fox Vanilla R Coil Over	N/A	N/A	N/A
H / SET	Race Face Thermo SP	Race Face Thermo SP	Ritchey WCS 1" Ahead	Ritchey Needle Bearings	Ritchey Needle Bearings	Ritchey Expert 1" Ahead	Ritchey Expert	Ritchey Needle Bearings	Ritchey Expert	Ritchey Expert
STEM	Race Face SYstem 5	Race Face SYstem 5	ITM Big One Ahead	Race Face SYstem 15	Race Face SYstem 5	Road Control Reversible Ahead	Forged 17° Control Rise	Race Face SYstem 5	Forged 6° Race Rise	Forged 6° Race Rise
H / BARS	Race Face Air Carbon	Race Face Air Carbon	ITM Super Italia Pro	Race Face Air Alloy Riser	Race Face Air Alloy	ITM Super Europa Deluxe	RMB Phat Riser Bar	Race Face Air Alloy Riser	Double Butted XC Bar	Double Butted XC Bar
BRAKES / LEVERS	XTR V- Brakes XTR	XTR V- Brakes XTR	Dura-Ace	Formula MD1 Disks Avid 2.0L	Avid SD 25 XT V-Brake	Ultegra	Diatche Twin Cam 2 Avid SD 1.9TL	ESP 9.0 Avid SD 9.0	Avid SD 20 Avid SD 1.9L	Avid SD 20 Avid SD 1.9L
SHIFTING	XTR	XTR	Dura-Ace	LX 9 spd	XT 9 spd.	Ultegra	ESP 9.0 9 spd.	ESP 9.0 SL	LX 9 spd.	LX 9 spd.
FRONT / REAR DER.	XTR XTR 9 spd.	XTR XTR 9 spd.	Dura-Ace	XT 9 spd XT	XT XT 9 spd	Ultegra	LX ESP 9.0	XT ESP 9.0 SL	LX LX	LX LX
CRANKS & RINGS	Race Face Turbine LP 22-32-44t	Race Face Turbine LP 22-32-44t	Dura-Ace 39 - 53	Race Face Turbine LP 22-32-44t	Race Face Turbine LP 22-32-44t	Ultegra 39 - 53	LX 4 Arm 22-32-44t	Race Face Turbine LP 22-32-44t	LX 4 Arm 22-32-44t	LX 4 Arm 22-32-44t
B / B	Race Face Taperlock	Race Face Taperlock	Shimano Ultegra	Shimano 73 X 110	Shimano 73 X 110	Shimano 105	Shimano 73 X 110	Shimano 73 X 110	Shimano 73 X 110	Shimano 73 X 110
PEDALS	Time ATAC	Time ATAC	Not Included	RMB Expert XC Clipless	RMB Expert XC Clipless	Not Included	RMB Competition DH Clipless	RMB Expert XC Clipless	RMB Competition XC Clipless	RMB Competition XC Clipless
FRONT / REAR HUBS	XTR 28H XTR 9 spd. 32H	XTR 28H XTR 9 spd. 32H	Dura-Ace 24 - 28H Dura-Ace 28 - 32H	Formula Disk Formula Disk 9 spd.	XT XT 9 spd.	Ultegra 32H Ultegra 32H	Diatche Twin Cam 2	XT XT 9 spd.	LX LX 9 spd.	LX LX 9 spd.
COG-SET	XTR 9 spd. 12 - 34t	XTR 9 spd. 12 - 34t	Dura-Ace 12t - 23t	Shimano XT 9 spd. 11 - 32t	Shimano XT 9 spd. 11 - 32t	Ultegra 12t - 23t	Shimano 9 spd 11 - 32t	Shimano XT 9 spd. 11 - 32t	Shimano 9 spd 11 - 32t	Shimano 9 spd 11 - 32t
CHAIN	Shimano 9 spd.	Shimano 9 spd.	Dura-Ace	Shimano 9 spd.	Shimano 9 spd.	Ultegra	Shimano 9 spd.	Shimano 9 spd.	Shimano 9 spd.	Shimano 9 spd.
SPOKES	DT Competition	DT Competition	DT Competition	DT Champion Stainless	DT Competition	DT Champion	DT Champion Stainless	DT Competition	DT Champion Stainless	DT Champion Stainless
RIMS	Sun O Degree Lite	Sun O Degree Lite	Sun Venus TCB	Sun CR18 TCB Double Wall w/eyelets	Sun CR18 TCB Double Wall w/eyelets	Sun ME14A W/ABT	Sun CR18 ABT Double Wall w/eyelets	Sun CR18 TCB Double Wall w/eyelets	Sun CR18 Double Wall w/eyelets	Sun CR18 ABT Double Wall w/eyelets
TIRES	Geax Sedona 185 Kevlar	Geax Sedona 185 Kevlar	Vittoria Action HSD Kevlar	Geax Grid 200 Kevlar	Geax Grid 200 Kevlar	Vittoria Action HSD Kevlar	Michelin HOT 127 Kevlar	Geax Grid 200 Kevlar	Michelin Wildgripper 127 Kevlar	Michelin Wildgripper 127 Kevlar
S.POST	Race Face XY 400 X 26.8	Race Face XY 400 X 26.8	Ritchey WCS 400 X 26.8	Race Face XY 400 X 26.8	Race Face XY 400 X 26.8	Ritchey Expert 220 X 26.8	Alloy Expert 400 X 26.8	Race Face XY 400 X 26.8	Alloy Expert 400 X 26.8	Alloy Expert 400 X 26.8
SADDLE	Selle Italia Team Only Flite	Selle Italia Team Only Flite	Selle Italia Team Only Flite	SDG 7000 Titanium	SDG 7000 Titanium	Selle Italia Trimatic	Selle Italia XO	SDG 7000 Titanium	Selle Italia XO	Selle Italia XO



A Top Tube (horizontal)
B Frame Size
C Head Angle
D Seat Angle

	Frame 2.13kg/4.7lbs Bike 10.95kg/24lbs	Frame 1.31kg/2.9lbs Bike 10.23kg/22.5lbs	Frame 1.00kg/2.2lbs Bike 7.95kg/17.5lbs	Frame 2.35kg/5.2lbs Bike 12.05kg/26.5lbs	Frame 1.31kg/2.9lbs Bike 10.55kg/23.2lbs	Frame 1.2kg/2.6lbs Bike 8.45kg/18.5lbs	Frame 3.15kg/6.9lbs Bike 12.95kg/28.5lbs	Frame 1.95kg/4.3lbs Bike 11.23kg/24.7lbs	Frame 2.35kg/5.2lbs Bike 12.23kg/26.9lbs	Frame 1.54kg/3.4lbs Bike 11.36kg/25.0lbs
B	16.5" 18.0" 19.0" 20.5"	16.0" 17.5" 18.5" 19.5" 21.0"	48cm 51cm 54cm 57cm 60cm	16.5" 18.0" 19.0" 20.5"	16.0" 17.5" 18.5" 19.5" 21.0"	48cm 51cm 54cm 57cm 60cm	16.5" 18.0" 19.5"	14.5" 16.0" 17.5" 18.5" 19.5" 21.0"	16.5" 18.0" 19.0" 20.5"	14.5" 16.0" 17.5" 18.5" 19.5" 21.0"
C	71° 71° 71° 71°	70.5° 71° 71° 71° 71°	73° 73° 73.5° 73.5° 74°	71° 71° 71° 71°	70.5° 71° 71° 71° 71°	73° 73° 73.5° 74°	74° 73° 73.5° 74°	70.5° 71° 71° 71° 71° 71° 71° 71° 71°	70° 70.5° 70.5° 70.5° 70.5° 70.5°	70° 70.5° 70.5° 70.5° 70.5° 70.5°
D	74° 73.5° 73.5° 73°	74° 73.5° 73° 73° 72.5°	74° 74° 73.5° 73° 72.5°	74.0° 73.5° 73.5° 73.0°	74° 73.5° 73° 73° 72.5°	74° 74° 73.5° 73° 72.5°	74° 73.5° 73°	74.5° 74° 73.5° 73° 73° 72.5°	74° 73.5° 73.5° 73°	74.5° 74° 73.5° 73° 73° 72.5°
A	545 580 595 615	535 565 585 600 620	510 530 550 570 585	545 580 595 615	535 565 585 600 620	510 530 550 570 585 557 590 615	525 540 565 580 595 610	545 580 595 615	525 540 560 575 590 610	

NOTE: Frame size/seat tube dimensions are center-to-top on all models.
* Except Road Frames.

HAMMER RACE	SPICE	VAPOR	SOUL	FUSION	CARDIAC RIGID	CARDIAC SUSP.	WHISTLER	ROUTE 66 Euro	ROUTE 66
Reynolds 525 Double Butted Custom Cro-Moly	Hand-built Easton Elite Taperwall	Hand-built Easton Elite Taperwall	RMB Butted Custom Cro-Moly	RMB Butted Custom Cro-Moly	RMB Butted Custom Cro-Moly	RMB Butted Custom Cro-Moly	RMB Butted Custom Cro-Moly	RMB Custom Cro-Moly	RMB Custom Butted Cro-Moly
Marzocchi Z4 Custom Alloy	Marzocchi Z5 Air Light	Marzocchi Z5 Air Light	Rock Shox Judy C	Rock Shox Jett XC	RMB Tapered CroMo	Rock Shox Jett T2	Tapered Cro-Moly Custom Trekking	Tapered Cro-Moly Custom Trekking	Tapered Cro-Moly Custom Trekking
N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Ritchey Expert	Ritchey Logic	Ritchey Logic	Ritchey Logic	Ritchey Logic	Ritchey Logic	Ritchey Logic	Ritchey Logic	Ritchey Logic	Ritchey Logic
Forged 6° Race Rise	Forged 17° Control Rise	Forged 17° Control Rise	Forged 17° Control Rise	Forged 17° Control Rise	Forged 17° Control Rise	Forged 17° Control Rise	Forged 40° Comfort Rise	Forged 40° Comfort Rise	Forged 40° Comfort Rise
Double Butted XC Bar	Butted Alloy Riser	Butted Alloy Riser	Butted Alloy Riser	Butted Alloy Riser	Butted Alloy	Butted Alloy	Butted Alloy	Butted Alloy	Butted Alloy
Avid SD 20 Avid SD 1.9TL	2 Finger Linear Pull	2 Finger Linear Pull	2 Finger Linear Pull	3 Finger Linear Pull	3 Finger Linear Pull	3 Finger Linear Pull	3 Finger Linear Pull	Avid SD 1.9L	3 Finger Linear Pull
ESP 9.0 or LX 9 spd.	STX RC	STX RC	STX RC	ESP 7.0	Alivio	Alivio	ESP 5.0	STX RC	ESP 7.0
LX ESP 9.0 or LX	STX RC LX	STX RC LX	STX RC LX	Alivio ESP 7.0	Alivio Alivio	Alivio Alivio	Alivio ESP 5.0	STX RC LX	STX RC ESP 7.0
LX 4 Arm or Race Face 22-32-44t	Alivio 4 Arm 22-32-44t	Alivio 4 Arm 22-32-44t	Alivio 4 Arm 22-32-44t	Cyclone 4 Arm 22-32-42t	Cyclone 4 Arm 22-32-42t	Cyclone 4 Arm 22-32-42t	Cyclone 4 Arm 22-32-42t	STX RC 4 Arm 22-32-44t	STX RC 4 Arm 22-32-44t
Shimano 73 X 110	Shimano 73 X 110	Shimano 73 X 110	Shimano 73 X 110	Shimano 73 X 110	Shimano 73 X 110	Shimano 73 X 110	Shimano 73 X 110	Shimano 73 X 110	Shimano 73 X 110
RMB Competition XC Clepsless	Alloy Sport Pedals w/clips	Alloy Sport Pedals w/clips	Alloy Sport Pedals w/clips	Alloy Sport Pedals w/clips	Alloy Sport Pedals w/clips	Alloy Sport Pedals w/clips	Alloy Sport Pedals w/clips	Alloy Sport Pedals w/clips	Alloy Sport Pedals w/clips
LX 9 spd.	STX RC STX RC	STX RC STX RC	STX RC STX RC	Acera STX RC	Acera Alivio	Acera Alivio	Acera Alivio	STX RC STX RC	Alivio STX RC
Shimano 9 spd 11 - 32t	Shimano 8 spd 11 - 30t	Shimano 8 spd 11 - 30t	Shimano 8 spd 11 - 30t	Shimano 8 spd 11 - 30t	Shimano 8 spd 11 - 30t	Shimano 8 spd 11 - 30t	Shimano 8 spd 11 - 30t	Shimano 8 spd 11 - 30t	Shimano 8 spd 11 - 30t
Shimano 9 spd.	SACHS Power Chain	SACHS Power Chain	SACHS Power Chain	SACHS Power Chain	SACHS Power Chain	SACHS Power Chain	SACHS Power Chain	SACHS Power Chain	SACHS Power Chain
DT Champion Stainless	DT Champion Stainless	DT Champion Stainless	DT Champion Stainless	DT Champion Stainless	DT Champion Stainless	DT Champion Stainless	DT Champion Stainless	DT Champion Stainless	DT Champion Stainless
Sun CR18 Double Wall w/eyelets	Sun CR18 Double Wall w/eyelets	Sun CR18 Double Wall w/eyelets	Sun CR18 Double Wall w/eyelets	Sun CR18 Double Wall w/eyelets	Sun CR18 Double Wall w/eyelets	Sun CR18 Double Wall w/eyelets	Sun CR18 Double Wall w/eyelets	Sun CR18 Double Wall w/eyelets	Sun CR18 Double Wall w/eyelets
Michelin Wildgripper 127 Kevlar	Michelin X Sport 66 Kevlar	Michelin X Sport 66 Kevlar	Michelin X Sport 66 Kevlar	Michelin X Sport	Michelin X Sport	Michelin X Sport	Michelin Idilyts	Michelin Wildgripper Rock	Michelin Idilyts
Alloy Expert 400 X 26.8	Alloy Expert Micro adjust 400 X 26.8	Alloy Expert Micro adjust 400 X 26.8	Alloy Expert Micro adjust 400 X 26.8	Alloy Sport Micro adjust 400 X 26.8	Alloy Sport Micro adjust 400 X 26.8	Alloy Sport Micro adjust 400 X 26.8	Alloy Sport Micro adjust 400 X 26.8	Alloy Sport Micro adjust 400 X 26.8	Alloy Sport Micro adjust 400 X 26.8
Selle Italia XO	Selle Italia Nitrox PD	Selle Italia Nitrox PD	Selle Italia Nitrox PD	Selle Italia Nitrox PD	Selle Italia Nitrox PD	Selle Italia Nitrox PD	Selle Italia Avant Garde	Selle Italia Avant Garde	Selle Italia Avant Garde
Frame 2.04kg/4.5lbs Bike 11.77 kg/25.9lbs	Frame 2.49kg/5.5lbs Bike 12.72kg/28.0lbs	Frame 1.54kg/3.4lbs Bike 11.82kg/26.0lbs	Frame 2.08kg/4.6lbs Bike 12.27kg/27.0lbs	Frame 2.08kg/4.6lbs Bike 12.36kg/27.0lbs	Frame 2.08kg/4.6lbs Bike 12.50kg/27.5lbs	Frame 2.08kg/4.6lbs Bike 12.50kg/27.5lbs	Frame 2.09kg/4.6lbs Bike 12.27kg/27.0lbs	Frame 2.09kg/4.6lbs Bike 12.04kg/26.5lbs	Frame 2.09kg/4.6lbs Bike 12.14kg/26.7lbs
14.5" 16.0" 17.5" 18.5" 19.5" 21.0"	16.5" 18.0" 19.0" 20.5"	14.5" 16.0" 17.5" 18.5" 19.5" 21.0"	14.5" 16.0" 17.5" 18.5" 19.5" 21.0"	14.5" 16.0" 17.5" 18.5" 19.5" 21.0"	14.5" 16.0" 17.5" 18.5" 19.5" 21.0"	14.5" 16.0" 17.5" 18.5" 19.5" 21.0"	17.5" 18.5" 19.5" 21.0" 22.5"	17.5" 18.5" 19.5" 21.0" 22.5"	17.5" 18.5" 19.5" 21.0" 22.5"
70.5 71 71 71 71 71 71	70 70.5 70.5 70.5 70.5 70.5	70 70 70.5 70.5 70.5 70.5	70 70 70.5 70.5 70.5 70.5	70 70 70.5 70.5 70.5 70.5	70 70 70.5 70.5 70.5 70.5	70 70 70.5 70.5 70.5 70.5	70.5 71.0 71.0 71.0 71.5	70.5 71 70.5 71 71.5	70.5 71 70.5 71 71.5
74.5 74 73.5 73 73 72.5	74 73.5 73.5 73	74.5 74 73.5 73 73 72.5	74.5 74 73.5 73 73 72.5	74.5 74 73.5 73 73 72.5	74.5 74 73.5 73 73 72.5	74.5 74 73.5 73 73 72.5	72.5 72 73.5 71.5 71	72.5 72 72 71.5 71.0	72.5 72 73.5 71.5 71
525 540 555 580 595 610	545 580 595 615	525 540 560 575 590 610	525 540 555 565 575 590	525 540 555 565 575 590	525 540 555 565 575 590	525 540 555 565 575 590	550 560 555 580 595	550 560 570 580 595	550 560 555 580 595



ROCKY MOUNTAIN DISTRIBUTORS



1 9 9 9

Austria	Techno Trade Guni GmbH 43-7242-60407 www.guni.co.at
Benelux	Filip Sport 32-2657-3733
Czech Republic	Ski-Velo Servis Kubecka 420-653-213549 velo@idp.cz
Denmark	Bike Toyz 45-8612-5931 biketoyz@email.dk
Germany	bike action GmbH 49-6071-92340 service@bikeaction.de
Italy	DSB Di Davide Bonancrini 39-3552-7006 dabonand@tin.it
Japan	A & F Corporation 81-33209-7575 info@aandf.co.jp
New Zealand	Sportive Agencies 64-3348-972593 markrmb@compuserve.com
Norway	Solve Weum "Quality" 47-9434-2327
Singapore	LeaseMaster 65-266-3331
Spain	Techtools S.L. 34-93 406-9222 techtools@mx3.redestb.es
Switzerland	Chris Sports Systems 41-5235-51484 chrissports@access.ch
UK	Maple Project 44-1403-273988 paul@mapleproject.demon.co.uk

For countries not listed, please contact RMB Canada

1322 Cliveden Avenue
Delta, BC Canada V3M 6G4
Telephone 604-527-9993
Fax 604-527-9977
Internet: www.bikes.com

As we are constantly striving to build our bicycles better each and every day, specifications are subject to change without notice.

Design: Scott Schneider Photography: Jay Dear, Scott Markewitz, Dave Heath, Hirouki Kaijo Digital: True Colors Print: Hemlock