


SCOTT[®]

SPORT SPIRIT ADVENTURE
BICYCLES AND ACCESSORIES 2000



ENDURO > G-ZERO FX-1

RAHMEN	Alloy 7005 (T4/T6) / Double butted tubing with Scott D/out for Disc
GABEL	Rock-Shox Judy-Race / Rear: Scott Comp-EX
KOMPONENTEN	Shimano XT RD-M-750 / 27-Speed
REIFENSATZ	Mavic X-223 / IRC Back-Country



ENDURO > G-ZERO FX-2

RAHMEN	Alloy 7005 (T4/T6) / Double butted tubing with Scott D/out for Disc
GABEL	RST Gamma TL / Adjust / Rear: Scott Comp-EX
KOMPONENTEN	Shimano Deore RD-M510 / 27-Speed
REIFENSATZ	Alesa ZAC-19 / IRC Mythos XC

ENDURO > G-ZERO FX-25

RAHMEN	Alloy 7005 (T4/T6) Double butted tubing with Scott D/out for Disc
GABEL	Manitou SX-LT / Rear: Scott Comp-EX
KOMPONENTEN	Shimano XT RD-M-750 / 27-Speed
RADESATZ	Mavic X-221 / IRC Back-Country



ENDURO

SERIES



Wenn wir von Freeriding sprechen, meinen wir nicht mehr nur einfach Bikes mit langem Federweg, denn wir haben Freeriding an neue Grenzen geführt. Freeriding bedeutet für uns die Überwindung der Schwerkraft und der Beweis dafür heisst G-Zero. Unsere erfolgreichen G-Zero Cross-Country-Bikes sind die Basis der neuen G-Zero FX Modelle. Sie bieten einen extrem leichten oversized Hauptrahmen mit 110 mm Federweg und einen optimal positionierten Drehpunkt, welcher für effiziente Klettereigenschaften sorgt. Wir sind schon ziemlich stolz darauf, dass diese Bikes mit zu den leichtesten Freeride-Rahmen der Industrie gehören! Wenn Du also nach einem leichten, komfortablen Fullsuspension Bike suchst, dann bist Du mit den G-Zero Enduros perfekt bedient!



"LA RAVENE A MALHEUR"

ENDURO

ENDURO
SERIES

ENDURO > DH FRAME



ENDURO > G-ZERO FX-3



RAHMEN	Alloy 7005 (T4/T6) / Double butted tubing with Scott D/out for Disc
GABEL	RST-381-TL / Adjust / Rear: Scott Comp-EX
KOMPONENTEN	Shimano Deore RD-M510 / 24-Speed
RADESATZ	Alesa ZAC-19 / IRC Mythos XC

Freeriding am Limit. Speed bis zum Abwinken. Das brandneue Octane wurde so ausgelegt dass selbst die hartgekochtesten Freerider Ihre Grenzen neu ausloten können. Der verstellbarer Lenkwinkel so wie auf unseren Weltcup Downhillmaschinen oder einer der 3 Federweg Optionen machen diesen ultimativen Freerider sogar zur Downhillwaffe. Bis 160 mm Federweg sind möglich und dies mit einem optimierten Drehpunkt sodass sogar ein leichtes Bergauffahren möglich wird.



ENDURO > OCTANE

RAHMEN	Alloy 7005 (T4/T6) / Double butted tubing with Scott D/out for Disc
GABEL	Manitou X-Vert DC / Rear: Scott Comp-EX
KOMPONENTEN	Shimano LX RD-M-570 / 27-Speed
REIFENSATZ	Mavic X-321 / IRC EL-Gato

Intoxica heisst die Synthese zwischen Design und Performance! Das neue Intoxica mit optimiertem Drehpunkt und noch leichterem Gewicht lässt einen frei wählbaren Federweg, einstellbaren Sitz- und sogar Steuerwinkel zu, damit auch wirklich jeder sein persönliches Setup finden kann.



ENDURO > INTOXICA

RAHMEN	Intoxica Thermobrid mono-coque system with 7005 DBT swingarm
GABEL	Rock-Shox SID-XC / Rear: SID-Adjust
KOMPONENTEN	Shimano XT RD-M-750 / 27-Speed
REIFENSATZ	Mavic X-223 / IRC Bach-Country

ENDURO
SERIES

RACING



RACING



RACING > G-ZERO WC

RAHMEN	Alloy 7005 (T4/T6) / Double butted SL tubing with Scott D/out for Disc
GABEL	Rock-Shox SID-SL / Rear: RS SID-Adjust
KOMPONENTEN	Shimano XTR RD-M-952 / 27-Speed
ABSATZ	Mavic X-317 / Michelin Comp-S



Eigentlich sind SCOTT's vollgefederte Racing-Bikes immer noch ein wenig unsere Babies und doch sind sie schon echte Superstars! Unsere Racer würden diese Bikes nicht in den Rennen einsetzen, hätten sie die leisesten Zweifel an deren Leistung. Unzählige Stunden haben sie daran mitgearbeitet, eine optimale Geometrie, eine ausgewogene Balance und ein perfektes Fahrverhalten zu bestimmen... und jetzt weihen sie auch Dich in das Geheimnis ihres Erfolges ein. Vollgefederte G-Zero Cross-Country Bikes sind für Rennfahrer und Marathonfreaks gebaut. Das Cross-Country-Modell ist noch leichter als die G-Zero FX Version, bietet einen 85 mm langen, ausgewogenen Federweg und beste Lenkpräzision, dank der optimalen Drehpunktpositionierung. Das Resultat: Effizienteste Kraftübertragung beim Bergauffahren und ein perfektes Handling bei High-Speed-Downhills.



RACING > G-ZERO PRO

RAHMEN	Alloy 7005 (T4/T6) / Double butted SL tubing with Scott D/out for Disc
GABEL	Rock-Shox SID-SL / Rear: RS SID-Adjust
KOMPONENTEN	Shimano XTR RD-M-952 / 27-Speed
RADESATZ	Mavic X-221 / IRC Mythos XC



RACING > G-ZERO TEAM

RAHMEN	Alloy 7005 (T4/T6) / Double butted SL tubing with Scott D/out for Disc
GABEL	Rock-Shox Judy-Race / Rear: RS Deluxe Adjust
KOMPONENTEN	Shimano XT RD-M-750 / 27-Speed
RADESATZ	Mavic X-221 / Michelin Comp-S





RAHMEN | Endorphin Thermobrid Carbon monocoque with AVS System
GABEL | RockShox SID-Race Race Air system
KOMPONENTEN | Shimano XTR RD-M-952 / 27-Speed
REIFENSATZ | R: Mavic X-517 / F: X-317 / Michelin Comp-S



RACING > PRO RACING WC

RACING

HARDTAILS

Du stehst Deine/n Mann/Frau.. und Du entscheidest, was Du fährst. Du hörst nicht auf die selbsternannten Experten, die Dir weis machen wollen "nur vollgefedert fährst Du richtig!". Wenn Du auf Deinem Bike sitzt, dann lust Du es auf Deine Art: Leicht, effizient und hardtail. Genau so wie DU willst. Unsere verbesserten Endorphin Modelle sind mit einer neuen Thermobrid Matrix konstruiert, die leichter ist als jemals zuvor. Die Frontseite dieser Rennmaschinen haben wir unlackiert belassen, damit die Schönheit der rohen Carbonstruktur sichtbar bleibt.



RAHMEN | Endorphin Thermobrid Carbon monocoque with AVS System
GABEL | Rock-Shox SID-XC Hydra-Air Technology
KOMPONENTEN | Shimano XTR RD-M-952 / 27-Speed
REIFENSATZ | Mavic X-221 / IRC Mythos XC


RACING > PRO RACING

A propos "roh": Sieh Dir doch mal unsere wunderschönen, handgefertigten Racing-Rahmen aus Aluminium an! Das polierte Aluminium sorgt für den Factory-Racing Look unserer Team- und Comp-Versionen. Und weil es mit nur oberflächlicher Schönheit nicht getan ist, sind die ganzen Rahmen mehrfach konifiziert und die Details sind feinstens abgestimmt, um eine noch bessere Leistung bei geringstem Gewicht zu garantieren. Nur das Beste ist gut genug für Dich – denn Du bist ein Hardtail-Rider!



RAHMEN Alloy 7005 (T4/T6) Bi-Axial / Triple Butted-Tubing Scott D/out for Disc
GABEL Rock-Shox Judy-Race H-Coil System
KOMPONENTEN Shimano XT RD-M-750 / 27-Speed
RAHRSATZ Mavic X-223 Black / IRC Mythos XC

RACING > TEAM RACING LIMITED



RACING II
SERIES

RACING > TEAM RACING



RAHMEN Alloy 7005 (T4/T6) Bi-Axial / Tripple Butted-Tubing / Scott D/out for Disc
GABEL Rock-Shox Judy-SL H-Coil System
KOMPONENTEN Shimano XT RD-M-750 / 27-Speed
RAHRSATZ WTB Speed Disc / IRC Mythos XC

RAHMEN Alloy 7005 (T4/T6) / Bi-Axial / Tripple Butted-Tubing / Scott D/out for Disc
GABEL Rock-Shox Judy-SL H-Coil System
KOMPONENTEN Shimano XT RD-M-750 / 27-Speed
RAHRSATZ Alesa ZAC-19 Alloy / IRC Mythos XC

RACING > COMP RACING






SPORT > VAIL

RAHMEN
GABEL
KOMPONENTEN
REIFENSATZ

Alloy 7005 (T4/T6) / Bi-Axial PG-Tubing Scott D/out
Manitou Magnum Coil & MCU
Shimano Deore RD-M510 / 27-Speed
Alesa ZAC-19 / IRC Mythos XC



"SAVANNAH"



SPORT > BOULDER

RAHMEN
GABEL
KOMPONENTEN
REIFENSATZ

Alloy 7005 (T4/T6) / Bi-Axial D-Butted Tubing
Scott D/out
Manitou Magnum-R Coil & MCU
Shimano Deore LX RD-M-570 / 27-Speed
Alesa ZAC-19 Alloy / IRC Mythos XC



SPORT > TAMPICO

RAHMEN	Alloy 7005 (T4/T6) / Bi-Axial PG-Tubing Scott D/out
GABEL	RST-281 TL Coil / Spring
KOMPONENTEN	Shimano Deore RD-M510 / 27-Speed
RAHRSATZ	Alesa ZRC-19 Alloy / IRC Mythos XC

SPORT > YECORA

RAHMEN	Alloy 7005 (T4/T6) / Bi-Axial PG-Tubing Scott D/out
GABEL	RST-281 EL Coil / Spring 63mm
KOMPONENTEN	Shimano Alivio RD-MC18 / 24-Speed
RAHRSATZ	Alex AI-AP18 / MTB type

SPORT

SCOTT
SPORT

'SAVANNAH'

Die Bikes der legendären Scott Sport-Serie sind im Jahr 2000 besser als je zuvor: Die biaxialen Rohre sind verwindungssteifer und wiegen weniger denn je. Die konifizierte Version bietet maximale Gewichtersparnis, und durchdachte Rahmendetails sorgen für eine optimale Leistung. Nur leichtestes, im T4 und T6 Verfahren doppelt gehärtetes Aluminium ist gut genug für diese Rahmensätze. Externe Unterrohrverstärkungsplatten garantieren Langlebigkeit und ein präzises Lenkverhalten. Feinste Materialien kombiniert mit der race-orientierten SCOTT-Geometrie und Federgabeln, mit bestem Ansprechverhalten resultieren in einem Maximum an Leistung und Komfort. Und schon beim ersten Bikeride wirst Du erleben, was Mountain-Biking wirklich ist.



SOLUTION > NAVAJO

RAHMEN	Alloy 7005 (T4/T6) / Bi-Axial PG-Tubing Scott D/out
GABEL	Rock-Shox Jett MCU
KOMPONENTEN	Shimano Deore RD-M510 / 27-Speed
RAHRSATZ	Alesa ZAC-19 Alloy / IRC Mythos XC (Slick)



SOLUTION > TACANA

RAHMEN	Alloy 7005 (T4/T6) / Bi-Axial D-Buffed Tubing Scott D/out
GABEL	Rock-Shox Jett-Race HCoil & Spring System
KOMPONENTEN	Shimano XT RD-M750 / 27-Speed
RAHRSATZ	Alesa ZAC-19 Alloy / IRC Mythos XC (Slick)



"PISCINE SOUFFLE D'ARBONE"



SOLUTION > KOKOMO

RAHMEN	Alloy 7005 (T4/T6) / Bi-Axial PG-Tubing Scott D/out
GABEL	RST-281 TL Coil / Spring
KOMPONENTEN	Shimano Alivio RD-MC18 / 24-Speed
REIFENSATZ	Alesa ZAC-19 Alloy / IRC Mythos XC (Slick)



SOLUTION

Am Wichtigsten ist für komfortables und effizientes Mountain-Biking die richtige Passform des Bikes. Wenn Dich herkömmliche Bike-Größen nicht befriedigen, dann haben wir hier die Lösung. Die Solution Serie bietet Rahmengrößen, welche nicht nur kleiner, sondern proportional angepasst sind. Nur so kann eine optimale Passform garantiert werden, ohne die Leistung der Geometrie zu beeinflussen. Die optimale Passform sorgt für eine effiziente Kraftübertragung und nur so fühlst Du Dich gut auf Deinem Bike. So einfach ist das. In dieser Saison verwenden wir biaxiale Rohre, die die Verwindungssteifigkeit erhöhen. Das Topmodell Tacana bietet einen konifizierten Reifensatz, welcher für noch leichteres Gewicht sorgt. Egal welches der Modelle Du auswählst, wir liefern Dir das gesamte leistungsstarke SCOTT-Paket. Schau Dir doch nur mal die Spezifikationen der SCOTT Solution-Bikes an – bleiben bei diesen Komponenten noch Wünsche unerfüllt?


SOLUTION > TIGUR

RAHMEN	Alloy 7005 (T4/T6) / Bi-Axial PG-Tubing Scott D/out
GABEL	Hi-Ten Fork Thread-Steerer Tube
KOMPONENTEN	Shimano Acera RD-M330 / 24-Speed
REIFENSATZ	Alex AI-AP18 Alloy / MTB / S-Slick Type





ADVENTURE



Fährst Du aus Freiheitsdrang, Entdeckungsfreude oder Abenteuerlust Rad? Aus jedem dieser Gründe? Dein Bike kann Dich überall hinbringen, egal ob zum Café um die Ecke oder um die ganze Welt. Und diese Grenzenlosigkeit macht die Faszination und Schönheit des Radfahrens aus. Träumst Du von einem Trip nach Moab? Kein Problem, denn Du findest keinen willigeren Partner als ein Bike der SCOTT Adventure-Serie (warum sonst tragen diese Bikes wohl ihren Namen?). Dieses Jahr bieten die Räder der Adventure-Serie rennerprobte biaxiale Rohre, die für unübertroffene Leistung, Gewichtsersparnis und einen race-orientierten Look sorgen. Also, wann immer Du für Dein grosses Abenteuer bereit bist, wir haben das perfekte Bike dafür!

ADVENTURE > PURGATORY



RAHMEN	Alloy 7005 (T4/T6) / Bi-Axial PG-Tubing Scott D/out
GABEL	RST-281 EL Coil / Spring 63mm
KOMPONENTEN	Shimano Acera RD-M330 / 24-Speed
REIFENSATZ	Alex X-606 Alloy / MTB type



ADVENTURE > PEAK

RAHMEN | Oversize MTB / Bi-Axial / Cr-Mo tubing
GABEL | Top-Gun 006 Coil / Spring 65mm
KOMPONENTEN | Shimano Acera RD-M330 / 24-Speed
RAHRSATZ | Alex X-606 Alloy / MTB type



ADVENTURE  SERIES

ADVENTURE > ROCKWOOD

RAHMEN | Oversize MTB Bi-Axial
 Cr-Mo tubing
GABEL | Hi-Ten Fork Thread-Steerer Tube
KOMPONENTEN | Shimano Acera RD-M330 / 24-Speed
RAHRSATZ | Alex X-606 Alloy / MTB type



Also available in equipped version

RAHMEN | Oversize MTB Bi-Axial
 Cr-Mo tubing
GABEL | Hi-Ten Fork Thread-Steerer Tube
KOMPONENTEN | Shimano TY-40 / 21-Speed
RAHRSATZ | Alex X-606 Alloy / MTB type



ADVENTURE > TIMBER

Model	G-Zero FX-1	G-Zero FX-2S	G-Zero FX-2	G-Zero FX-3	Octane	Intoxica	G-Zero WC	G-Zero Pro	G-Zero Team	Pro Racing WC	Pro Racing
Rahmen	Alloy 7005 (14/16) Double butted tubing w/Scott D/out for Disc	Alloy 7005 (14/16) Double butted tubing w/Scott D/out for Disc	Alloy 7005 (14/16) All Sizes= 90mm Rear: Scott Comp-EX	Alloy 7005 (14/16) All Sizes= 90mm Rear: Scott Comp-EX	Alloy 7005 (14/16) Double butted tubing w/Scott D/out for Disc	Systemolite monocoque system w/ 7005 D.B.T swingarm	Alloy 7005 (14/16) Double butted SL tubing w/Scott D/out for Disc	Alloy 7005 (14/16) Double butted SL tubing w/Scott D/out for Disc	Alloy 7005 (14/16) Double butted SL tubing w/Scott D/out for Disc	Endorphin Teamolite Carbon monocoque w/ AWS System	Endorphin Teamolite Carbon monocoque w/ AWS System
Gabel	Rock-Shox Judy-Race All Sizes= 100mm Rear: Scott Comp-EX	Manitou SX-LT All Sizes= 100mm Rear: Scott Comp-EX	RST Gamma TL / Adj. All Sizes= 90mm Rear: Scott Comp-EX	RST-381-TL / Adjust. All Sizes= 90mm Rear: Scott Comp-EX	Manitou X-Vert DC All Sizes = 120mm Rear: Scott Comp-EX	Rock-Shox SID-XC All Sizes = 100mm Rear: SID-Adjust	Rock-Shox SID-SL All Sizes= 80mm Rear: RS SID-Adjust	Rock-Shox SID-SL All Sizes= 80mm Rear: RS SID-Adjust	Rock-Shox Judy-Race Race Air system 63 mm / Adj. nois	RockShox SID-Race Race Air system 63 mm / Adj. nois	Rock-Shox SID-XC Hydra-Air Technology 80 mm / Adj. nois
Kettenw/ler	Shimano XT RD-M-75 / 27-Speed Shimano LX	Shimano XT RD-M-750 / 27-Speed Shimano LX	Shimano Deore RD-M510 / 27-Speed Shimano Deore	Shimano Deore RD-M510 / 24-Speed Shimano STX-RC	Shimano LX RD-M-570 / 27-Speed Shimano LX	Shimano XT RD-M-750 / 27-Speed Shimano XT	Shimano XTR RD-M-952 / 27-Speed Shimano XTR	Shimano XTR RD-M-952 / 27-Speed Shimano XTR	Shimano XT RD-M-750 / 27-Speed Shimano LX	Shimano XTR RD-M-952 / 27-Speed Shimano XTR	Shimano XTR RD-M-952 / 27-Speed Shimano XTR
Schallhebel	Shimano Deore LX RF-fre SL w/gear indicator	Shimano Deore RF-fre plus w/gear indicator	Shimano Deore RF-fre plus w/gear indicator	Shimano Alivio RF-fre plus w/gear indicator	Shimano Deore RF-fre plus w/gear indicator	Shimano Deore XT RF-fre SL w/gear indicator	Shimano XTR RF-fre Plus w/gear indicator	Shimano Deore XT RF-fre Plus w/gear indicator	Shimano Deore LX RF-fre Plus w/gear indicator	Shimano Deore XTR RF-fre ST / SL w/gear indicator	Shimano Deore XT RF-fre ST w/gear indicator
Bremsen	Magura Louise Fully Hydraulic Disc	Avid Arch Rival 40 V-Brake	Avid 1D-10 V-Brake	Shimano BR-M420 V-Brakes	Magura Clara Fully Hydraulic Disc	Magura Louise Fully Hydraulic Disc	Shimano M-755-Disc Full Hydraulic D-Brake	Avid 1D-25-Magnesium V-Brakes	Avid Arch Rival 40 V-Brake	Rear: Shimano XTR V-Brake Front: Shimano XT-Disc Shimano Deore XTR FC-MC952-4 24x34x46 T 4-arm	Shimano XT V-Brake
Kurbelsatz	Shimano Deore LX FC-MC570 22x32x44 T 4-arm	Shimano Deore LX FC-MC570 22x32x44 T 4-arm	Shimano Deore FC-M510 24x34x44 T	Shimano Alivio FC-MC18 24x34x42 T	Shimano Deore LX FC-MC570 22x32x44 T 4-arm	Shimano Deore XT FC-MC751-4 22x32x44 T 4-arm	Shimano Deore XTR FC-MC952-4 24x34x46 T 4-arm	Shimano Deore XT FC-MC751-4 22x32x44 T 4-arm	Shimano Deore LX FC-MC571-4 22x32x44 T 4-arm	Shimano Deore XTR FC-MC952-4 24x34x46 T 4-arm	Shimano Deore XT FC-MC751-4 22x32x44 T 4-arm
Tretlager	Shimano Cartridge	Shimano Cartridge	Shimano Cartridge	Cartridge Type	Shimano Cartridge	Shimano BB-ES-70	Shimano BB-M952 / Spine	Shimano BB-ES-70 / Spine	Shimano BB-ES-70 / Spine	Shimano BB-M952 / Spine	Shimano BB-ES-70 / Spine
Lenker	Scott Octane Alloy Uprise 620 mm	Scott Octane Alloy Uprise 620 mm	Scott Octane Alloy Uprise 620 mm	Scott Octane Alloy Uprise 620 mm	Scott Octane Alloy Uprise 620 mm	Scott Octane Team D.B.T Uprise 620 mm	Scott Hot-Rod / Alloy D.B 580 mm w/Alloy Bar Ends	Scott Hot-Rod / Alloy D.B 580 mm w/Alloy Bar Ends	Scott X-Rod / Alloy D.B 580 mm w/Alloy Bar Ends	Scott Hot-Rod / Alloy D.B 580 mm w/Alloy Bar Ends	Scott X-Rod / Alloy D.B 580 mm w/Alloy Bar Ends
Pedale	Scott Freeride Clipless pedal	Scott Freeride Clipless pedal	Wellgo Alloy	Wellgo Steel	Scott Freeride Clipless pedal	Scott Freeride Clipless pedal	Scott Tuned Clipless pedal	Scott Tuned Clipless pedal	Scott Tuned Clipless pedal	Scott Tuned Clipless pedal	Scott "Tuned" Clipless pedal
Sattel	Scott MX Design	Scott MX Design	Scott MX Design	Scott MX Design	Tioga XL	Scott MX Design	Selle Italia Flite	Scott Race	Scott Race	Selle Italia "Flite"	Scott Race
Naben vo/hi	Disc- Pro Magura	Shimano LX	Ritchey Comp w/Alloy QR	Alloy w/Steel QR Shimano Alivio	Disc- Pro Magura	Disc- Pro Magura	DT-Swiss Onyx-Disc 32H	DT-Swiss Onyx 32H	Shimano LX	DT-Hugi-240 -Disc DT-Hugi-240	Shimano XT Shimano XT
Cassette	Shimano CS-HG70-9 11-32 T	Shimano CS-HG50-9 11-32 T	Shimano CS-HG50-9 11-32 T	Shimano CS-HG50-8 11-30 T	Shimano CS-HG50-9 11-32 T	Shimano CS-HG750-9 11-32 T	Shimano CS-M952 11-34 T	Shimano CS-HG750-9 11-32 T	Shimano CS-HG70-9 11-32 T	Shimano CS-M952 12-34 T	Shimano CS-HG750-9 11-32 T
Speichen	15 G Champion Black	15 G Stainless Black	15 G Stainless	15 G Stainless	15 G Stainless Black	15 G Champion Black	DT-Swiss Comp Black	DT-Swiss 15 G	DT-Swiss 15 G	DT-Swiss Competition Black	DT-Swiss 15 / 16 G Black
Felgen	Mavic X-223 Black Double wall	Mavic X-221 Black Double wall	Alessa Zac-19 Alloy Black D-Wall	Alessa Zac-19 Alloy Black D-Wall	Mavic X-321 Black Double wall	Mavic X-223 Black Double wall	Mavic X-317 Black Double wall	Mavic X-221 Red Double wall	Mavic X-221 Black Double wall	R: Mavic X-517 Black F: Mavic X-317 Black / Disc	Mavic X-221 Black Double wall
Reifen	IRC Back-Country Korea 26 x 2.25	IRC Back-Country Korea 26 x 2.25	IRC Mythos XC 26 x 2.10	IRC Mythos XC 26 x 2.10	IRC EL-Gato 26 x 2.25	IRC Back-Country Korea 26 x 2.25 / 66TPI	Michelin Comp-S Kevlar Green 26 x 1.95	IRC Mythos XC Kevlar / 26 x 1.95	Michelin Comp-S Black 26 x 1.95	Michelin Comp-S Kevlar Green 26 x 1.95	IRC Mythos XC Kevlar Bead / 28 x 1.95

Model	Tacoma FX-1	Tacoma FX-2	Sonoma TR-1	Sonoma TR-2	Sonoma TR-3	Sonoma TR-4	Tacoma Cross	Rtacama Pro	Rtacama Comp	Rtacama Tour	Rtacama Sport
Rahmen	Alloy 7005 (14/16) FS - Butted tubing Replaceable Hanger	Alloy 7005 (14/16) FS - Butted tubing Replaceable Hanger	Alloy Bi-Axial Tubing PG tubing 2-Point smooth welding	Alloy Bi-Axial Tubing PG tubing 2-Point smooth welding	Alloy Bi-Axial Tubing PG tubing 2-Point smooth welding	Alloy Bi-Axial Tubing PG tubing	Alloy 7005 (14/16) FS - Butted tubing	Alloy 7005 (14/16) Double butted	Alloy Bi-Axial Tubing PG tubing Replaceable Hanger	Alloy Bi-Axial Tubing PG tubing Replaceable Hanger	Alloy Bi-Axial Tubing PG tubing Replaceable Hanger
Gabel	R-Shox Ruby Metro 40mm / Suspension Fork R: Scott Comp-EX	RST-802 40mm / Preload Adj. Rear: Scott Comp-EX	Rock-Shox Ruby Metro HC Coil Spring System 40mm Preload Adj	RST-802 Suspension Fork 40mm / Preload Adj	Hi-Ten Fork Thread-Steerer Tube 1-1/8	Hi-Ten Fork Thread-Steerer Tube 1-1/8	Rock-Shox Ruby Metro HC Coil Spring System 40mm Preload Adj	Rock-Shox Ruby Metro HC Coil Spring System 40mm Preload Adj	RST-802 / Adjustable Suspension fork 40mm	RST-801 Suspension fork 40mm	Hi-Ten Fork Thread-Steerer Tube 1-1/8
Kettenw/ler	Shimano Deore LX RD-M-570 / 27-Speed	Shimano Nexave RD-T400 / 24-Speed	Shimano Deore LX RD-M-570 / 27-Speed	Shimano Nexave RD-T400 / 24-Speed	Shimano Nexave RD-T400 / 24-Speed	Shimano C-Series RD-C-201 / 24-Speed	Shimano XT RD-M-75C 27-Speed Shimano LX	Shimano XT RD-M-750 27-Speed Shimano LX	Shimano Deore RD-M-510 / 27-Speed Shimano Deore	Shimano Nexave RD-T400 / 24-Speed	Shimano Nexave RD-T400 / 24-Speed
Schallhebel	Shimano Deore RF-fre ST w/gear indicator	Shimano ST-400 Tap-fre SL w/gear indicator	Shimano Deore RF-fre ST w/gear indicator	Shimano ST-400 Tap-fre SL w/gear indicator	Shimano C-Series C-202 / Revo Shifter w/gear indicator	Shimano C-Series C-202 / Revo Shifter w/gear indicator	Shimano Deore LX RF-fre SL w/gear indicator Shimano LX	Shimano Deore LX RF-fre SL w/gear indicator	Shimano Deore RF-fre Plus w/gear indicator	Shimano ST-400 Nexave Tap-Shifter w/gear indicator	Shimano New C-202 for V-Brake w/gear indicator
Bremsen	Deore BR-M510 V-brakes	Shimano BR-M420 V-Brakes w/Modulator	Deore BR-M510 V-brakes	Nexave BR-T300 V-Brakes w/Modulator	Shimano BR-M420 V-Brakes w/Modulator	Shimano BR-M420 V-Brakes w/Modulator	Shimano Deore V-Brakes	Tektro / Alloy Avid 1D-10 V-Brake	Tektro / Shimano Deore V-Brakes	Nexave BR-T300 V-Brakes w/Modulator	Shimano BR-M420 V-Brakes w/Modulator
Kurbelsatz	Shimano Deore M-510 CG 24x34x44 T	Shimano Nexave T-300 CG 24x34x42 T	Shimano Deore M-510 CG 24x34x44 T	Shimano Nexave T-300 CG 24x34x42 T	Shimano Nexave T-300 CG 24x34x42 T	Shimano FC 201 24x34x42 T	Shimano FC-M570 24x34x44 T	Shimano FC-M570 24x34x44 T	Innovative First-SX 24x34x44 T	Shimano / Nexave FC-Nexave T-301 26x38x48 T	Shimano / Nexave FC-Nexave T-301 26x38x48 T
Tretlager	Shimano Cartridge	Shimano Cartridge	Shimano Cartridge	Shimano Cartridge	Shimano Cartridge	Cartridge Type	Shimano Cartridge	Shimano Cartridge	Shimano Cartridge	Shimano Cartridge	Shimano Cartridge
Lenker	Comfort / Multi-Position 590 mm	Uprise 620 mm	Uprise 620 mm	Comfort / Multi-Position 590 mm	Uprise 620 mm	Comfort / Multi-Position 590 mm	Comfort / Multi-Position 590 mm	Scott X-Rod / Alloy 580 mm w/Alloy Bar Ends	Uprise / Alloy 620 mm	Comfort / Multi-Position 590 mm	Uprise 620 mm
Pedale	Wellgo / Trekking Non slip pedal	Wellgo / Trekking Non slip pedal	Wellgo / Trekking Non slip pedal	Wellgo / Trekking Non slip pedal	Wellgo / Trekking Non slip pedal	Wellgo / Trekking Non slip pedal	Wellgo Alloy	Scott / Sport Alloy D.	Wellgo Steel	Wellgo Steel	Wellgo Resin
Sattel	Selle-Italy Comfort	Scott Comfort	Selle-Italy Comfort	Scott Comfort Men & Lady Alloy w/Steel QR	Scott Comfort Men & Lady Alloy w/Steel QR	Scott Comfort Men & Lady Alloy w/Steel QR	Selle Italy SPX	Scott Comfort	Scott Comfort	Scott Comfort	Scott Comfort
Naben vo/hi	Shimano Dynamo Hub/Deore	Alloy w/Steel QR/Shimano C	Shimano Dynamo Hub	Alloy w/Steel QR	Alloy w/Steel QR	Alloy w/Steel QR	Shimano LX	Alloy w/Alloy QR/LX	Alloy w/Alloy QR	Alloy w/Steel QR/C	Alloy w/Steel QR
Cassette	Shimano CS-HG50-9 11-32 T	Shimano CS-HG-40-8 11-34 T	Shimano CS-HG50-9 11-32 T	Shimano CS-HG60-4 11-34 T	Shimano CS-HG-40-8 11-34 T	Shimano CS-HG-40-8 11-34 T	Shimano CS-HG50-9 11-32 T	Shimano CS-HG50-9 11-32 T	Shimano CS-HG50-9 11-32 T	Shimano CS-HG-40 11-34 T	Shimano CS-HG-40 11-34 T
Speichen	15 G Stainless	14 G Stainless	15 G Stainless	14 G Stainless	14 G Stainless	14 G Stainless	15 G Stainless	15 G Stainless	15 G Stainless / Blk	15 G Stainless	14 G Stainless
Felgen	Alessa Zac-19 DB Wall	Alessa Zac-19 DB Wall	Alessa Zac-19 DB Wall	Alessa Zac-19 DB Wall	Alessa Zac-19 DB Wall	Alessa Zac-19 DB Wall	Alessa Zac-19 Alloy D.B Wall	Alessa Zac-19 Alloy D.B Wall	Alessa Zac-19 Alloy D.B Wall	Alessa Zac-19 Alloy D.B Wall	Alessa Zac-19 Alloy D.B Wall
Reifen	Schwabe Road Cruiser 700C x 35	Schwabe Road Cruiser 700C x 35	Schwabe Marathon Sport 700C x 40	Schwabe Road Cruiser 700C x 35	Schwabe Road Cruiser 700C x 35	Schwabe Country Cruiser 700C x 40	Schwabe Marathon Sport 700C x 40	Ritchey Trail-Mix 700C x 40	Ritchey Trail-Mix 700C x 40	Ritchey Trail-Mix 700C x 40	Ritchey Trail-Mix 700C x 40
Beleuchtung	Busch & Müller 171 Halogen / Steadylight	Busch & Müller 170 Halogen / Steadylight	Busch & Müller 171 Halogen / Steadylight	Busch & Müller 170 Halogen	Busch & Müller 170 Halogen	Busch & Müller 170 Halogen	Busch & Müller 170 Halogen	Busch & Müller 170 Halogen	Busch & Müller 170 Halogen	Busch & Müller 170 Halogen	Busch & Müller 170 Halogen
Gepächträger	Topeak BabySitter Rack Pletscher Leader HR	Topeak BabySitter Rack Pletscher Centre Alloy	Topeak Baby Sitter Rack Pletscher Leader HR	Topeak BabySitter Rack Pletscher Leader HR	Topeak BabySitter Rack YCA-4-A R-Triangle Type	Topeak Baby Sitter Rack YCA-4-A R-Triangle Type	Topeak Baby Sitter Rack YCA-4-A R-Triangle Type	Topeak Baby Sitter Rack YCA-4-A R-Triangle Type	Topeak Baby Sitter Rack YCA-4-A R-Triangle Type	Topeak Baby Sitter Rack YCA-4-A R-Triangle Type	Topeak Baby Sitter Rack YCA-4-A R-Triangle Type



> GEOMETRY G-ZERO				> GEOMETRY G-ZERO FX				> GEOMETRY INTOXICA				> GEOMETRY OCTANE				> GEOMETRY DH WC				> GEOMETRY RACING					> GEOMETRY ENDORPHIN		
> SIZE				> SIZE				> SIZE				> SIZE				> SIZE					> SIZE						
> S	> M	> L	> XL	> S	> M	> L	> XL	> S	> M	> L	> XL	> S/M	> L/XL	> S	> L	> 16"	> 175"	> 19"	> 20.5"	> 22"	> S	> M	> L				
> A	550	565	585	605	550 adj	565 adj	585 adj	610 adj	570	595	675°-695°	675°-695°	570	595	550	580	543	560	575	588	599	550	560	575			
> B	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	70°	64°-68°	64°-68°	71°	71°	71°	71°	71°	71°	71°	71°	71°			
> C	74.5°	74°	74°	73.5°	74.5°	74°	74°	73.5°	74.5°	74°	74°	74.5°	74°	68°	68°	74°	73.5°	73.5°	73°	73°	73.5°	73°	73°				
> D	428	428	428	428	428	428	428	428	428	428	428	428	428	435	435	435-455	435-455	425	425	425	430	430	425	425			
> E	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1050	1060	1065	1070	1082	1050	1055	1060				
> DIMENSIONS IN MM				> DIMENSIONS IN MM				> DIMENSIONS IN MM				> DIMENSIONS IN MM				> DIMENSIONS IN MM					> DIMENSIONS IN MM						

Team Racing Lt	Team Racing	Comp Racing	Tacana	Navajo	Kohomo	Tigua	Purgatory	Peak	Rochwood L	Rochwood M	Timber
Alloy 7005 (14/16) Bi-Axial / Triple Butted Tubing Scott D/out for Disc	Alloy 7005 (14/16) Bi-Axial / Triple Butted Tubing Scott D/out for Disc	Alloy 7005 (14/16) Bi-Axial / Triple Butted Tubing Scott D/out for Disc	Alloy 7005 (14/16) Bi-Axial / D-Butted Tubing Scott D/out	Alloy 7005 (14/16) Bi-Axial PG Tubing Scott D/out	Alloy 7005 (14/16) Bi-Axial PG Tubing Scott D/out	Alloy 7005 (14/16) Bi-Axial PG Tubing Scott D/out	Alloy 7005 (14/16) Bi-Axial PG Tubing Scott D/out	Oversize MTB Bi-Axial Cr-Mo Tubing	Oversize MTB Bi-Axial Cr-Mo Tubing	Oversize MTB Bi-Axial Cr-Mo Tubing	Oversize MTB Bi-Axial Cr-Mo Tubing
Rock-Shox Judy-Race Hi-Coil System 80 mm / Adj. nois	Rock-Shox Judy-SL Hi-Coil System 80 mm / Adj. nois	Rock-Shox Judy-SL Hi-Coil System 80 mm / Adj. nois	Rock-Shox Jett-Race Hi-Coil & Spring System 65mm Preload Adj.	Rock-Shox Jett MCJ 65mm Preload Adj.	RST-281 TL Coil / Spring 63mm Preload Adj.	Hi-Ten Fork Thread-Steerer Tube 1-1/8	RST-281 EL Coil / Spring 63mm	Top-Gun 006 Coil / Spring 65mm	Hi-Ten Fork Thread-Steerer Tube 1-1/8	Hi-Ten Fork Thread-Steerer Tube 1-1/8	Hi-Ten Fork Thread-Steerer Tube 1-1/8
Shimano XT RD-M-750 / 27-Speed Shimano XT	Shimano XT RD-M-750 / 27-Speed Shimano LX	Shimano XT RD-M-750 / 27-Speed Shimano LX	Shimano LXXT RD-M750 / 27-Speed	Shimano Deore/Deore RD-M510 / 27-Speed	Shimano Acera/Alivio RD-MC18 / 24-Speed	Shimano Acera / Acera RD-M330 / 24-Speed	Shimano Acera RD-M330 / 24-Speed	Shimano Acera RD-M330 / 24-Speed	Shimano C-Series RD-C-201 / 24-Speed	Shimano Acera RD-M330 / 24-Speed	Shimano TY-40 / 21-Speed
Shimano Deore XT RF-Fire Plus w/gear indicator	Shimano Deore LX RF-Fire Plus w/gear indicator	Shimano Deore LX RF-Fire Plus w/gear indicator	Shimano Deore RF-Fire Plus w/gear indicator	Shimano Deore RF-Fire Plus w/gear indicator	Shimano Alivio RF-Fire Plus w/gear indicator	Shimano Acera EZ-Fire 28 for V-Brake w/gear indicator	Shimano Acera EZ-Fire 28 for V-Brake w/gear indicator	Shimano Acera EZ-Fire 28 for V-Brake w/gear indicator	Shimano C-Series C-202 for V-Brake w/gear indicator	Shimano Altus EZ-Fire 28 for V-Brake w/gear indicator	Shimano TY-40 SI-RS42.7 w/gear indicator
Magura Louise Magura Louise Fully Hydraulic Disc Shimano Deore XT FC-MC751-4 22x32x44 T 4-arm 22x32x44 T 4-arm	Magura Clara Magura Clara Fully Hydraulic Disc Shimano Deore LX FC-MC570-4 22x32x44 T 4-arm 22x32x44 T 4-arm	Avid A1 1.0L Shimano LX V-Brake Hydraulic Disc Shimano Deore LX FC-MC570-4 22x32x44 T 4-arm 22x32x44 T 4-arm	Avid 10-10 V-Brakes Shimano LX FC-M570-4 22x32x44 T 4-arm	Shimano BR-M420 V-Brakes Shimano Deore FC-M510 24x34x42 T	Tektro / Alloy V-Brakes Shimano Alivio FC-MC18 24x34x42 T	Shimano Acera FC-M330 22x32x42 T	Shimano Altus FC-C193 24x34x42 T	Shimano Altus FC-C193 24x34x42 T	Tektro / Alloy V-Brakes Shimano C-Series FC-201 24x34x42 T	Tektro / Alloy V-Brakes Shimano Altus FC-C193 24x34x42 T	Shimano TY-Series FC-TY-30-A 28x38x48 T
Scott X-Rod / Alloy 580 mm w/Alloy Bar Ends	Scott X-Rod / Alloy 580 mm w/Alloy Bar Ends	Scott X-Rod / Alloy 580 mm w/Alloy Bar Ends	Uprise 600 mm / Alloy	Uprise 600 mm / Alloy	Uprise 600 mm / Alloy	Uprise 600 mm / Alloy	Uprise 600 mm	Flat Bar / Hi-Ten 560 mm	Uprise 600 mm	Uprise 600 mm	Flat Bar / Hi-Ten 560 mm
Scott "Tuned" Clipless pedal	Scott Clipless	Scott Clipless	Welligo Alloy	Welligo Alloy	Welligo Steel	Welligo Resin	Welligo Resin	Welligo Resin	Welligo Resin	Welligo Resin	Welligo Resin
Scott Race	Scott Race	Scott Race	Scott Solution	Scott Solution	Scott Solution	Scott Solution	Scott Adventure	Scott Adventure	Scott Comfort Lady	Scott Adventure	Scott Adventure
Pro-Magura 32H Pro-Magura 32H	Pro-Magura 32H Pro-Magura 32H	Shimano LX Shimano LX	Alloy w/Alloy OR/LX	Alloy w/Alloy OR/Alivio	Alloy w/Steel OR/Alivio	Alloy w/Steel OR	Alloy w/Steel OR/Shimano	Alloy w/Steel OR/Shimano	Alloy w/Steel OR/Shimano	Alloy w/Steel OR/Shimano	Alloy w/Steel OR
Shimano CS-HG750-9 11-32 T	Shimano CS-HG70-9 11-32 T	Shimano CS-HG70-9 11-32 T	Shimano CS-HG50-9 11-32 T	Shimano CS-HG50-9 11-32 T	Shimano CS-HG50-9 11-32 T	Shimano CS-HG50-8 11-30 T	Shimano CS-HG50-8 11-30 T	Shimano CS-HG50-8 11-30 T	Shimano MF-HG40-8 14-34 T	Shimano CS-HG50-8 11-30 T	Shimano MF-HG40-7 14-34 T
DT-Swiss 15 G	15 G Stainless Black	15 G Stainless Black	15 G Stainless Black	15 G Stainless Black	15 G Stainless Black	14 G Stainless	14 G UCP	14 G UCP	14 G UCP	14 G UCP	14 G UCP
Mavic X-223 Black Double wall	WTB Speed Disc 24x40 Double wall	Alesis ZAC-19 Alloy Black D-Wall	Alesis ZAC-19 Alloy Black D-Wall	Alesis ZAC-19 Alloy Black D-Wall	Alesis ZAC-19 Alloy Silver D-Wall	Alex W-AP18 Alloy Silver S-Wall	Alex X-606 Alloy silver	Alex X-606 Alloy silver	Alex X-606 Alloy silver	Alex X-606 Alloy silver	Alex X-606 Alloy silver
*IRC Mythos XC 26 x 1.95	*IRC Mythos XC 26 x 1.95	*IRC Mythos XC 26 x 1.95	*IRC Mythos XC (Slick) 26 x 1.95	*IRC Mythos XC (Slick) 26 x 1.95	*IRC Mythos XC (Slick) 26 x 1.95	MTB / S-Slick Type 26 x 1.95	MTB type 26 x 1.95	MTB type 26 x 1.95	MTB / Slick Type 26 x 1.95	MTB type 26 x 1.95	MTB type 26 x 1.95

Ritacama Park	Ritacama Trail	Team Issue	RFD-909 Pro	RFD-709 Team	RFD-509 Elite	RFD-409 Comp	RFD-309 Exp.	Boulder	Vail	Tampico	Yecora
Alloy Bi-Axial Tubing PG Tubing Pressed Hanger	Hi-Ten Bi-Axial 4130 Cr-Mo Tube Pressed Hanger	Scott Bi-Axial tubing 7005 Alloy D.B.T. w/replacement D/out	Scott Bi-Axial tubing 7005 Alloy D.B.T. w/replacement D/out	Scott Bi-Axial tubing 7005 Alloy Butted w/replacement D/out	Scott Bi-Axial tubing 7005 Alloy Butted w/replacement D/out	Scott Bi-Axial tubing 7005 Alloy Butted w/replacement D/out	Scott Bi-Axial tubing 7005 Alloy Butted w/replacement D/out	Manitou Mousum-R Coil & MCJ TPC 76mm / Adjustable	Manitou Magnum Coil & MCJ 76mm / Adjustable	RST-281 TL Coil / Spring 63mm Preload Adjustable	RST-281 TL Coil / Spring 63mm
Hi-Ten Fork Thread-Steerer Tube 1-1/8	Hi-Ten Fork Thread-Steerer Tube 1-1/8	Time Featherlight Carbon 1 Bent blades	Time Helix Sprint Carbon 1 Bent blades	Scott Carbon Carbon 1 Bent blades	Scott Road / Ahead Type Alloy Bent blades	Scott Road / Ahead Type Alloy Bent blades	Scott Road / Ahead Type Cr-Mo 1 Bent blades	Manitou Mousum-R Coil & MCJ TPC 76mm / Adjustable	Manitou Magnum Coil & MCJ 76mm / Adjustable	RST-281 TL Coil / Spring 63mm Preload Adjustable	RST-281 TL Coil / Spring 63mm
Shimano C-Series RD-C-101 / 21-Speed C-Series C-101	Shimano TY-40 SI-RS40-7 Shimano TY	Shimano Dura-Ace / 18-Speed/Dura-Ace	Shimano Ultegra / 27-Speed	Shimano Ultegra / 27-Speed/Ultegra	Shimano 105 / 27-Speed	Shimano 105 / 27-Speed	Shimano Tiagra / 27-Speed	Shimano Deore / Deore LX RD-M-570 / 27-Speed	Shimano Deore / Deore RD-M510 / 27-Speed	Shimano Deore / Deore RD-M510 / 27-Speed	Shimano Acera / Alivio RD-MC18 / 24-Speed
Shimano C-Series C-102 for V-Brake w/gear indicator	Shimano TY-40 SI-RS40-7 w/gear indicator	Shimano Dura-Ace Dual control / Flight Deck 18-Speed	Shimano Ultegra Dual control / Flight Deck 27-Speed	Shimano Ultegra Dual control / Flight Deck 27-Speed	Shimano 105 Dual control / Flight Deck 27-Speed	Shimano 105 Dual control / Flight Deck 27-Speed	Shimano Tiagra Dual control / Flight Deck 27-Speed	Shimano Deore RF-Fire Plus w/gear indicator	Shimano Deore RF-Fire Plus w/gear indicator	Shimano Deore RF-Fire Plus w/gear indicator	Shimano Alivio RF-Fire Plus w/gear indicator
Tektro / Alloy V-Brakes	Tektro / Alloy V-Brakes	Shimano Dura-Ace Super SLR Dual pivot	Shimano Ultegra Super SLR Dual pivot	Shimano Ultegra Super SLR Dual pivot	Alloy 423-AG Super SLR Dual pivot	Tektro / Alloy 423-A Super SLR Dual pivot	Tektro / Alloy 423-A Super SLR Dual pivot	Avid 10-10 V-Brake	Tektro / Alloy V-Brakes	Tektro / Alloy V-Brakes	Tektro / Alloy V-Brakes
Shimano C-Series FC-C102 28x34x48 T	Shimano TY-30-A 28x34x48 T	Shimano Dura-Ace 39x53 T	Shimano Ultegra 30x42x52 T	Shimano Ultegra 30x42x52 T	Shimano 105 30x42x52 T	Shimano Tiagra FC-4404 30x42x52 T	Shimano Sora FC-3303 30x42x52 T	Shimano LX FC-M570-4 22x32x44 T 4-arm	Shimano Deore FC-M510 24x34x44 T	Shimano Deore FC-M510 24x34x44 T	Shimano Alivio FC-MC18 24x34x42 T
Cartridge Type	Cartridge Type	Shimano Dura-Ace / Spline	Shimano Ultegra / Spline	Shimano Ultegra / Spline	Shimano 105 / Spline	Shimano Cartridge	Cartridge Type	Shimano Cartridge	Shimano Cartridge	Cartridge Type	Cartridge Type
Uprise 620 mm Alloy / Quill Type Adjustable 1-1/8	Uprise 620 mm Cr-Mo D.B-Clamp 1-1/8 / 15" rise	Scott Drop Lite-Filite Anatomic	Scott Drop Lite-Filite Anatomic	Scott Drop Anatomic	Scott Drop Anatomic	Scott Drop Anatomic	Welligo / Scott Road SPD-R Type Clipless	Uprise 600 mm / Alloy	Uprise 600 mm / Alloy	Scott X-Rod / Alloy 560 mm	Flat Bar / Hi-Ten 560 mm
Welligo Resin	Welligo Resin	none	none	none	none	Welligo / Scott Road SPD-R Type Clipless	Welligo Alloy	Welligo Steel	Welligo Steel	Welligo Steel	Welligo Steel
Scott Comfort	Scott Comfort	Selle Italia Filite	Selle Italy Nitrox Gel	Scott Road SL	Scott Road SL	Scott Road SL	Scott Road SL	Scott Sport	Scott Sport	Scott Sport	Scott Sport
Alloy w/Steel QR	Alloy w/Steel QR	Shimano X Wheelset	DT-Swiss Onyx	Ritchey WCS	Shimano 105 / 32H	Ritchey Comp 32H	Ritchey Comp 32H	Alloy w/Alloy QR/Deore	Alloy w/Alloy QR/Deore	Alloy w/Steel QR/Deore	Alloy w/Steel QR/Deore
Shimano MF-HG40-7 14-34 T	Shimano MF-HG40-7 14-34 T	Shimano CS-7700-9 12-23 T	Shimano CS-6500-9 12-23 T	Shimano CS-6500-9 12-25 T	Shimano CS-HG70-9 13-25 T	Shimano CS-HG50-9 13-25 T	Shimano CS-HG50-8 12-25 T	Shimano CS-HG50-9 11-32 T	Shimano CS-HG50-9 11-32 T	Shimano CS-HG50-9 11-32 T	Shimano CS-HG40-8 11-30 T
14 G UCP	14 G UCP	Shimano X Wheelset	15 G DT Competition	15 G DT Swiss Champion	15 G DT Swiss Champion	14/15 G Stainless	14/15 G Stainless	15 G Stainless Black	15 G Stainless Black	15 G Stainless	15 G Stainless
Alex AL-AP18 Alloy silver	Alex AL-AP18 Alloy silver	Shimano X Wheelset Deep section	Mavic CXP-33 NEB Double wall	Ritchey Aero-Pro / Blue HT Grinding	Mavic CXP-21 / Black Double wall	Mavic CXP-21 / Black Double wall	Alex DA-22 Double wall / Black	Alesis ZAC-19 Alloy Black D-Wall	Alesis ZAC-19 Alloy Black D-Wall	Alesis ZAC-19 Alloy Silver D-Wall	Alex W-AP18 Silver S-Wall
Cross Type / Semi Slick 700c x 40	Cross Type / Semi Slick 700c x 40	Michelin Axial Pro Light 700 x 23	Continental GP-3000 Ora 700 x 23	Continental GP-3000 Blue 700 x 23	Tioga Proline Red / Black 700 x 23	Tioga Proline Red / Black 700 x 23	Tioga Proline Red / Black 700 x 23	*IRC Mythos XC 26 x 1.95	*IRC Mythos XC 26 x 1.95	*IRC Mythos XC 26 x 1.95	MTB type 26 x 1.95

Wir möchten ganz speziell dem "Comité du tourisme de la Réunion", "Nouvelles Frontières", dem "Maison de la Montagne" und Heiligon für die Unterstützung bei der Produktion dieses Projektes danken.



> GEOMETRY SPORT > SIZE	> GEOMETRY SOLUTION > SIZE	> GEOMETRY ADVENTURE > SIZE	> GEOMETRY URBAN-OUTDOOR > SIZE	> GEOMETRY ROAD > SIZE
> 14" > 16" > 175" > 19" > 205" > 22"	> 16" > 175" > 19" > 205"	> 14" > 16" > 175" > 19" > 205" > 22"	> 44cm > 48cm > 52cm > 56cm > 60cm	> 49cm > 52cm > 54cm > 56cm > 58cm > 61cm
> A 528 536 555 568 577 590 521 535 541 550	521 530 549 557 572 581	521 530 549 557 572 581	530 520 533 555 572	515 534 550 560 573 593
> B 70° 70° 70° 70° 70° 705° 70° 705° 705° 71°	71° 71° 71° 71° 71° 71°	71° 71° 71° 71° 71° 71°	70° 70° 70° 705° 71°	72° 725° 73° 73° 733° 733°
> C 735° 735° 735° 73° 73° 73° 733° 733° 73° 73°	73° 73° 73° 73° 73° 73°	73° 73° 73° 73° 73° 73°	735° 735° 735° 73° 73°	745° 74° 74° 735° 733° 733°
> D 425 425 425 425 430 430 430 430 430 430	430 430 430 430 430 430	430 430 430 430 430 430	450 450 450 450 450 450	410 410 410 410 410 410
> E 1030 1038 1051 1057 1069 1077 1037 1047 1050 1055	1025 1033 1048 1051 1065 1071	1025 1033 1048 1051 1065 1071	1043 1047 1057 1067 1072	961 973 989 994 999 1019
> DIMENSIONS IN MM	> DIMENSIONS IN MM	> DIMENSIONS IN MM	> DIMENSIONS IN MM	> DIMENSIONS IN MM

AUSTRIA
SCOTT Sports AG
Niederlassung Österreich
A-6020 Innsbruck
Tel. 0512 34 35 31
Fax. 0512 34 12 09
Email. austria@scott-sports.com

BELGIUM
Scott Sportech Benelux
B-3070 Kortenberg
Tel. 02 759 50 15
Fax. 02 759 52 29

BRAZIL
IGP
BR-Indaiatuba - SP
Tel. 019 875 70 75
Fax. 019 875 91 25
Email. scott@scott.com.br

BULGARIA
Zenith-97 Ltd.
BG-1000 Sofia
Tel. 02 981 72 49
Fax. 02 980 39 80

CZECH REPUBLIC
Vaneh Praha s.r.o.
CZ-13000 Praha 3
Tel. 0312 698 016
Fax. 0312 698 025
Email. vaneh.praha@mbox.vol.cz

DENMARK
Bike Sport International A/S
DK-2650 Hvidovre
Tel. 036 77 83 03
Fax. 036 77 61 30
Email. pbau@bikesport.dk

ESTONIA
Hawaii Express Ltd.
EE-11911 Tallinn
Tel. 06 39 85 08
Fax. 06 39 85 66
Email. hawaii@spin.ee

FINLAND
Oy Shipatrol AB
Nimismiehenpelto 4B
FIN-02770 Espoo
Tel. 09 511 440
Fax. 09 516 700
Email. shipatrol@shipatrol.fi

FRANCE
SCOTT Sports SA
Succursale France
F-74940 Annecy le Vieux
Tel. 0450 64 24 00
Fax. 0450 64 24 01
Email. france@scott-sports.com

GERMANY
SCOTT Sports AG
Niederlassung Deutschland
D-85221 Dachau
Tel. 08131 312 60
Fax. 08131 263 77
Email. scott-de@t-online.de

HUNGARY
Avex Ltd.
HU-2440 Százhalombatta
Tel. 023 358 677
Fax. 023 354 520
Email. avexcsep@matavnet.hu

ICELAND
Heidrun S.F.
IS-128 Reykjavik
Tel. 056 87 410
Fax. 058 14 877
Email. heidrunsf@simnet.is

ITALY
Acerbis Italia SPA
I-24021 Albino Bergamo
Tel. 035 77 35 77
Fax. 035 75 82 85
Email. infobike@acerbis.it

JAPAN
Scott Trading Inc.
JP-151 Tokyo Shibuya-Ku
Tel. 03 346 843 81
Fax. 03 346 834 01
Email. scott@opal.familie.ne.jp

LATVIA
Sportins
LV-Riga
Tel. 025 67 264
Fax. 075 53 334
Email. iera@parhs.lv

LITHUANIA
Bruno Marks Export Import
LT-2056 Vilnius
Tel. 02 65 34 41
Fax. 02 23 87 39
Email. bmei@profuturo.lt

NETHERLANDS
Scott Sportech Benelux
B-3070 Kortenberg
Tel. 02 759 50 15
Fax. 02 759 52 29

NEW ZEALAND
Colorado Traders Ltd.
NZ- Wellington
Tel. 04 473 64 59
Fax. 04 471 22 72
Email. office@colorado-traders.co.nz

NORWAY
Ramo A.S.
N-1473 Skarer
Tel. 067 90 78 01
Fax. 067 97 02 91
Email. dehli@ramo.no

POLAND
Scott Sportech Poland Sp. z.o.o.
PL-05-400 Otwock
Tel. 022 788 36 90
Fax. 022 788 36 91
Email. info@scott.pl

PORTUGAL
Stand Jasma LDA
P-2840 Amora
Tel. 01 226 88 38
Fax. 01 226 83 53
Email. stand.jasma@mail.telepac.pt

RUSSIA
Falcon Sport
RUS-123592 Moscow
Tel. 095 944 65 08
Fax. 095 944 65 08
Email. ffs@stroginaru

SLOVAK REPUBLIC
Bicycle Sport s.r.o.
SK-04001 Kosice
Tel. 0195 62 276 46
Fax. 0195 62 249 50
Email. duplinsky@bicycle.sk

SLOVENIA
Proloco Trade d.o.o. Jezersko
SL-4000 Kranj
Tel. 064 380 20 0
Fax. 064 380 20 22
Email. info@prolocotrade.si

SPAIN
BM Sportech S.A.
E-50011 Zaragoza
Tel. 09 76 46 09 09
Fax. 09 76 32 24 53
Email. central@bmsportech.es

SWEDEN
Scott Svenska AB
S-75002 Uppsala
Tel. 018 56 2800
Fax. 018 52 2800

SWITZERLAND
SCOTT Sports SA
Niederlassung Schweiz
CH-1762 Givisiez
Tel. 026 460 16 99
Fax. 026 460 16 88
Email. switzerland@scott-sports.com

UNITED KINGDOM
SCOTT Sports Ltd.
Branch United Kingdom
NE23 1LZ Northumberland
UK-Cramlington
Tel. 01 670 712 129
Fax. 01 670 712 058
Email. scottuk@btinternet.com

USA
Scott USA Inc.
USA-83353 Sun Valley ID
Tel. 0208 622 1000
Fax. 0208 622 1005
Email. geiger@scottusa.com

WWW.SCOTTUSA.COM



Pour toute information concernant le vélo, le sport d'hiver, le snowboard ou la moto
appeler Scott Sports SA +41 26 460 16 16. postmaster@scott-sports.com
©1999 Scott Sports SA, tous droits réservés.
Scott Sports SA se réserve le droit de modifier les spécifications à tout moment et sans préavis.

SCOTTUSA

For information regarding bike, wintersports, snowboard or motorcycle,
please call Scott Sports SA +41 26 460 16 16. postmaster@scott-sports.com
©1999 Scott Sports SA, all rights reserved. Specifications subject to change without notice. Photo by Stephan Bögli. Design by Pat and Lo