


2002



IS A HARDTAIL The Sugar climbs efficiently. On bumpy stuff, the 2.8" of rear wheel travel conforms to the trail. The wheels remain hooked up and under control while the rider sits and continues pedaling. And the Sugar goes to a new level of comfort: it changed the term "full suspension XC bike" into the sweet truth.




SUGAR1

- frame Platinum Series 6061 T6 double butted aluminum Genesis Geometry | **b⁠link** swingarm w/ carbon fiber stays | also available as a frame
- wheels Bontrager Race Lite tubeless wheelsystem | IRC SeracXC tubeless tires
- suspension Manitou Mars Super w/ Anti-Bob | TPC damping (80mm travel) | Cane Creek Cloud Nine Air rear shock (2.8" travel)
- componentry Shimano XTR SGS rear derailleur + XTR shifters + front derailleur + splined crank | Avid Single Digit Ti brakes
- sizes SM | MD | LG | XL
- color Blue Metallic and Tint Blue Clear

SUGAR2

- frame Platinum Series 6061 T6 double butted aluminum Genesis Geometry | **b⁠link** swingarm w/ carbon fiber stays
- wheels Bontrager Race wheelsystem | IRC SeracXC tires
- suspension Manitou Mars Elite w/ TPC damping (80mm travel) | Cane Creek AD-12 Air rear shock (2.8" travel)
- componentry Shimano XTR SGS rear derailleur + Deore XT shifters + front derailleur | Avid Single Digit-5 direct pull brakes | Bontrager Race splined crank | Time ATAC clipless pedals
- sizes SM | MD | LG | XL
- color Gold and Tint Silver Clear



Ryder got the fastest Ryder. In the World Federation of Mountain Bicycling, he was the fastest Under-23 mountain biker in the world and he won the 28.0km 2006

OUT OF THE BOX mySugar + is set up just like a standard Sugar: 2.8" of travel in the rear and 80mm of travel in the front. But with the flip of a lever in the Sybil linkage and other on the front fork, your XC Sugar racer is turned into a backwoods bomber with more than 4" of rear and 100mm of front travel — a bike with a whole new attitude. Been avoiding that backwoods beater trail with the drop-offs and baby heads? Why you just might like it.

Hey, sugar, look at me.

No... Look at me.

< SUGAR2+™

frame Platinum Series 6061 T6 double butted aluminum Genesis Geometry | **sybil** link swingarm w/ 6061 T6 aluminum stays

wheels Bontrager Race wheelsystem | IRC Backcountry tires

suspension RockShox Psycho SL w/ U-turn adjustable travel (80-125mm) | Cane Creek AD-12 Air rear shock (2.8-4.1" travel)

componentry Shimano XTR SGS rear derailleur | Deore XT shifters + front derailleur | Avid Single Digit-5 direct pull brakes | Bontrager Race splined crank | Time ATAC clipless pedals

sizes SM | MD | LG | XL

color Flipping Green



SUGAR2+_DISC

frame Platinum Series 6061 T6 double butted aluminum Genesis Geometry | **sybil link** swingarm w/ 6061 T6 aluminum stays

wheels Bontrager Race Disc OSB wheelsystem | IRC Backcountry tires

suspension RockShox Psylo SL w/ U-turn adjustable travel (80-125mm) | Cane Creek AD-12 Air rear shock (2.8-4.1" travel)

componentry Shimano XTR SGS rear derailleur + Deore XT shifters + front derailleur | Hayes HFX Mag Hydraulic disc brakes | Bontrager Race splined crank | Time ATAC clipless pedals

sizes SM | MD | LG | XL

color Flipping Green



SUGAR3+_DISC

frame Platinum Series 6061 T6 double butted aluminum Genesis Geometry | **sybil link** swingarm w/ 6061 T6 aluminum stays

wheels Bontrager Race Disc OSB wheelsystem | IRC Backcountry tires

suspension Manitou Black Elite w/ TPC damping & adjustable travel (80-100mm) | Cane Creek AD-5 Air rear shock (2.8-4.1" travel)

componentry Shimano Deore XT SGS rear derailleur + Deore LX shifters + front derailleur + MS15 clipless pedals | Hayes HFX Comp Hydraulic disc brakes | Bontrager Select crank

sizes SM | MD | LG | XL

color Blue Metallic



SUGAR3+

frame Platinum Series 6061 T6 double butted aluminum Genesis Geometry | **sybil link** swingarm w/ 6061 T6 aluminum stays

wheels Bontrager Select wheelsystem | IRC Backcountry tires

suspension Manitou Black Elite w/ TPC damping & adjustable travel (80/100mm) | Cane Creek AD-5 Air rear shock (2.8-4.1" travel)

componentry Shimano Deore XT SGS rear derailleur + Deore LX shifters + front derailleur + MS15 clipless pedals | Bontrager Select crank | Avid Single Digit-3 direct pull brakes

sizes SM | MD | LG | XL

color Blue Metallic



SUGAR4+

frame Platinum Series 6061 T6 double butted aluminum Genesis Geometry | **sybil link** swingarm w/ 6061 T6 aluminum stays

wheels Bontrager Superstock wheelsystem | IRC MythosXC tires


suspension Manitou Black Comp w/ Fluid Flow damping & adjustable travel (80/100mm) | Cane Creek AD-5 Air rear shock (2.8-4.1" travel)

componentry Shimano Deore LX SGS rear derailleur + front derailleur + Deore shifters | Bontrager Sport crank | Alloy linear pull brakes + platform pedals


sizes SM | MD | LG | XL

color Black Metallic

REUNION The 'Repack' was our annual race down Mt. Tam on our original coaster brake cruisers. The rear hub brakes heated up so much that we had to repack the hub grease after almost every run. Hence the name. Fast forward to 2002 and we are introducing the Repack: our new downhill specific frame.



the first 'Repack' frame



'Repack' frame

Repack > Downhill Frame



- > Geometry designed for current long-travel downhill forks.
- > Extremely stiff monocoque construction down tube
- > A patented Chain Torque Eliminator, or CTE, isolates the crank from the swingarm, preventing pedal bob and unwanted suspension feedback through the cranks.
- > The Crank Case — BB shell, swingarm pivot shell, and CTE mounts — is machined from a single piece of aluminum billet, for perfect alignment of the frame swingarm, and drivetrain.
- > Using a Fox downhill shock with 2.75" of stroke gives 8" of rear wheel travel.
- > The single pivot suspension design, with a hollow aluminum axle and sealed cartridge bearings, will not get loose or sloppy over time and requires no maintenance.
- > Elevated swingarm stays reduce chain slap for a quiet ride.
- > Both dropouts are replaceable, provide 0.5" of wheelbase adjustment

◀ REPACK

frame Platinum Series Zirconium 9000
double butted aluminum |
Fisher Downhill

suspension Fox Vanilla RC2

sizes SM-MD | MD-LG

color Blue Gray Powdercoat

32 > I am never satisfied with the status quo.

Why did 26" become the world's standard mountain bike wheel diameter (even in metric places?)

- > when we started "klunking" — junk-picking bikes in the early 1970's and riding them down and around Mt. Tam in Marin County, California — everything we found came with 26" wheels.
- > when Charlie Kelly and I started building our own frames and calling them "mountain bikes," we knew 26" wheels and tires were in good supply. We worked with what was there.
- > the mountain bike world has been growing so fast it hasn't stopped to ask itself an important question: is a 26" wheel the ideal size?

Go big.

26"



⚡ SUPERCALIBER™_29

frame 29" Platinum Series Zirconium 9000 double butted aluminum Genesis Geometry | also available as a frame and fork

wheels Bontrager Race Lite 29" wheelsystem | IRC 29" NotosXC tires

suspension Marzocchi Marathon 29" w/ Extension Control Cartridge (80mm travel)

componentry Shimano XTR SGS rear derailleur + Deore XT shifters + front derailleur | Avid Single Digit Ti brakes | Bontrager Race Lite splined crank | Time ATAC clipless pedals

sizes SM | MD | LG | XL

color Red Metallic and Blue Metallic

⚡ MT TAM™_29

frame 29" Platinum Series Zirconium 9000 double butted aluminum Genesis Geometry

wheels Bontrager Race 29" wheelsystem | IRC 29" NotosXC tires

suspension Marzocchi MXR Air 29" w/ SSVF Floating Valve damping system (80mm travel)

componentry Shimano XTR SGS rear derailleur + Deore XT shifters + front derailleur | Avid Single Digit-5 direct pull brakes | Bontrager Race splined crank | Time ATAC clipless pedals

sizes SM | MD | LG | XL

color Black Metallic and Flipping Green



JUST RIDES BETTER A Genesis hardtail
mart, it's simple, and it works. Genesis Geometry provides
more stable ride by moving the rider's center of gravity lower
and further behind the front wheel. It also concentrates the
rider's weight over the rear wheel for better traction. Shorter
arms enable better steering.

The effect: it climbs, descends, and
handles better than other bikes. My
Genesis Hardtails are available built
with our Platinum, Gold, or Silver series
tubing, each with a variety of parts for
every riding style and budget.



◀ PARAGON™

frame Platinum Series Zirconium 9000 double
butted aluminum Genesis Geometry |
also available as a frame

wheels Bontrager Race wheelsystem | IRC
SeracXC tires

suspension Manitou Mars Elite w/ TPC damping
(80mm travel)

componentry Shimano XTR SGS rear derailleur + Deore
LX shifters + front derailleur + M515
clipless pedals | Avid Single Disc Direct
pull brakes | Bontrager Race stem | Bontrager
bank

sizes SM | MD | LG | XL

color Candy Red and Red



BIG SUR

- frame Platinum Series Zirconium 9000 double butted aluminum Genesis Geometry
- wheels Bontrager Superstock wheelstystem | IRC MythosXC tires
- suspension Manitou Black Elite w/ TPC damping (80/100mm w/ adjustable travel)
- componentry Shimano Deore XT SGS rear derailleur + Deore LX shifters + Deore front derailleur + 420 brakes + M515 clipless pedals | Bontrager Select crank
- sizes SM | MD | LG | XL
- color Black Chrome and Black Metallic

BIG SUR[™]_DISC

- frame Platinum Series Zirconium 9000 double butted aluminum Genesis Geometry
- wheels Bontrager Superstock Disc OSB wheelstystem | IRC MythosXC tires
- suspension Manitou Black Elite w/ TPC damping (80/100mm w/ adjustable travel)
- componentry Shimano Deore XT SGS rear derailleur + Deore LX shifters + Deore front derailleur + M515 clipless pedals | Hayes HFX Comp Hydraulic disc brakes | Bontrager Select crank
- sizes SM | MD | LG | XL
- color Black Chrome and Black Metallic



HOO KOO E KOO[™]

- frame Gold Series 6061 T6 aluminum Genesis Geometry
- wheels Shimano 9 speed rear hub | Alloy QR front hub | Bontrager Corvair rims | IRC MythosXC tires
- suspension Marzocchi EXR w/ Dual Speed Sensitive Valving (80mm travel)
- componentry Shimano Deore LX SGS rear derailleur + Deore shifters + front derailleur + M515 clipless pedals | Alloy linear pull brakes | Bontrager Sport crank
- sizes XS | SM | MD | LG | XL
- color Black and Dublin Blue

TASSAJARA[™]_DISC

- frame Silver Series 7005 aluminum Genesis Geometry
- wheels Alloy Disc Sealed QR hubs | Bontrager Corvair rims | IRC MythosXC tires
- suspension Manitou Six Elite (80mm travel)
- componentry Shimano Deore derailleurs + shifters | Bontrager Sport crank | Hayes Mechanical disc brakes | Alloy platform pedals
- sizes XS | SM | MD | LG | XL
- color Black and Red Metallic





TASSAJARA

- frame Silver Series 7005 aluminum Genesis Geometry
- wheels Shimano rear hub | Alloy Sealed QR front hub | Bontrager Corvalir rims | IRC MythosXC tires
- suspension Manitou Six Elite (80mm travel)
- components Shimano Deore rear derailleurs + shifters | Bontrager Sport crank | Alloy linear pull brakes | Alloy ATB platform pedals
- sizes XS | SM | MD | LG | XL
- color Black Metallic and Gold Metallic | Black and Red Metallic




MARLIN

- frame Silver Series 7005 aluminum Genesis Geometry
- wheels Shimano RM-40 rear hub | Alloy Sealed QR front hub | Bontrager Corvalir rims | IRC MythosXC tires
- suspension RockShox Judy TT (80mm travel)
- components Shimano Alivio rear derailleur + EF-33 RapidFire shifters + CT93 crank + Altus front derailleur | Alloy linear pull brakes + ATB platform pedals
- sizes XS | SM | MD | LG | XL
- color Silver Metallic and Titanium | Black Metallic and Yellow Metallic



Original Genesisisters set out on their Nevada mountain biking trip to the Blue Diamond Bike Outpost, 20 miles outside of Las Vegas. Visit www.bikeoutpost.com. And watch for Genesisisters, soon to be everywhere. Left to right: Laurie, 32 Contract Administrator, Amy, 31 Construction Manager; Jill, 36 Dental Hygienist, Mom; and Jodi, 29 Massage Therapist. Hey sister, be a Genesisister!



give me a 'G'

give me an 'A'

give me an 'R'

give me a 'Y'

➤ SUGAR3+_GS

frame Platinum Series 6061 T6 double butted aluminum | Genesis Women's Geometry | **sybil link** swingarm w/ 6061 T6 aluminum stays

wheels Bontrager Select wheelsystem | IRC Backcountry tires

suspension Manitou Black Elite Diva | TPC damping w/ adjustable travel (80/100mm) | Cane Creek AD-5 Air rear shock (2.8" - 4.1" travel)

componentry Shimano Deore XT SGS rear derailleur + Deore LX shifters + front derailleur + M515 clipless pedals | Avid Single Digit-3 Direct pull brakes | Bontrager Select crank

sizes SM | MD

color Blue Metallic and Pearl White



➤ BIG SUR_GS

frame Platinum Series Zirconium 9000 double butted aluminum | Genesis Women's Geometry

wheels Bontrager Superstock wheelsystem | IRC Mythos XC tires

suspension Manitou Black Elite Diva w/ TPC damping w/ adjustable travel (80/100mm)

componentry Shimano Deore XT SGS rear derailleur + Deore LX shifters + Deore front derailleur + 420 brakes + M515 clipless pedals | Bontrager Select crank

sizes XS | SM | MD

color Pearl White and Blue Metallic



➤ TASSAJARA_GS

frame Silver Series 7005 aluminum Genesis Women's Geometry

wheels Shimano S speed rear hub | Alloy Sealed QR front hub | Bontrager Corvair rims | IRC Mythos XC tires

suspension Manitou Six Elite Diva (80mm travel)

componentry Shimano Deore SGS rear derailleur + Deore shifters + front derailleur | Alloy linear pull brakes + ATB platform pedals | Bontrager Sport crank

sizes XS | SM | MD

color Silver Metallic and Pearl White





➤ WAHOO

frame	Oversized Butted Cromoly Steel
hubs	Shimano RM-40 rear hub Alloy Sealed QR front hub Matrix 550 rims IRC MythosXC tires
suspension	RockShox Judy TT (80mm travel)
components	Shimano Acera rear derailleur + EF29 shifters + C050 front derailleur Alloy linear pull brakes Sunrace FCM55 crank Nylon ATB platform pedals
sizes	XS SM MD LG XL XXL
color	Black and Mirror Silver Silver Metallic and Dark Green Metallic



➤ MAMBA


frame	Oversized Steel, Cromoly seat tube
wheels	Alloy Sealed QR hubs Matrix 550 rims Bontrager Connection tires
suspension	SR XCC (63mm Travel)
components	Shimano Altus rear derailleur + EF29 shifters + C051 front derailleur Alloy linear pull brakes Sunrace FCM35 crank Nylon ATB platform pedals
sizes	XS SM MD LG XL MD-Stepthrough
color	Silver Metallic and Red Yellow Metallic and Black Metallic



Gary Fisher

Thursday, 5 April 2001, Riva di Garda, Italia.

45 miles later.



TARPON

- Frame: Oversized Steel, Cromoly seat tube
- Wheels: Alloy Sealed QR hubs | Matrix 550 rims | Bontrager Connection tires
- Frame: Hi Tensile Steel
- Drivetrain: Shimano Altus rear derailleur + EF29 shifters + C051 front derailleur | Alloy linear pull brakes | Sunrace FCM35 crank | Nylon ATB platform pedals
- Sizes: XS | SM | MD | LG | XL | SM-Stepthrough | MD-Stepthrough
- Colors: Silver Metallic and Blue Metallic | Pearl White and Silver Metallic



ITY This is my most versatile set of bikes. There are a
people I see who want to ride and be totally comfortable,
so want a bike that can cruise a local dirt trail now and
They want it all in one simple, comfortable, and easy-to-
ke. My City/Path series could be the perfect recipe for a
these riders. Mountain bike durable, road bike fast with a
focus on rider comfort. Upright handlebars, suspension
posts, suspension forks, great saddles, fast 700c wheels.



ZEBRANO™

- frame Fisher Aluminum Hybrid
- wheels Shimano RM40 rear hub | Alloy Sealed QR front hub | Matrix 750 rims | Bontrager Invert tires
- suspension SR T870 fork (40mm travel) | Suspension seatpost
- componentry Shimano Acera rear derailleur + EF29 shifters + C051 front derailleur + C203 crank w/ chainguard | Alloy linear pull brakes | Dual Density platform pedals
- sizes SM | MD | LG | XL | MD-Stepthru
- color Warm Silver Metallic and Red Metallic



FAST CITY™

- frame Fisher Platinum Series Aluminum Hybrid
- wheels Bontrager Select 700c wheelsystem | IRC Duro Tour tires
- suspension Manitou Luxe fork (75mm travel)
- componentry Shimano Deore LX SGS rear derailleur + Deore shifters + crank + Deore LX front derailleur + 420 brakes + M515 clipless pedals
- sizes SM | MD | LG | XL
- color Silver Metallic and Black Metallic

UTOPIA™

- frame Fisher Aluminum Hybrid
- wheels Bontrager Select 700c wheelsystem | IRC Duro Tour tires
- suspension RockShox Ruby Metro XC fork (50mm travel)
- componentry Shimano Deore LX SGS rear derailleur + Alivio shifters + Nexave T301 front derailleur + Nexave T411 crank | Alloy linear pull brakes + road pedals w/ clips and straps
- sizes SM | MD | LG | XL
- color Black Metallic and Metallic Silver



NIRVANA™

- frame Fisher Aluminum Hybrid
- wheels Shimano C201 rear hub | Alloy Sealed QR front hub | Bontrager Fairlane rims + Select Invert Blue Label tires
- suspension Cozy ST fork (40mm travel) | Suspension seatpost
- componentry Shimano Deore SGS rear derailleur + Nexave T301 front derailleur + crank | GripShift Centera shifters | Alloy linear pull brakes | ATB sealed CrMo axle pedals
- sizes XS | SM | MD | LG | XL | MD-Stepthrough
- color Silver Metallic and Deep Blue Metallic

TIBURON™

- frame Fisher Aluminum Hybrid
- wheels Alloy Sealed QR hubs | Matrix 550 rims | Bontrager Invert tires
- suspension Hi Tensile Steel fork | Suspension seatpost
- componentry Shimano TY40GS rear derailleur + C051 front derailleur | SRAM MRX Plus shifters | Alloy linear pull brakes | Sunrace FCM35 crank w/chainguard | Dual Density platform pedals
- sizes SM | MD | LG | XL | SM-Stepthrough | MD-Stepthrough
- color Silver Metallic and Dark Green Metallic





▲PRESIDIO™

frame	Fisher Aluminum Comfort
wheels	SRAM Dual Drive rear hub Alloy Sealed QR front hub Matrix 750 rims Hutchinson Acrobat w/ stop puncture protection tires and Slime
suspension	RockShox Judy TT fork (80mm travel) Suspension seatpost
componentry	SRAM ESP 7.0 rear derailleur + Dual Drive shifters + Dual Drive crank w/ chainguard Alloy linear pull brakes w/ power modulator Dual Density platform pedals
sizes	SM MD LG XL
color	Silver Metallic and Red Metallic



▼SOLSTICE™

frame	Fisher Aluminum Comfort
wheels	Shimano Alivio rear hub Alloy Sealed QR front hub Matrix 750 rims Hutchinson Acrobat w/ stop puncture protection tires and Slime
suspension	SR XC R-E fork (73mm travel w/ adj. preload) Suspension seatpost
componentry	Shimano Deore rear derailleur + Alivio shifters + T301 front derailleur + T303 crank w/chainguard Alloy linear pull brakes w/ power modulator Dual Density platform pedals
sizes	SM MD LG XL
color	Warm Silver Metallic and Deep Blue Metallic



▲NAPA™

frame	Fisher Aluminum Comfort
wheels	Shimano RM40 rear hub Alloy Sealed QR front hub Matrix 750 rims Hutchinson Acrobat w/ stop puncture protection tires
suspension	SR XC C-E fork (63mm travel w/ adj. preload) Suspension seatpost
componentry	Shimano Acera rear derailleur + EF29 shifters + C051 front derailleur + C203 crank w/chainguard Alloy linear pull brakes w/ power modulator Dual Density platform pedals
sizes	SM MD LG XL SM-Stepthrough MD-Stepthrough
color	Silver Metallic and Pearl White



▼CAPITOLA™

frame	Fisher Aluminum Comfort
wheels	Alloy Sealed QR hubs Matrix 550 rims Hutchinson Acrobat tires
suspension	Hi Tensile Steel fork Suspension seatpost
componentry	Shimano TY40GS rear derailleur + EF29 shifters + C051 front derailleur Alloy linear pull brakes w/ power modulator Sunrace FCM35 crank w/ chainguard Dual Density platform pedals
sizes	SM MD LG XL SM-Stepthrough MD-Stepthrough
color	Silver Metallic and Slate Blue Metallic

FREE LOADER

Take someone for a ride...



206

frame Fisher all steel frame | folding boom arm
 wheels all terrain rear tire | alloy 36 hole rim
 componentry Adjustable alloy, top clamp stem | Fisher padded seat |
 Wellgo nylon pedals | 6 speed shifting
 color Black




247

frame Fisher all steel frame | folding boom arm
 wheels all terrain rear tire | alloy 36 hole rim
 componentry Adjustable alloy, top clamp stem | Fisher padded seat |
 Wellgo nylon pedals | 7 speed shifting
 color Silver

WANTED BY THE F.B.A.

FISHER BIKING ACCESSORIES: SEE THE COMPLETE LINE-UP AT YOUR LOCAL FISHER DEALER



201

frame Fisher all steel frame
 wheels all terrain rear tire | alloy 36 hole rim
 componentry Adjustable alloy, top clamp stem | Fisher padded seat |
 Wellgo nylon pedals
 color Blue



241

frame Fisher all steel frame | folding boom arm
 wheels all terrain rear tire | alloy 36 hole rim
 componentry Adjustable alloy, top clamp stem | Fisher padded seat |
 Wellgo nylon pedals
 color Red



WOODY_AIR

- frame Fisher all steel Air frame | Fisher freestyle fork
- wheels Fisher freestyle tires | aluminum 48 hole rims
- entry ProMax linear pull brakes | Fisher threadless stem | SST Dryg rotor | Fisher steel pegs
- color Metallic Black | Metallic Green



WOODY_AIR



BMX 71  Not just for BMX any more

MR SKINNER_DIRT

- frame Fisher all steel Dirt frame | Fisher Dirt fork
- wheels Square knob dirt tires | Alloy 36 hole rims
- entry ProMax Linear pull brakes | Fisher threadless stem | SST Dryg rotor | Fisher steel pegs
- color Metallic Yellow | Dark Metallic Blue



MR SKINNER_DIRT



CAB_DIRT

- frame Fisher Dirt frame | Cromoly top and down tube | Fisher Cromoly Dirt fork
- wheels Square knob dirt tires | Alloy 48 hole rims | 14 mm axles
- entry ProMax Linear pull rear brake | Fisher threadless stem | SST Dryg rotor | Fisher steel pegs | 3 piece crank
- color Metallic Green



MULLET_DIRT

- frame Fisher all Cromoly Dirt frame + fork
- wheels Square knob dirt tires | Alex alloy 48 hole rims | 14 mm axles
- componentry ProMax linear pull rear brake | Fisher threadless stem | SST Dryg rotor | Fisher steel pegs | 3 piece Cromoly crank
- color Metallic Black





^ SUN SPOT_GIRL

^ SUN SPOT_BOY

frame hi-tensile steel frame | Fisher steel BMX fork

wheels steel 20 hole rims | Fisher Space tires

componentry Fenders and Spoke Dokeys

color Pink (girls) | Red (boys)

Warning, this product is not intended for use of children under 3 years of age.



^ COSMO_GIRL

^ COSMO_BOY



frame 20" wheel Fisher Jr. ATB frame in all steel with RST
50mm travel suspension fork

wheels 36h alloy rims with knobby tires

componentry GripShift MRX and Shimano 6 speed shifting

color Dark Purple and Light Purple (girls)
Black and Silver w/ Blue decal (boys)

KIDS LOVE GARY A LOT 

GARY  KIDS A LOT 



^ GAMMA RAY_GIRL

^ GAMMA RAY_BOY

frame hi-tensile steel frame | Fisher steel BMX fork

wheels steel 28 hole rims | Fisher Space tires

componentry Fenders and Spoke Dokeys

color Purple (girls) | Blue (boys)

Warning, this product is not intended for use of children under 3 years of age.



^ TYRO_GIRL

^ TYRO_BOY

frame 24" wheel | Fisher Jr. ATB frame with cromoly seat tube.

wheels 36h alloy rims with knobby tires

componentry GripShift MRX Plus and Shimano 21 speed shifting

color Purple and Blue (girls) | Black and Silver w/ Red decal (boys)



^ COMET_GIRL

^ COMET_BOY

frame hi-tensile steel | Fisher steel BMX fork

wheels alloy 36 hole rims | knobby tires

componentry Coaster brake and rear linear pull brake

color White and Pink (girls) | Black and Silver w/ Red decals (boys)



^ MT JAM

^ MT JAM FS

frame 24" wheel | Fisher Jr. ATB frame | RST front suspension with
63mm of travel

wheels 36h alloy rims with knobby tires

componentry GripShift MRX Plus and Shimano 21 speed shifting

color Dark Blue and Yellow

frame Fisher Jr. ATB full suspension frame | 600 lb coil spring rear shock |
RST front suspension with 63mm of travel

wheels 36h alloy rims with knobby tires

componentry GripShift MRX Plus and Shimano 21 speed shifting

color Yellow and Red rear triangle

PRODUCT SPECIFICATION

model	SUGAR 1	SUGAR 2	SUGAR 2+ DISC	SUGAR 2+	SUGAR 3+ DISC	SUGAR 3+ GS
page	23	23	28	27	25	49
colors	Blue Metallic / Tint Blue Clear	Gold / Tint Silver Clear	Flipping Green	Flipping Green	Blue Metallic	Blue Metallic / White Pearl
sizes	SM MD LG XL	SM MD LG XL	SM MD LG XL	SM MD LG XL	SM MD LG XL	SM MD
in frame	Platinum Series 6061 T6 double butted aluminum Genesis Geometry	Platinum Series 6061 T6 double butted aluminum Genesis Geometry	Platinum Series 6061 T6 double butted aluminum Genesis Geometry	Platinum Series 6061 T6 double butted aluminum Genesis Geometry	Platinum Series 6061 T6 double butted aluminum Genesis Geometry	Platinum Series 6061 T6 double butted aluminum Genesis Geometry
wingarm	h-link swingarm carbon fiber	h-link swingarm carbon fiber	sybil link swingarm 6061 T6 aluminum	sybil link swingarm 6061 T6 aluminum	sybil link swingarm 6061 T6 aluminum	sybil link swingarm 6061 T6 aluminum
fork	Monstr Maxx Super w/ Anti-Bob TPC Damping 80mm travel	Monstr Maxx Elite TPC Damping 80mm travel	RockShox Pylos SL U-Turn Adjustable Travel 80-125mm	RockShox Pylos SL U-Turn Adjustable Travel 80-125mm	Monstr Black Elite TPC Damping 80/100mm Adjustable Travel	Monstr Black Elite Dico TPC Damping 80/100mm Adjustable Travel
rear shock	Cane Creek Cloud Race Air	Cane Creek AD-12	Cane Creek AD-12	Cane Creek AD-12	Cane Creek ADS Air	Cane Creek ADS Air
headset	Cane Creek S-6 Aheadset	Die-Campe SAS Aheadset	Die-Campe SAS Aheadset	Die-Campe SAS Aheadset	Die-Campe SAS Aheadset	Die-Campe SAS Aheadset
bracket	Shimano XTR Splinead	Bontrager Race ISIS splinead	Bontrager Race ISIS splinead	Bontrager Race ISIS splinead	Shimano BB-UN52	Shimano BB-UN52
crank	Shimano XTR 46/34/24 Splinead	Bontrager Race 44/32/22 Splinead	Bontrager Race 44/32/22 Splinead	Bontrager Select 44/32/22 Splinead	Bontrager Select 44/32/22	Bontrager Select 44/32/22
pedals	Time ATAC clipless	Shimano Deore XT	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX
brailleur	Shimano XTR	Shimano XTR SGS	Shimano XTR SGS	Shimano XTR SGS	Shimano Deore LX SGS	Shimano Deore LX SGS
brailleur shifters	Shimano XTR	Shimano Deore XT	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX
cassette	Shimano Deore XT 11-34 9 spd	Shimano Deore LX 11-32 9 spd	Shimano Deore LX 11-32 9 spd	Shimano Deore LX 11-32 9 spd	SRAM 70 11-32 9 spd	SRAM 70 11-32 9 spd
chain	Shimano HG-92	Shimano HG-72	Shimano HG-72	Shimano HG-72	Shimano HG-72 8spd	Shimano HG-72 8spd
front hub	Bontrager Race Lite Tubeless WheelSystem 24 hole	Bontrager Race OSB WheelSystem Tubeless Compatible 24 hole	Bontrager Race Disc OSB WheelSystem 28 hole	Bontrager Race OSB WheelSystem Tubeless Compatible 24 hole	Bontrager Race Disc OSB WheelSystem 28 hole	Bontrager Select WheelSystem 24 hole
front rim	Bontrager Race Lite Tubeless WheelSystem 28 hole	Bontrager Race OSB WheelSystem Tubeless Compatible 28 hole	Bontrager Race Disc OSB WheelSystem 28 hole	Bontrager Race OSB WheelSystem Tubeless Compatible 28 hole	Bontrager Select OSB WheelSystem 28 hole	Bontrager Superstack OSB WheelSystem 28 hole
spokes	Bontrager Race Lite Tubeless WheelSystem 28 hole	Bontrager Race OSB WheelSystem Tubeless Compatible 28 hole	Bontrager Race Disc OSB WheelSystem 28 hole	Bontrager Race OSB WheelSystem Tubeless Compatible 28 hole	Bontrager Select OSB WheelSystem 28 hole	Bontrager Superstack OSB WheelSystem 28 hole
rear hub	Bontrager Race Lite Tubeless WheelSystem 28 hole	Bontrager Race OSB WheelSystem Tubeless Compatible 28 hole	Bontrager Race Disc OSB WheelSystem 28 hole	Bontrager Race OSB WheelSystem Tubeless Compatible 28 hole	Bontrager Select OSB WheelSystem 28 hole	Bontrager Superstack OSB WheelSystem 28 hole
rear rim	IRC SeroaXC Tubeless 25x2.1	IRC SeroaXC 26x2.1	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25
spokes	IRC SeroaXC Tubeless 26x2.1	IRC SeroaXC 26x2.1	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25
front tire	Avid Single Digit Ti	Avid Single Digit 5 direct pull	Hayes HFX May Hydraulic Disc	Avid Single Digit 5 direct pull	Hayes HFX Comp Hydraulic Disc	Avid Single Digit 3 direct pull
rear tire	Avid Single Digit Ti	Avid Single Digit 5 direct pull	Hayes HFX May Hydraulic Disc	Avid Single Digit 5 direct pull	Hayes HFX Comp Hydraulic Disc	Avid Single Digit 3 direct pull
brake levers	Shimano XTR	Shimano Deore XT	Hayes Hydraulic Disc	Shimano Deore XT	Hayes Hydraulic Disc	Alloy Linear Pull (Short Reach)
handlebar	Bontrager Race Lite	Bontrager Crowbar Race	Bontrager Crowbar Race	Bontrager Crowbar Race	Bontrager Crowbar Sport DB	Bontrager Crowbar Sport DB
stem	Bontrager Race Lite	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Select	Bontrager Select
grips	Serfas dual density	Serfas dual density	Serfas dual density	Serfas dual density	Serfas dual density	Serfas dual density
saddle	Selle San Marco Era 11/Weather	WTB Laser V Race C/Mo rails	WTB Laser V Race C/Mo rails	WTB Laser V Race C/Mo rails	WTB Laser V Race C/Mo rails	WTB Laser V Race C/Mo rails
post	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Race	Bontrager Sport	Bontrager Sport
g else?	Titanium Hardware Kit Replaceable derailleur hanger 2 Waterbottle mounts 2 Waterbottle mounts Rear shock pump	Titanium Hardware Kit Replaceable derailleur hanger 2 Waterbottle mounts 2 Waterbottle mounts Rear shock pump	Replaceable derailleur hanger 2 Waterbottle mounts Rear shock pump	Replaceable derailleur hanger 2 Waterbottle mounts Rear shock pump	Replaceable derailleur hanger 2 Waterbottle mounts Rear shock pump	Replaceable derailleur hanger 2 Waterbottle mounts Rear shock pump

PRODUCT SPECIFICATION

model	SUGAR 3+	SUGAR 4+	REPACK	SUPERCALIBER 29	MTTAM 29	PARAGON
page	28	29	30	35	35	37
colors	Blue Metallic	Black Metallic	Blue Gray Powdercoat	Red Metallic / Blue Metallic	Black Metallic / Flipping Green	Red Metallic / Red
sizes	SM MD LG XL	SM MD LG XL	SM-MD MD-LG	SM MD LG XL	SM MD LG XL	SM MD LG XL
main frame	Platinum Series 6061 T6 double butted aluminum Genesis Geometry	Platinum Series 6061 T6 double butted aluminum Genesis Geometry	Platinum Series 6061 T6 double butted aluminum Fisher Downhill	29" Platinum Series 2r 5000 double butted aluminum Genesis Geometry	29" Platinum Series 2r 5000 double butted aluminum Genesis Geometry	Platinum Series 2r 5000 double butted aluminum Genesis Geometry
swingarm	sybil link swingarm 6061 T6 aluminum	sybil link swingarm 6061 T6 aluminum	Platinum Series 6061 T6 double butted aluminum Fisher Downhill			
fork	Monstr Black Elite TPC Damping 80/100mm Adjustable Travel	Monstr Black Elite TPC Damping 80/100mm Adjustable Travel	Monstr Black Comp Fluid Flow Damping 80/100mm Adjustable Travel	Mazzechi Marathon 29" Extension Control Cartridge 80mm travel	Mazzechi MTR Ae 29" SSVF Flexing Valve Damping System 80mm travel	Monstr Maxx Elite TPC Damping 80mm travel
rear shock	Cane Creek ADS Air	Cane Creek ADS Air	Fox Vanilla RC2	Cane Creek S-6 Aheadset	Die-Campe SAS Aheadset	Die-Campe SAS Aheadset
headset	Die-Campe SAS Aheadset	Die-Campe SAS Aheadset	Die-Campe SAS Aheadset	Die-Campe SAS Aheadset	Die-Campe SAS Aheadset	Die-Campe SAS Aheadset
bottom bracket	Shimano BB-UN52	Shimano BB-UN52	Shimano BB-UN52	Bontrager Race ISIS splinead	Bontrager Race ISIS Splinead	Bontrager Race ISIS Splinead
crank	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Race Lite 44/32/22 Splinead	Bontrager Race 44/32/22 Splinead	Bontrager Race 44/32/22 Splinead
pedals	Shimano MS15 clipless	Shimano MS15 clipless	Shimano MS15 clipless	Time ATAC Carbon clipless	Time ATAC clipless	Shimano MS15 clipless
front derailleur	Shimano Deore LX	Shimano Deore LX	Shimano Deore LX	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX
rear derailleur	Shimano Deore LX SGS	Shimano Deore XT SGS	Shimano Deore LX SGS	Shimano XTR SGS	Shimano XTR SGS	Shimano XTR SGS
shifters	Shimano Deore LX	Shimano Deore LX	Shimano Deore LX	Shimano XT	Shimano Deore XT	Shimano Deore LX
cassette	SRAM 70 11-32 9 spd	SRAM 70 11-32 9 spd	SRAM 70 11-32 9 spd	Shimano Deore XT 11-34 9 spd	Shimano Deore LX 11-32 9 spd	Shimano Deore LX 11-32 9 spd
chain	Shimano HG-72 8spd	Shimano HG-72 8spd	Shimano HG-72 8spd	Shimano HG-92	Shimano HG-72	Shimano HG-72
front hub	Bontrager Select WheelSystem 24 hole	Bontrager Select WheelSystem 24 hole	Bontrager Superstack WheelSystem 24 hole	Bontrager Race Lite 29" WheelSystem 24 hole	Bontrager Race 29" WheelSystem 24 hole	Bontrager Race 29" WheelSystem 24 hole
front rim	Bontrager Select OSB WheelSystem 28 hole	Bontrager Superstack OSB WheelSystem 28 hole	Bontrager Superstack OSB WheelSystem 28 hole	Bontrager Race Lite 29" OSB WheelSystem 28 hole	Bontrager Race 29" OSB WheelSystem 28 hole	Bontrager Race 29" OSB WheelSystem 28 hole
spokes	Bontrager Select OSB WheelSystem 28 hole	Bontrager Superstack OSB WheelSystem 28 hole	Bontrager Superstack OSB WheelSystem 28 hole	Bontrager Race Lite 29" OSB WheelSystem 28 hole	Bontrager Race 29" OSB WheelSystem 28 hole	Bontrager Race 29" OSB WheelSystem 28 hole
rear hub	Bontrager Select OSB WheelSystem 28 hole	Bontrager Superstack OSB WheelSystem 28 hole	Bontrager Superstack OSB WheelSystem 28 hole	Bontrager Race Lite 29" OSB WheelSystem 28 hole	Bontrager Race 29" OSB WheelSystem 28 hole	Bontrager Race 29" OSB WheelSystem 28 hole
rear rim	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25	IRC HolesXC 26x2.1	IRC HolesXC 26x2.1	IRC SeroaXC 26x2.1
spokes	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25	IRC Backcountry 26x2.25	IRC HolesXC 26x2.1	IRC HolesXC 26x2.1	IRC SeroaXC 26x2.1
front tire	Avid Single Digit 3 direct pull	Alloy linear pull	Alloy linear pull	Avid Single Digit Ti	Avid Single Digit 5 direct pull	Avid Single Digit 5 direct pull
rear tire	Avid Single Digit 3 direct pull	Alloy linear pull	Alloy linear pull	Avid Single Digit Ti	Avid Single Digit 5 direct pull	Avid Single Digit 5 direct pull
brake levers	Shimano Deore LX	Alloy linear pull	Alloy linear pull	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX
handlebar	Bontrager Crowbar Sport DB	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Race Lite	Bontrager Race	Bontrager Crowbar Race
stem	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Race Lite	Bontrager Race	Bontrager Select
grips	Serfas dual density	Serfas dual density	Serfas dual density	Serfas dual density	Serfas dual density	Serfas dual density
saddle	WTB Laser V Race C/Mo rails	WTB Laser V Race C/Mo rails	WTB Laser V Race C/Mo rails	Selle San Marco Era Tu/Weather	WTB Laser V Race C/Mo rails	WTB Laser V Race C/Mo rails
post	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Race	Bontrager Race	Bontrager Race
g else?	Replaceable derailleur hanger 2 Waterbottle mounts Rear shock pump	Replaceable derailleur hanger 2 Waterbottle mounts Rear shock pump	Replaceable derailleur hanger 2 Waterbottle mounts Rear shock pump	Replaceable derailleur hanger 3 Waterbottle mounts	Replaceable derailleur hanger 3 Waterbottle mounts	Replaceable derailleur hanger 3 Waterbottle mounts

model	page	colors	sizes	main frame	swingarm	fork	rear shock	headset	bottom bracket	crank	pedals	front derailleur	rear derailleur	shifters	cassette	chain	front hub	front rim	front spokes	rear hub	rear rim	rear spokes	front tire	rear tire	front brake	rear brake	brake levers	handlebar	stem	grips	saddle	seatpost	anything else?
-------	------	--------	-------	------------	----------	------	------------	---------	----------------	-------	--------	------------------	-----------------	----------	----------	-------	-----------	-----------	--------------	----------	----------	-------------	------------	-----------	-------------	------------	--------------	-----------	------	-------	--------	----------	----------------

Product Specification 77 The industry's most complete databases

PRODUCT SPECIFICATION

model	BIG SUR DISC	BIG SUR GS	BIG SUR	HOO KOO E KOO	TASSAJARA DISC	TASSAJARA GS
page	36	49	38	39	39	49
colors	Black Chrome / Black Metallic	Pearl White / Blue Metallic	Black Chrome / Black Metallic	Black / Dublin Blue	Black / Red Metallic	Silver Metallic / Pearl White
sizes	SM MD LG XL	XS SM MD	SM MD LG XL	XS SM MD LG XL	XS SM MD LG XL	XS SM MD
n frame	Platinum Series Zr 9000 double butted aluminum Genesis Geometry	Platinum Series Zr 9000 double butted aluminum Genesis Women's Geometry	Platinum Series Zr 9000 double butted aluminum Genesis Geometry	Dale Series 6061 T6 aluminum Genesis Geometry	Silver Series 7005 aluminum Genesis Geometry	Silver Series 7005 aluminum Genesis Women's Geometry
swingarm						
fork	Manitou Black Elite TPC Damping 80/100mm Adjustable Travel	Manitou Black Elite Diva TPC Damping 80/100mm Adjustable Travel	Manitou Black Elite TPC Damping 80/100mm Adjustable Travel	Marzocchi EXR Dual Spd Sensitive Valveing 80mm travel	Manitou Six Elite 80mm	Manitou Six Elite Diva 80mm
rear shock						
headset	Di-Compe STR Aheadset	Di-Compe STR Aheadset	Di-Compe STR Aheadset	Di-Compe STR Aheadset	Di-Compe STR Aheadset	Di-Compe STR Aheadset
bracket	Shimano BB-LP28	Shimano BB-LP28	Shimano BB-LP28	Shimano BB-LP28	Shimano BB-LP28	Shimano BB-LP28
crank	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Select 44/32/22	Bontrager Sport 44/32/22	Bontrager Sport 44/32/22	Bontrager Sport 44/32/22
pedals	Shimano MS15 clipless	Shimano MS15, clipless	Shimano MS15, clipless	Shimano MS15 clipless	Shimano MS15 clipless	Shimano MS15 clipless
derailleur	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore
derailleur	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore XT SGS	Shimano Deore LX SGS	Shimano Deore LX SGS	Shimano Deore LX SGS
shifters	Shimano Deore LX	Shimano Deore LX	Shimano Deore LX	Shimano Deore LX	Shimano Deore LX	Shimano Deore LX
cassette	SRAM 7D 11-32 9 spd	SRAM 7D 11-32 9 spd	SRAM 7D 11-32 9 spd	SRAM 7D 11-32 9 spd	SRAM 7D 11-32 9 spd	SRAM 7D 11-32 9 spd
chain	Shimano HG53 Spd	Shimano HG53 Spd	Shimano HG53 Spd	Shimano HG53 Spd	Shimano HG53 Spd	Shimano HG53 Spd
front hub	Bontrager Superstack Disc OSB WheelSystem 28 hole	Bontrager Superstack Disc OSB WheelSystem 24 hole	Bontrager Superstack Disc OSB WheelSystem 24 hole	Alloy Sealed QR	Alloy Sealed QR	Alloy Sealed QR
front rim				Bontrager Carvir	Bontrager Carvir OSB	Bontrager Carvir
front spokes				DT Stainless Steel 14 Gauge	DT Stainless Steel 14 Gauge	DT Stainless Steel 14 Gauge
rear hub	Bontrager Superstack Disc OSB WheelSystem 28 hole	Bontrager Superstack OSB WheelSystem 28 hole	Bontrager Superstack OSB WheelSystem 28 hole	Shimano Spd	Alloy Disc Sealed QR	Shimano Spd
rear rim				Bontrager Carvir OSB	Bontrager Carvir OSB	Bontrager Carvir OSB
rear spokes				DT Stainless Steel 14 Gauge	DT Stainless Steel 14 Gauge	DT Stainless Steel 14 Gauge
front tire	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1
rear tire	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1
front brake	Hayes HFX Comp Hydraulic Disc	Shimano 420	Shimano 420	Alloy linear pull	Hayes Mechanical Disc	Alloy linear pull
rear brake	Hayes HFX Comp Hydraulic Disc	Shimano 420	Shimano 420	Alloy linear pull	Hayes Mechanical Disc	Alloy linear pull
brake levers	Hayes Hydraulic	Alloy linear pull (short reach)	Shimano Deore LX	Alloy linear pull	Alloy linear Pull (short reach)	Alloy linear Pull (short reach)
handlebar	Bontrager Crowbar Sport DB	Bontrager Crowbar Sport	Bontrager Crowbar Sport DB	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport
stem	Bontrager Select	Bontrager Select	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Sport
grips	Serfas dual density	Serfas dual density	Serfas dual density	Serfas dual density	Serfas dual density	Serfas dual density
saddle	WTB SSTX	WTB SSTX Women's	WTB SSTX	WTB SSTX	WTB SSTX	WTB SSTX Women's
anything else?	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport
	Replaceable derailleur hanger 3 Waterbottle mounts	Replaceable derailleur hanger 3 Waterbottle mounts	Replaceable derailleur hanger 3 Waterbottle mounts	Replaceable derailleur hanger 3 Waterbottle mounts	Replaceable derailleur hanger 3 Waterbottle mounts	Replaceable derailleur hanger 3 Waterbottle mounts

PRODUCT SPECIFICATION

model	TASSAJARA	MARLIN	WAHOO	MAMBA	TARPON	FAST CITY
page	40	41	52	53	54	60
colors	Black / Red Metallic Black Metallic / Gold Metallic	Silver Metallic / Titanium Black Metallic / Yellow Metallic	Black / Mirror Silver Silver Metallic / Dark Green Metallic	Silver Metallic / Red Yellow Metallic / Black Metallic	Silver Metallic / Blue Metallic Pearl White / Silver Metallic	Silver Metallic / Black Metallic
sizes	XS SM MD LG XL	XS SM MD LG XL	XS SM MD LG XL XXL	XS SM MD LG XL stepthrough MD	XS SM MD LG XL stepthrough SM stepthrough MD	SM MD LG XL
n frame	Silver Series 7005 aluminum Genesis Geometry	Silver Series 7005 aluminum Genesis Geometry	Over sized Butted Chromoly Steel	Over sized Steel Chromoly cast tube	Over sized Steel Chromoly cast tube	Fisher Platinum Series Aluminum Hybrid
swingarm						
fork	Manitou Six Elite 80mm	RockShox Judy TT 80mm	RockShox Judy TT 80mm Travel	SR XCC 63mm Travel	16 Tensile Steel	Manitou Live 75mm
rear shock						
headset	Di-Compe STR Aheadset	Di-Compe STR Aheadset	Steel 1.61/8" Sealed Aheadset	Steel 1.61/8" Sealed Aheadset	Steel 1.61/8" Sealed Aheadset	Di-Compe STR Aheadset
bracket	Shimano BB-LP28	Shimano CF93	Sarrazz FCMS5 42/34/24	Sarrazz FCMS5 48/38/28	Sarrazz CMSS 48/38/28	Shimano BB-UF40
crank	Bontrager Sport 44/32/22	Bontrager Sport 44/32/22	Nylon ATB Platform	Nylon ATB Platform	Nylon ATB Platform	Shimano Deore 48/36/26
pedals	Shimano Deore	Shimano Deore	Shimano CS50	Shimano CS51	Shimano CS51	Shimano 3515 clipless
derailleur	Shimano Deore SGS	Shimano Alivio	Shimano Acera	Shimano Altus	Shimano Altus	Shimano Deore LX
derailleur	Shimano Deore	Shimano Deore	Shimano EF-33 RapidFire Plus	Shimano EF29	Shimano EF29	Shimano Deore LX SGS
shifters	SRAM 7D 11-32 9 spd	SRAM 5.0 11-32 9 spd	Sram 5.0 11-32 9 spd	7 spd 13-30	7 spd 13-30	Shimano Deore
cassette	Shimano HG53 Spd	IRC 31	KMC 772	KMC 251	KMC 251	SRAM 7D 11-32 9spd
chain	Bontrager Superstack Disc OSB WheelSystem 28 hole	Alloy Sealed QR	Alloy Sealed QR	Alloy Sealed QR	Alloy Sealed QR	Bontrager Select 700c WheelSystem
front hub		Bontrager Carvir	Bontrager Carvir	Bontrager Carvir	Bontrager Carvir	
front rim		DT Stainless Steel 14 Gauge	DT Stainless Steel 14 Gauge	DT Stainless Steel 14 Gauge	DT Stainless Steel 14 Gauge	
front spokes		Shimano Spd	Shimano Spd	Shimano Spd	Shimano Spd	
rear hub	Bontrager Superstack Disc OSB WheelSystem 28 hole	Bontrager Carvir OSB	Bontrager Carvir OSB	Bontrager Carvir OSB	Bontrager Carvir OSB	Bontrager Select 700c WheelSystem
rear rim		DT Stainless Steel 14 Gauge	DT Stainless Steel 14 Gauge	DT Stainless Steel 14 Gauge	DT Stainless Steel 14 Gauge	
rear spokes		IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Duro Tour 700c35
front tire	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Duro Tour 700c35
rear tire	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	IRC Mythos XC 26x2.1	Shimano 420
front brake	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy linear pull	Shimano 420
rear brake	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy Linear Pull
brake levers	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Crowbar Sport	Bontrager Race
handlebar	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Select
stem	Serfas dual density	Serfas dual density	Serfas dual density	Serfas dual density	Serfas dual density	Serfas dual density
grips	WTB SSTX	WTB SSTX	WTB SSTX	WTB SSTX	WTB SSTX	WTB SSTX
saddle	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport
anything else?	Replaceable derailleur hanger 3 Waterbottle mounts	Replaceable derailleur hanger 3 Waterbottle mounts	Replaceable derailleur hanger 3 Waterbottle mounts	Replaceable derailleur hanger 3 Waterbottle mounts	Replaceable derailleur hanger 3 Waterbottle mounts	Replaceable Derailleur hanger 2 Waterbottle mounts

Product Specification 79 The industry's most complete data tables

model
page
colors
sizes
main frame
swingarm
fork
rear shock
headset
bottom bracket
crank
pedals
front derailleur
rear derailleur
shifters
cassette
chain
front hub
front rim
front spokes
rear hub
rear rim
rear spokes
front tire
rear tire
front brake
rear brake
brake levers
handlebar
stem
grips
saddle
seats
anything else?

PRODUCT SPECIFICATION

model	UTOPIA	NIRVANA	ZEBRANO	TIBURON	PRESIDIO	SOLSTICE
page	60	61	59	61	64	64
colors	Black Metallic/ Metallic Silver	Silver Metallic/ Deep Blue Metallic	Warm Silver Metallic/ Red Metallic	Silver Metallic/ Dark Green Metallic	Silver Metallic/ Red Metallic	Warm Silver Metallic/ Deep Blue Metallic
sizes	SM MD LG XL	XS SM MD LG XL stepthrough MD	SM MD LG XL stepthrough MD	SM MD LG XL stepthrough SM stepthrough MD	SM MD LG XL	SM MD LG XL
frame	Fisher Aluminum Hybrid	Fisher Aluminum Hybrid	Fisher Aluminum Hybrid	Fisher Aluminum Hybrid	Fisher Aluminum Comfort	Fisher Aluminum Comfort
ingarm						
fork	RockShox Ruby Micro XC 50mm	Davy ST 40mm travel	SR 10T0 40mm travel	H Tenale Steel	Rock Shaw Judy TT 80mm travel	SR XCR-E w/adjustable preload 73mm travel
r shock						
headset	Die-Campe STR Aheadset	Die-Campe STR Aheadset	Steel 1.61/8" Sealed	Steel 1.61/8" Sealed	Steel Aheadset 1.61/8" Sealed	Steel Aheadset 1.61/8" Sealed
bracket	Shimano BB-LP28	Shimano BB-DS15	Cartridge	Semi-Cartridge	Cartridge	Cartridge
crank	Shimano Nexus 1411 48/38/28	Shimano Nexus T301 48/38/28	Shimano C203 48/38/28 w/Chainguard	Shimano FCMS3 48/38/28 w/Chainguard	SRAM Dual Drive Shimano Nexus T301 48/38/28 w/Chainguard	Shimano T303 48/38/28 w/Chainguard
pedals	Alloy road sealed w/drops and straps	ATR sealed CrMo axles	Dual Density Platform	Dual Density Platform	Dual Density Platform	Dual Density Platform
raillleur	Shimano Nexus T301	Shimano Nexus T301	Shimano C201	Shimano C201	Shimano T301	Shimano T301
raillleur	Shimano Deore LX SSS	Shimano Deore SGS	Shimano Acera	Shimano Acera	Shimano Deore	Shimano Deore
shifters	Shimano Alivio	6spShift Contera	Shimano EF29	SRAM ESP 7.0	SRAM Dual Drive	Shimano EF29
assette	SRAM 5.0 11-32 8 spd	Shimano HG-50 11-30 8 spd	SRAM 5.0 11-32 8 spd	7 spd 13-34	SRAM 5.0 11-32 8 spd	SRAM 5.0 11-32 8 spd
chain	Shimano HG-31	Shimano HG50	KMC Z72	KMC Z51	KMC Z72	KMC Z72
ont hub	Bontrager Select 700c Wheelset	Alloy Sealed DR	Alloy Sealed DR	Alloy Sealed DR	Alloy Sealed DR	Alloy Sealed DR
ont rim		Bontrager Fairlane	Matrix 750 36 hole	Matrix 550 36 hole	Matrix 750 32 hole	Matrix 750 32 hole
spokes		DT 14g stainless	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel
ear hub	Bontrager Select 700c Wheelset	Shimano C201 32h	Shimano RM40	Alloy Sealed DR	SRAM Dual Drive	Shimano Alivio
ear rim		Bontrager Fairlane	Matrix 750 36 hole	Matrix 550 36 hole	Matrix 750 32 hole	Matrix 750 32 hole
spokes		DT 14g Stainless Steel 14 Gauge	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel	14g Stainless Steel
ont tire	IRC Duro Inert 700x25	Bontrager Select Invert Blue Label 700x38c	Bontrager Invert 700x38c	Bontrager Invert 700x38c	Hutchinson Acrobat w/stop puncture protection 26x1.95 w/ Slime filled tubes	Hutchinson Acrobat w/stop puncture protection 26x1.95 w/ Slime filled tubes
ear tire	IRC Duro Inert 700x35	Bontrager Select Invert Blue Label 700x38c	Bontrager Invert 700x38c	Bontrager Invert 700x38c	Hutchinson Acrobat w/stop puncture protection 26x1.95 w/ Slime filled tubes	Hutchinson Acrobat w/stop puncture protection 26x1.95 w/ Slime filled tubes
nt brake	Alloy direct pull	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy linear pull w/power modulator	Alloy linear pull
or brake	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy linear pull	Alloy linear pull
e levers	Shimano Alivio Alloy direct pull	Alloy linear pull	Shimano EF29	Alloy linear pull	Alloy linear pull	Alloy linear pull
ndlebar	Bontrager Crewbar Sport DB	Bontrager Crewbar Sport	50mm rise	50mm rise	50mm rise	50mm rise
stem	Bontrager Sport	Alloy direct connect, adjustable rise	Alloy, adjustable rise, front load	Alloy, adjustable rise, front load	Alloy, adjustable rise, front load Aheadset	Alloy, adjustable rise, front load Aheadset
grips	Serfas dual density	Serfas dual density	Serfas	Kralon	Serfas	Serfas
saddle	Dasis CR2 +	Dasis CR2 +	Dasis WebSpring	Dasis WebSpring	Dasis WebSpring w/integrated light	Dasis WebSpring
tpost	Bontrager Sport	Suspension	Suspension	Suspension	Suspension	Suspension
ng else?	Replaceable Derailleur hanger 2 Waterbottle mounts	Replaceable Derailleur hanger 2 Waterbottle mounts	Replaceable Derailleur hanger 2 Waterbottle mounts	Replaceable Derailleur hanger 2 Waterbottle mounts	Replaceable Derailleur hanger 2 Waterbottle mounts	Replaceable Derailleur hanger 2 Waterbottle mounts

PRODUCT SPECIFICATION

NAPA	CAPITOLA	MR.SKINNER	CAB	MULLET	WOODY
B5	B5	70	70	71	70
Silver Metallic/ White Pearl	Silver Metallic/ Slate Blue Metallic	Metallic Yellow Dark Metallic Blue	Metallic Green	Metallic Black	Metallic Green Metallic Black
SM MD LG XL stepthrough SM stepthrough MD	SM MD LG XL stepthrough SM stepthrough MD	Pro	Pro	Pro	Pro
Fisher Aluminum Comfort	Fisher Aluminum Comfort	Fisher all steel Dkt frame	Fisher Dkt frame Cromoly top and down tube	Fisher Dkt frame All cromoly	Fisher all steel Air frame
		all steel	all steel	All cromoly	All steel
SR XCR-E w/adjustable preload 63mm travel	H Tenale Steel	Fisher Dkt fork 1 3/8" blades All steel threadless	Fisher Dkt fork 1 3/8" blades Cromoly threadless	Fisher Dkt fork 1 3/8" blades All cromoly threadless	Fisher freestyle 1 3/8" blades steel threadless
Steel Aheadset 1.61/8" Sealed	Steel 1.61/8" Sealed	Targa, threadless	Targa, threadless	Targa, threadless	Targa, threadless
Cartridge	Semi-Cartridge	9 ball	9 ball	9 ball	9 ball
Shimano C203 48/38/28 w/Chainguard	Shimano FCMS3 48/38/28 w/Chainguard	Fisher 15mm tapered steel	Fisher 3-piece tapered steel Cromoly spindle	Fisher 3-piece tapered Cromoly Cromoly spindle	Fisher 15mm tapered
Dual Density Platform	Dual Density Platform	Weldo alloy platform	Weldo alloy platform	Weldo platform, alloy	Weldo alloy platform
Shimano C201	Shimano C201	ACS 16r black	ACS 16r black	ACS 16r black	ACS 16r black
Shimano Acera	Shimano Acera	KMC	KMC	KMC	KMC
Shimano EF29	Shimano EF29	Steel, 36 hole	Steel, 36 hole	Fisher alloy, 14mm axle, 48 hole	Fisher alloy, 14mm axle, 48 hole
SRAM 5.0 11-32 8 spd	7 spd 13-34	Alloy, 36 hole	Alloy, 48 hole	Alloy, 48 hole	aluminum, 48 hole
Alloy Sealed DR	Alloy Sealed DR	14g	14g	14g	14g
Matrix 750 32 hole	Matrix 550 36 hole	Steel, 36 hole	Fisher alloy, 14mm axle, 48 hole	Fisher alloy, 14mm axle, 48 hole	steel, 48 spoke
14g Stainless Steel	14g Stainless Steel	Alloy, 36 hole	Alloy, 48 hole	Alex, alloy, 48 hole	aluminum, 48 hole
Shimano RM40	Alloy Sealed DR	14g	14g	14g	14g
Matrix 750 32 hole	Matrix 550 36 hole	Alloy, 36 hole	Alloy, 48 hole	Alloy, 48 hole	14g
14g Stainless Steel	14g Stainless Steel	Square knob dkt tire, 2.1	Square knob dkt tire, 2.1	Square knob dkt tire, 2.1	Fisher freestyle, 2.0
Hutchinson Acrobat w/stop puncture protection 26x1.95 w/ Slime filled tubes	Hutchinson Acrobat w/stop puncture protection 26x1.95 w/ Slime filled tubes	Alloy linear pull w/power modulator	Alloy linear pull	Alloy linear pull, chainstay mounted	ProMax linear pull
Hutchinson Acrobat w/stop puncture protection 26x1.95 w/ Slime filled tubes	Hutchinson Acrobat w/stop puncture protection 26x1.95 w/ Slime filled tubes	Alloy linear pull	Alloy linear pull	ProMax 2 finger	ProMax linear pull, chainstay mounted
Alloy linear pull w/power modulator	Alloy linear pull	Shimano EF29	Shimano EF29	ProMax 2 finger	ProMax 2 finger
Alloy linear pull	Alloy linear pull	50mm rise	50mm rise	Fisher BMX, steel	Fisher BMX, cromoly
Alloy linear pull	Alloy linear pull	Alloy, adjustable rise, front load Aheadset	Alloy, adjustable rise, front load	Fisher threadless	Fisher threadless
Alloy linear pull	Alloy linear pull	Serfas	Serfas	Bontrager, knatan, dual density	Bontrager, knatan, dual density
Alloy linear pull	Alloy linear pull	Dasis WebSpring	Dasis WebSpring	Fisher jumper, padded	Fisher jumper, padded
Alloy linear pull	Alloy linear pull	Suspension	Suspension	steel, 350mm	steel, 350mm
Replaceable Derailleur hanger 2 Waterbottle mounts	Replaceable Derailleur hanger 2 Waterbottle mounts	Fisher steel pegs, 1 pair SST Dryg rotor Bontrager steel, 3.2mm thick, 44 tooth chaining	Fisher steel pegs, 1 pair SST Dryg rotor Bontrager steel, 3.2mm thick, 44 tooth chaining	Fisher steel pegs, 1 pair SST Dryg rotor Bontrager steel, 3.2mm thick, 44 tooth chaining	Fisher steel pegs, 1 pair SST Dryg rotor Bontrager steel, 3.2mm thick, 44 tooth chaining

model	page	colors	sizes	main frame	swingarm	fork	rear shock	headset	bottom bracket	crank	pedal	front derailleur	rear derailleur	shifters	cassette	chain	front hub	front rim	front spokes	rear hub	rear rim	rear spokes	front tire	rear tire	front brake	rear brake	brake levers	handlebar	stem	grips	saddle	seat	anything else?

GEOMETRY TABLES



models		
sizes		
standover	SO	"
effective top tube	TT	"
cockpit length	CP	"
minimum cockpit	minCP	"
maximum cockpit	maxCP	"
stem length	SL	mm
crank length	CL	mm
headtube length	HTL	mm
head angle	HA	°
seat tube angle	STA	°
effective chainstay length	CSL	mm
bottom bracket height	BBH	mm
bottom bracket drop	BBD	mm
wheelbase	WB	mm
center to top	CT	"
inseam range	I	"

models		
sizes		
standover	SO	"
effective top tube	TT	"
cockpit length	CP	"
minimum cockpit	minCP	"
maximum cockpit	maxCP	"
stem length	SL	mm
crank length	CL	mm
headtube length	HTL	mm
head angle	HA	°
seat tube angle	STA	°
effective chainstay length	CSL	mm
bottom bracket height	BBH	mm
bottom bracket drop	BBD	mm
wheelbase	WB	mm
center to top	CT	"
inseam range	I	"

GEOMETRY TABLES

SUGAR 1 & FRAME SUGAR 2				
SM	MD	LG	XL	
27.6	28.2	28.8	29.5	
22.2	23.9	24.7	25.5	
25.7	27.4	28.8	29.6	
24	25.7	26.5	27.3	
26.3	28.6	30	30.8	
75	90	105	105	mm
170	175	175	175	mm
90	105	125	145	mm
71	71.5	71.5	71.5	°
73.5	73.5	73.5	73.5	°
410	411	411	411	mm
298.4	298.4	298.4	298.4	mm
20	20	20	20	mm
1049.9	1075.8	1096.3	1115.9	mm
16.9	17.6	19	21	"
29.2 - 32.1	29.7 - 34.1	30.1 - 36.1	31.5 - 38.7	"

SUGAR 2+ & DISC	SUGAR 3+ & DISC & GS	SUGAR 4+	REPACK				
SM	MD	LG	XL	GS/M	GS/MD	SM/MD	MD/LG
28.1	28.7	29.3	30	28.1	28.7	28.5	29.5
22.2	23.9	24.7	25.5	21.6	23.3	23.9	24.9
25.7	27.4	28.8	29.6	24.6	26.25		
24	25.7	26.5	27.3	23.9	25.6		
26.3	28.6	30	30.8	25.7	27.4		
75	90	105	105	75	75		
170	175	175	175	170	175		
90	105	125	145	90	105		
71	71.5	71.5	71.5	71	71.5	67	67
73.5	73.5	73.5	73.5	73.5	73.5	62.5	62.5
417	417	417	417	417	417	425	425
312.4	312.4	312.4	312.4	312.4	312.4	362	362
20.6	20.6	20.6	20.6	20.6	20.6		
1056.8	1082.8	1103.3	1122.9	1041.6	1067.6	1117	1143
16	17.5	19	21	16	17.5		
29.2 - 32.1	29.7 - 34.1	30.1 - 36.1	31.5 - 38.7	29.2 - 32.1	29.7 - 34.1		

Disc = Geometry tables for disc wheels at 110mm offset from the 100mm offset. Disc = Disc wheels. Super = Super sizes.

GEOMETRY GLOSSARY

standover	SO	"	The vertical distance from the ground to the point on the top tube where you straddle the bike.
effective top tube	TT	"	The horizontal measure from the center of the headset to the center of the seatpost. The most important measurement when buying a bike, because it cannot be changed.
cockpit length	CP	"	The horizontal measure from the center of the handlebar to the center of the seatpost. This is where you spend your time. (The next two measurements show how it can be adjusted.)
minimum cockpit	minCP	"	The shortest the cockpit can be made by changing the stem to the shortest one available.
maximum cockpit	maxCP	"	The longest the cockpit can be made by changing the stem to one which is 30mm longer than original. The maximum recommended to retain optimum handling.
stem length	SL	mm	The original stem, measured from the center of the steerer tube to the center of the handlebar.
crank length	CL	mm	The distance from the center of the bottom bracket to the center of the pedal axle. A rider with long legs can benefit from longer cranks.
headtube length	HTL	mm	The distance between the upper and lower headset. Affects how high your handlebar is relative to your saddle.
head angle	HA	°	The angle of headtube to the ground. Tailored to optimize steering precision on each frame size.
seat tube angle	STA	°	The angle of seat tube to the ground. Tailored to optimize power transmission on each frame size.
effective chainstay length	CSL	mm	The distance from the center of the bottom bracket to the center on the rear axle.
bottom bracket height	BBH	mm	The vertical distance from the center of the bottom bracket to the ground. Expresses clearance of the frame over obstacles.
bottom bracket drop	BBD	mm	The vertical distance the bottom bracket is below an imaginary horizontal line drawn through the axles. The greater the bottom bracket drop, the lower the rider's center of gravity.
wheelbase	WB	mm	The distance between the axles. Tailored to optimize weight distribution on each frame size.
center to top	CT	"	The distance from the center of the bottom bracket to the top of the seat tube. Because some people still feel they need to know.
inseam range	I	"	If your inseam is within this range, this size of bike should fit you.

models		
sizes		
standover	SO	"
effective top tube	TT	"
cockpit length	CP	"
minimum cockpit	minCP	"
maximum cockpit	maxCP	"
stem length	SL	mm
crank length	CL	mm
headtube length	HTL	mm
head angle	HA	°
seat tube angle	STA	°
effective chainstay length	CSL	mm
bottom bracket height	BBH	mm
bottom bracket drop	BBD	mm
wheelbase	WB	mm
center to top	CT	"
inseam range	I	"

SUPERCALIBER 29 & FRAME MTTAM 29				
SM	MD	LG	XL	
27.3	28.7	29.8	31.5	
23.2	23.9	24.7	25.5	
26.2	27.4	28.8	29.6	
25	25.7	26.5	27.3	
27.3	28.6	30	30.8	
75	90	105	105	mm
170	175	175	175	mm
80	80	90	105	mm
70.5	71	71.5	71.5	°
74	74	73.5	73	°
433	433	433	433	mm
292	292	292	297.2	mm
76.3	76.3	76.3	71.1	mm
1080.9	1093.9	1103.3	1110.4	mm
15.5	17.5	19	21	"
29.6 - 32.1	31.2 - 34.1	32.2 - 36.1	33.9 - 38.8	"

GEOMETRY TABLES

PARAGON | BIG SUR & DISC 2.6S | HOO KOO E KOO | TASSAJARA & DISC 2.6S | MARLIN

	XS	SM	MD	LG	XL	GSXS	GSSM	GSMD
standover	25.7	27.41	28.85	30.54	32.2	25.7	27.41	28.85
effective top tube	21.74	22.9	23.91	24.72	25.47	21.74	22.3	23.4
cockpit length	23.03	24.84	26.49	27.85	28.6	23.03	24.34	25.99
minimum cockpit	23.03	24.26	25.32	26.58	27.15	23.03	23.8	26.49
maximum cockpit	24.2	26	27.21	28.51	29.26	24.2	24.97	27.66
stem length	60	75	90	105	105	60	75	75
crank length	170	175	175	175	175	170	170	175
headtube length	90	90	105	125	145	90	90	105
head angle	70.5	71	71.5	71.5	71.5	70.5	70.5	71
seat tube angle	74.5	74	74	73.5	73	74.5	74	74
effective chainstay length	410	411	411	411	411	410	411	411
bottom bracket height	286.8	292.1	292.1	292.1	292.1	286.8	292.1	292.1
bottom bracket drop	46.2	40.9	40.9	40.9	35.8	46.2	40.9	40.9
wheelbase	1030.6	1030.9	1075.9	1091.4	1107.9	1030.6	1042.1	1066.2
center to top	13	15.5	17.5	19	21	13	15.5	17.5
inseam range	26.9 - 30.4	29.6 - 32.1	31.2 - 34.1	32.2 - 36.1	33.9 - 38.8	26.9 - 30.4	29.6 - 32.1	31.2 - 34.1

WAHOO | MAMBA | TARPON

	XS	SM	MD	LG	XL	XXL	stepthrough MD
standover	25.43	28.42	29.56	30.58	31.81	33.99	22.2
effective top tube	21.14	21.81	22.36	22.85	23.5	24.21	22.4
cockpit length	22.41	23.8	24.99	26.18	26.89	27.6	26.5
minimum cockpit	22.41	23.31	24.02	24.73	25.44	26.58	24.14
maximum cockpit	23.37	24.76	25.96	27.16	27.86	28.41	27.71
stem length	90	90	105	110	110	130	105
crank length	170	175	175	175	175	175	170
headtube length	106	125	145	165	185	225	145
head angle	70.5	71	71.5	71.5	71.5	72	71.5
seat tube angle	74.5	74	74	73.5	73.5	73	74
effective chainstay length	412	413	413	413	413	413	413
bottom bracket height	289	291	295	295	295	295	295
bottom bracket drop	45	42	38	38	38	38	38
wheelbase	1018.58	1028.35	1039.97	1050.48	1065.21	1072.94	1040
center to top	13	17	18.3	19.5	21	23.5	18
inseam range	26.91 - 30.41	29.57 - 32.07	31.17 - 34.10	32.20 - 36.12	33.88 - 38.78	35.12 - 39.84	28.5 - 32

CAPITOLA | NAPA | SOLSTICE | PRESIDIO

	SM	MD	LG	XL	stepthrough SM	stepthrough MD
standover	26.8	28.5	30.5	32.1	23.5	23.8
effective top tube	21.7	22.6	23.5	24	21.7	22.6
cockpit length	26	26.9	27.8	28.3	26	26.9
minimum cockpit	23.5	24.4	25.3	25.8	23.5	24.4
maximum cockpit	26.8	27.7	28.6	29.1	26.8	27.7
stem length	110	110	110	110	110	110
crank length	170	170	170	170	170	170
headtube length	125	145	185	225	125	145
head angle	70.5	70.5	70.5	70.5	70.5	70.5
seat tube angle	73.5	73	73	72.5	73.5	73
effective chainstay length	423	423	423	423	423	423
bottom bracket height	291	291	291	291	291	291
bottom bracket drop	42	42	42	42	42	42
wheelbase	1029.1	1049	1074.8	1082.7	1029.1	1049
center to top	14.5	17	19.5	21	14.5	17
inseam range	27.8 - 30.0	29.5 - 32	31.5 - 34.6	33.1 - 36.1	27.8 - 30.3	29.5 - 32

GEOMETRY TABLES

TIBURON | ZEBRAND | NIRVANA | UTOPIA | FAST CITY

	SM	MD	LG	XL	stepthrough SM	stepthrough MD
standover	26.96	28.77	30.28	32.18	23.5	23.7
effective top tube	21.41	21.58	22.22	22.86	21.4	22.64
cockpit length	23.83	24.78	25.72	26.38	24.9	24.78
minimum cockpit	23.98	24.33	25.27	25.58	23.5	24.33
maximum cockpit	24.74	25.68	26.63	27.29	26.1	25.68
stem length	110	110	110	110	90	90
crank length	175	175	175	175	170	170
headtube length	90	105	105	125	105	125
head angle	70	70.5	70.5	71.5	70	70.5
seat tube angle	74	74	73	73	74	74
effective chainstay length	440	440	440	440	440	440
bottom bracket height	281	281	281	281	281	281
bottom bracket drop	65	65	65	65	65	65
wheelbase	1055.8	1056.3	1061.9	1069.4	1055.8	1056.3
center to top	15	17.5	20	22.5	15	17
inseam range	28.21 - 32.71	30.98 - 34.48	31.85 - 35.33	33.73 - 37.23	27.7 - 30.2	26.72 - 34.48

GARY FISHER LIMITED LIFETIME WARRANTY

Gary Fisher Bicycles provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame and rigid fork when purchased from an authorized Gary Fisher dealer. Gary Fisher Bicycles likewise warrants all original parts on the bicycle, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Gary Fisher dealer. Proof of purchase is required. A warranty registration card must be completed and received by Gary Fisher Bicycles before a warranty claim may be processed. This warranty covers bicycles and components outside the United States only if purchased through an authorized international Gary Fisher distributor or Gary Fisher dealer within the country of purchase.

The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse or neglect, or modification of the frame, fork, or components. Gary Fisher Bicycles shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.

All photos, illustrations, colors, weights, and specifications contained in this catalog are based on the latest production information at the time of publication. Gary Fisher reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. Any variations in colors shown may be due to the reproductive variations of the printing process. Photos may include non U.S. equipment. Some models may be shown with optional equipment.

Brought to you by...

design + photography > tick valicenti + owa samacka / 3st.com
 typography > chester / thistype.com
 digital imaging > richard paul / realtyes.com
 production > barb valicenti + nancy flumm / value 100
 bikes on white > cory radford photography
 x for brax > henry ng
 glossary illustrations > pianna burford
 paragon performers > mike, cindy, sachie of environmental encroachment
 kids love gary > magda
 extremely very special thanks > bruno mc millan
 scanning > electronic promedia services
 printing > joe + staff at soils printing (and three-star hotel)
 printed on mead paper > shout out to amy
 guest mentions:
 spiritual guidance > gary
 brand direction > dean goro
 news organization > bails langl + friends / bikeoutpost.com
 professionalism > bella
 very special thanks:
 michel, andrew, kevin, scott, jon, harry, brian, go performance crew and to all the fine men along the path who entertained sweet young ones after hours.
 gotta put bye in here somewhere, and hiny and brands of course, anyone else?
 piaventi! can't forget piaventi!
 can we go home now?